

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Reference number: 06364

Issue date: 01-04-2022 Revision date: 01-04-2022 Supersedes version of: 09-04-2015 Version: 1.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance

Trade name : TRIETHYLAMINE FOR HPLC

 EC Index-No.
 : 612-004-00-5

 EC-No.
 : 204-469-4

 CAS-No.
 : 121-44-8

 Product code
 : 06364

 Formula
 : C6H15N

Chemical structure

H<sub>3</sub>C N CH<sub>3</sub>

Synonyms : N,N-Diethylethanamine

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.

107 Wode House Road, Jehangir Villa, Colaba

400005 Mumbai - INDIA

T +91 22 6663 6663 - F +91 22 6663 6699

info@lobachemie.com - www.lobachemie.com

#### 1.4. Emergency telephone number

Emergency number : + 91 22 6663 6663 (9:00am - 6:00 pm)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2

Acute toxicity (oral), Category 4

Acute toxicity (dermal), Category 4

Acute toxicity (inhal.), Category 4

H312

Acute toxicity (inhal.), Category 4

H332

Skin corrosion/irritation, Category 1

Specific target organ toxicity — Single exposure, Category 3, Respiratory

H335

tract irritation

Full text of H-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Harmful in contact with skin. Harmful if inhaled. Harmful if swallowed. May cause respiratory irritation. Causes severe skin burns and eye damage.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS05

GHS07

Signal word (CLP)

: Danger

Hazard statements (CLP)

: H225 - Highly flammable liquid and vapour.

H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled.

H314 - Causes severe skin burns and eye damage.

H335 - May cause respiratory irritation.

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

 ${\tt P280-Wear\ protective\ gloves/protective\ clothing/eye\ protection/face\ protection/hearing}$ 

protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor.

#### 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Substance type : Mono-constituent
Name : TRIETHYLAMINE
CAS-No. : 121-44-8
EC-No. : 204-469-4
EC Index-No. : 612-004-00-5

#### 3.2. Mixtures

Not applicable

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general

: Call a physician immediately.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. Specific treatment is urgent (see supplemental first aid instruction on this label). Call a poison center or a doctor if you feel unwell.

First-aid measures after skin contact

: Rinse skin with water/shower. Take off immediately all contaminated clothing. Immediately call a POISON CENTER/doctor. Specific measures (see supplemental first aid instruction on this label). Wash with plenty of water/... Wash contaminated clothing before reuse. Call a physician immediately.

First-aid measures after eye contact

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Specific treatment (see supplemental first aid instruction on this label). Call a physician immediately.

First-aid measures after ingestion

: Rinse mouth. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Specific treatment (see supplemental first aid instruction on this label). Do not induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

01-04-2022 (Revision date) EN (English) 2/13

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Symptoms/effects after inhalation : Harmful if inhaled. May cause respiratory irritation.

Symptoms/effects after skin contact : Harmful in contact with skin. Burns.

Symptoms/effects after eye contact : Causes serious eye damage. Serious damage to eyes.

Symptoms/effects after ingestion : Harmful if swallowed. Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Water spray. Dry

powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and

no smoking. Avoid contact with skin, eyes and clothing. Do not breathe dust, fume, gas,

mist, spray, vapours.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Use personal protective

equipment as required. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Stop release.

#### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Collect spillage. On land, sweep or shovel into

suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as

soon as possible. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

01-04-2022 (Revision date) EN (English) 3/13

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautions for safe handling : No open flames. No smoking. Use only non-sparking tools. Do not breathe dust, fume, gas,

mist, spray, vapours. Avoid contact during pregnancy/while nursing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment.

Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only

outdoors or in a well-ventilated area.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling. Wash contaminated clothing before reuse. Always wash hands

after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Keep in fireproof place. Keep container tightly closed. Store in original container. Store in a

dry place. Store in a well-ventilated place. Keep cool. Store locked up.

Incompatible materials : Heat sources.

Packaging materials : Do not store in corrodable metal.

#### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

TRIETHYLAMINE FOR HPLC (121-44-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Triethylamine	
IOEL TWA [ppm]	2 ppm	
IOEL STEL	12.6 mg/m³	
IOEL STEL [ppm]	3 ppm	
Notes	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
Germany - Occupational Exposure Limits (TRGS 900)		
Local name	Triethylamin	
AGW (OEL TWA) [1]	4.2 mg/m³	
AGW (OEL TWA) [2]	1 ppm	
Peak exposure limitation factor	2(1)	
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich); H - hautresorptiv; 6 - Die Reaktion mit nitrosierenden Agentien kann zur Bildung der entsprechenden kanzerogenen N-Nitrosoamine führen	
Regulatory reference	TRGS900	
Portugal - Occupational Exposure Limits		
Local name	Trietilamina	
OEL TWA [ppm]	1 ppm	
OEL STEL [ppm]	3 ppm	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

TRIETHYLAMINE FOR HPLC (121-44-8)		
Remark	P (Toxicidade percutânea); A4 (Agente não classificável como carcinogénico no Homem)	
Regulatory reference	Norma Portuguesa NP 1796:2014	
Spain - Occupational Exposure Limits		
Local name	Trietilamina	
VLA-ED (OEL TWA) [1]	8.4 mg/m³	
VLA-ED (OEL TWA) [2]	2 ppm	
VLA-EC (OEL STEL)	12.6 mg/m³	
VLA-EC (OEL STEL) [ppm]	3 ppm	
Notes	Vía dérmica (Indica que, en las exposiciones a esta sustancia, la aportación por la vía cutánea puede resultar significativa para el contenido corporal total si no se adoptan medidas para prevenir la absorción. En estas situaciones, es aconsejable la utilización del control biológico para poder cuantificar la cantidad global absorbida del contaminante), f (Reacciona con agentes nitrosantes que pueden dar lugar a la formación de N-Nitrosaminas carcinógenas), VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo).	
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2021. INSHT	
United Kingdom - Occupational Exposure Limits		
Local name	Triethylamine	
WEL TWA (OEL TWA) [1]	8 mg/m³	
WEL TWA (OEL TWA) [2]	2 ppm	
WEL STEL (OEL STEL)	17 mg/m³	
WEL STEL (OEL STEL) [ppm]	4 ppm	
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
USA - ACGIH - Occupational Exposure Limits		
Local name	Triethylamine	
ACGIH OEL TWA [ppm]	0.5 ppm	
ACGIH OEL STEL [ppm]	1 ppm	
Remark (ACGIH)	TLV® Basis: Visual impair; URT irr. Notations: Skin; A4 (Not classifiable as a Human Carcinogen)	
Regulatory reference	ACGIH 2021	

## 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

## 8.1.5. Control banding

No additional information available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):









#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses

#### 8.2.2.2. Skin protection

### Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

### Environmental exposure controls:

Avoid release to the environment.

#### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear liquid.
Molecular mass : 101.19 g/mol
Colour : Colourless.

Odour Codour threshold : strong ammonia-like odor.

Strong ammonia-like odor.

No data available

pH : No data available : No data available : 12.7 (10% Solution)

Relative evaporation rate (butylacetate=1) : 5.6

Melting point : Not applicable Freezing point :  $-114.7 \,^{\circ}\text{C}$  Boiling point :  $\approx 88.8 \,^{\circ}\text{C}$  Flash point :  $-11 \,^{\circ}\text{C}$  Auto-ignition temperature :  $312 \,^{\circ}\text{C}$ 

Decomposition temperature : No data available Flammability (solid, gas) : Flammable

Highly flammable liquid and vapour.

Vapour pressure : 68.99 hPa at 20 °C

Relative vapour density at 20 °C : 3.5

Relative density : No data available Density : 0.73 g/cm³ at 20°C

Solubility : Water: 5.5 g/100ml at 20°C - Miscible

Partition coefficient n-octanol/water (Log Pow) : 1.15

Viscosity, kinematic : 0.493 mm²/s
Viscosity, dynamic : 0.36 mPa·s at 20 °C
Explosive properties : No data available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Oxidising properties : No data available Explosive limits : 1.2 – 8 vol %

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Thermal decomposition generates: Corrosive vapours. Highly flammable liquid and vapour.

#### 10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Open flame. Direct sunlight. Overheating. Sparks. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

May release flammable gases. Thermal decomposition generates: Corrosive vapours.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Harmful in contact with skin.

Acute toxicity (inhalation) : Harmful if inhaled.

Skin corrosion/irritation : Causes severe skin burns.

pH: 12.7 (10% Solution)

Serious eye damage/irritation : Assumed to cause serious eye damage

pH: 12.7 (10% Solution)

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

Additional information : Corrosive to the respiratory tract.

STOT-repeated exposure : Not classified Aspiration hazard : Not classified

#### **TRIETHYLAMINE FOR HPLC (121-44-8)**

Viscosity, kinematic 0.493 mm²/s

Potential adverse human health effects and : Harmful if swallowed, Harmful in contact with skin.

symptoms

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

01-04-2022 (Revision date) EN (English) 7/13

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

## **TRIETHYLAMINE FOR HPLC (121-44-8)**

Partition coefficient n-octanol/water (Log Pow)

1.15

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Dispose of contents/container in accordance with licensed collector's sorting instructions.
Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

Additional information

: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number

 UN-No. (ADR)
 : UN 1296

 UN-No. (IMDG)
 : UN 1296

 UN-No. (IATA)
 : UN 1296

 UN-No. (ADN)
 : UN 1296

 UN-No. (RID)
 : UN 1296

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : TRIETHYLAMINE
Proper Shipping Name (IMDG) : TRIETHYLAMINE
Proper Shipping Name (IATA) : Triethylamine
Proper Shipping Name (ADN) : TRIETHYLAMINE
Proper Shipping Name (RID) : TRIETHYLAMINE

Transport document description (ADR)

: UN 1296 TRIETHYLAMINE, 3 (8), II, (D/E)

Transport document description (IMDG)

: UN 1296 TRIETHYLAMINE, 3 (8), II (-11°C c.c.)

Transport document description (IATA) : UN 1296 Triethylamine, 3 (8), II

Transport document description (ADN) : UN 1296 TRIETHYLAMINE, 3 (8), II

Transport document description (RID) : UN 1296 TRIETHYLAMINE, 3 (8), II

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 3 (8)
Danger labels (ADR) : 3,8



#### **IMDG**

Transport hazard class(es) (IMDG) : 3 (8)
Danger labels (IMDG) : 3, 8



#### IATA

Transport hazard class(es) (IATA) : 3 (8)
Danger labels (IATA) : 3, 8



## ADN

Transport hazard class(es) (ADN) : 3 (8)
Danger labels (ADN) : 3, 8



### RID

Transport hazard class(es) (RID) : 3 (8)
Danger labels (RID) : 3, 8



## 14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

## 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information : No supplementary information available

## 14.6. Special precautions for user

**Overland transport** 

Classification code (ADR) : FC
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions : TP1

(ADR)

Tank code (ADR) : L4BH
Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Operation (ADR) : S2, S20

Hazard identification number (Kemler No.) : 338
Orange plates :

338 1296

Tunnel restriction code (ADR) : D/E
EAC code : •2WE
APP code : A(fl)

Transport by sea

Limited quantities (IMDG) : 1L : E2 Excepted quantities (IMDG) : P001 Packing instructions (IMDG) : IBC02 IBC packing instructions (IMDG) Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP1 EmS-No. (Fire) : F-E EmS-No. (Spillage) S-C Stowage category (IMDG) В Stowage and handling (IMDG) : SW2 Segregation (IMDG) SG35 Flash point (IMDG) : -11°C c.c.

Properties and observations (IMDG) : Colourless liquid with a strong ammonia-like odour. Flashpoint: -11°C c.c. Explosive limits:

1.2% to 8% Miscible with water. Harmful by inhalation. Causes burns to skin and eyes.

Irritating to mucous membranes.

MFAG-No : 132

Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y340 PCA limited quantity max net quantity (IATA) 0.5L PCA packing instructions (IATA) : 352 PCA max net quantity (IATA) 1L CAO packing instructions (IATA) : 363 CAO max net quantity (IATA) : 5L : 3CH ERG code (IATA)

Inland waterway transport

Classification code (ADN) : FC
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2

Equipment required (ADN) : PP, EP, EX, A

Ventilation (ADN) : VE01 Number of blue cones/lights (ADN) : 1

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Rail transport

Classification code (RID) : FC
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2
Packing instructions (RID) : P001, IBC02

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T7
Portable tank and bulk container special provisions : TP1

(RID)

Tank codes for RID tanks (RID) : L4BH
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 338

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	TRIETHYLAMINE FOR HPLC
3(b)	TRIETHYLAMINE FOR HPLC
40.	TRIETHYLAMINE FOR HPLC

TRIETHYLAMINE FOR HPLC is not on the REACH Candidate List

TRIETHYLAMINE FOR HPLC is not on the REACH Annex XIV List

TRIETHYLAMINE FOR HPLC is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

TRIETHYLAMINE FOR HPLC is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV; ID No. 556)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de voortplanting : The substance is not listed

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting : The substance is not listed

giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting : The substance is not listed

giftige stoffen - Ontwikkeling

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the product

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

01-04-2022 (Revision date) EN (English) 11/13

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 16: Other information**

Abbreviations and acr	Abbreviations and acronyms		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
ThOD	Theoretical oxygen demand (ThOD)		
TLM	Median Tolerance Limit		
VOC	Volatile Organic Compounds		
CAS-No.	Chemical Abstract Service number		
N.O.S.	Not Otherwise Specified		
vPvB	Very Persistent and Very Bioaccumulative		
ED	Endocrine disrupting properties		

Full text of H- and EUF	I-statements
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Flam. Liq. 2	Flammable liquids, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.