

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS Reference Number: 5036D

Issue date: 4/9/2014 Revision date: 3/11/2025 Supersedes version of: 4/9/2015 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Trade name : 2-NITROTOLUENE FOR SYNTHESIS

EC Index-No. : 609-065-00-5 EC-No. : 201-853-3 CAS-No. : 88-72-2 Product code : 5036D

Type of product : Organic compound

Formula : C7H7NO2

Chemical structure

CH₃ NO₂

Synonyms : o-Nitrotoluene, 1-Methyl-2-nitrobenzene

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.

107 Wode House Road, Jehangir Villa, Colaba

400005 Mumbai

INDIA

T +91 22 6663 6663, F +91 22 6663 6699

info@lobachemie.com, www.lobachemie.com

1.4. Emergency telephone number

Emergency number : + 91 22 6663 6663 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Germ cell mutagenicity, Category 1B H340
Carcinogenicity, Category 1B H350
Reproductive toxicity, Category 2 H361f
Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause cancer. May cause genetic defects. Suspected of damaging fertility or the unborn child. Harmful if swallowed. Toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS07

GHS08

GHS09

Signal word (CLP)

: Danger

Hazard statements (CLP)

: H302 - Harmful if swallowed. H340 - May cause genetic defects.

H350 - May cause cancer.

H361f - Suspected of damaging fertility.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P202 - Do not handle until all safety precautions have been read and understood.

P264 - Wash hands, forearms and face thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection, face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type : Mono-constituent

Name	Product identifier	%
2-NITROTOLUENE	CAS-No.: 88-72-2 EC-No.: 201-853-3 EC Index-No.: 609-065-00-5	100

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Gently wash with plenty of soap and water. If skin irritation occurs: Get medical

advice/attention. Wash skin with plenty of water.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with

water for several minutes. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

: Rinse mouth. Call a POISON CENTER/doctor if you feel unwell. Call a poison center or a doctor if you feel unwell.

First-aid measures for first aider : First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause genetic defects. Suspected of damaging fertility.

Symptoms/effects after inhalation : None under normal conditions. Symptoms/effects after skin contact : None under normal conditions. Symptoms/effects after eye contact : None under normal conditions.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Symptoms/effects after ingestion : Harmful if swallowed. Chronic symptoms : May cause cancer.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Water spray. Dry

powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Evacuate unnecessary personnel. Only qualified personnel equipped with suitable

protective equipment may intervene.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Use personal protective

equipment as required. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Stop release. Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry

into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material. Collect spillage. On land, sweep or shovel into

suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

3/11/2025 (Revision date) EN (English) 3/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed Precautions for safe handling

- : Not expected to present a significant hazard under anticipated conditions of normal use.
- Ensure good ventilation of the work station. Do not get in eyes, on skin, or on clothing. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling. Separate working clothes from town clothes. Launder separately. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place. Store locked

up.

Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):







Eye and face protection

Eye protection:

Chemical goggles or safety glasses

Skin protection

Skin and body protection:

Wear a mask

Hand protection:

Protective gloves

Respiratory protection

Respiratory protection:

Wear appropriate mask

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Yellow to greenish yellow.

Clear liquid. Appearance Molecular mass : 137.14 g/mol Odour : weak aromatic odour. Odour threshold : Not available Melting point : Not applicable Freezing point : -10.4 °C Boiling point : 222 °C Flammability : Non flammable. Lower explosion limit : 1.47 vol % Upper explosion limit : 8.8 vol %

Upper explosion limit : 8.8 vol %
Flash point : 95 °C
Auto-ignition temperature : 420 °C
Decomposition temperature : Not available pH : Not available
Viscosity, kinematic : 2.038 mm²/s
Viscosity, dynamic : 2.37 mPa·s

Solubility : Water: Immiscible in water

Ethanol: Miscible with ethanol

Ether: Miscible with ether

Partition coefficient n-octanol/water (Log Kow)

Vapour pressure

Vapour pressure at 50°C

Vapour pressure at 50°C

Selective density

Relative density : Not available
Relative vapour density at 20°C : 4.7 (Air = 1)
Particle characteristics : Not applicable

9.2. Other information

Other safety characteristics

Refractive index : 1.5472 at 20 °C/D

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Direct sunlight. Overheating. Open flame. Heat. Sparks.

10.5. Incompatible materials

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed. Acute toxicity (dermal) Not classified Acute toxicity (inhalation) Not classified Skin corrosion/irritation : Not classified : Not classified Serious eye damage/irritation Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : May cause genetic defects.

Carcinogenicity May cause cancer.

Reproductive toxicity Suspected of damaging fertility.

STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

2-NITROTOLUENE FOR SYNTHESIS (88-72-2)

2.038 mm²/s Viscosity, kinematic

2-NITROTOLUENE (88-72-2)

2.038 mm²/s Viscosity, kinematic

11.2. Information on other hazards

Other information

Potential adverse human health effects and

symptoms

: Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects. : Toxic to aquatic life with long lasting effects. Ecology - water

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

2-NITROTOLUENE FOR SYNTHESIS (88-72-2)	
Persistence and degradability Rapidly degradable	
2-NITROTOLUENE (88-72-2)	
Persistence and degradability May cause long-term adverse effects in the environment.	

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

3/11/2025 (Revision date) EN (English) 6/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation. Disposal must be done

according to official regulations.

Additional information : Do not re-use empty containers.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

 UN-No. (ADR)
 : UN 1664

 UN-No. (IMDG)
 : UN 1664

 UN-No. (IATA)
 : UN 1664

 UN-No. (ADN)
 : UN 1664

 UN-No. (RID)
 : UN 1664

14.2. UN proper shipping name

Proper Shipping Name (ADR) : NITROTOLUENES, LIQUID Proper Shipping Name (IMDG) : NITROTOLUENES, LIQUID Proper Shipping Name (IATA) : Nitrotoluenes, liquid

Proper Shipping Name (ADN) : NITROTOLUENES, LIQUID Proper Shipping Name (RID) : NITROTOLUENES, LIQUID

Transport document description (ADR) (ADR) : UN 1664 NITROTOLUENES, LIQUID, 6.1, II, (D/E), ENVIRONMENTALLY HAZARDOUS : UN 1664 NITROTOLUENES, LIQUID, 6.1, II, MARINE POLLUTANT/ENVIRONMENTALLY

HAZARDOUS

Transport document description (IATA)

: UN 1664 Nitrotoluenes, liquid, 6.1, II, ENVIRONMENTALLY HAZARDOUS

Transport document description (ADN)

: UN 1664 NITROTOLUENES, LIQUID, 6.1, II, ENVIRONMENTALLY HAZARDOUS

Transport document description (RID)

: UN 1664 NITROTOLUENES, LIQUID, 6.1, II, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1 Danger labels (ADR) : 6.1



IMDG

Transport hazard class(es) (IMDG) : 6.1
Danger labels (IMDG) : 6.1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



IATA

Transport hazard class(es) (IATA) : 6.1
Danger labels (IATA) : 6.1



ADN

Transport hazard class(es) (ADN) : 6.1 Danger labels (ADN) : 6.1



RID

Transport hazard class(es) (RID) : 6.1 Danger labels (RID) : 6.1



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-A

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : T1
Limited quantities (ADR) : 100ml
Excepted quantities (ADR) : E4
Packing instructions (ADR) : P001, IBC02

Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions : TP2

(ADR)

Tank code (ADR) : L4BH
Tank special provisions (ADR) : TU15, TE19
Vehicle for tank carriage : AT
Transport category (ADR) : 2

Special provisions for carriage - Loading, unloading : CV13, CV28

and handling (ADR)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions for carriage - Operation (ADR) : S9, S19

Hazard identification number (Kemler No.) : 60

Orange plates



Tunnel restriction code (ADR) : D/E EAC code : 2X

Transport by sea

Limited quantities (IMDG) : 100 ml Excepted quantities (IMDG) : E4 : P001 Packing instructions (IMDG) : IBC02 IBC packing instructions (IMDG) Tank instructions (IMDG) : T7 : TP2 Tank special provisions (IMDG) Stowage category (IMDG) : A MFAG-No : 152

Air transport

PCA Excepted quantities (IATA) : E4 PCA Limited quantities (IATA) Y641 PCA limited quantity max net quantity (IATA) 1L PCA packing instructions (IATA) 654 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 662 : 60L CAO max net quantity (IATA) ERG code (IATA) : 6L

Inland waterway transport

Classification code (ADN) : T1
Special provisions (ADN) : 802
Limited quantities (ADN) : 100 ml
Excepted quantities (ADN) : E4
Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP, TOX, A

Ventilation (ADN) : VE02 Number of blue cones/lights (ADN) : 2

Rail transport

Classification code (RID) : T1

Limited quantities (RID) : 100ml

Excepted quantities (RID) : E4

Packing instructions (RID) : P001, IBC02

Mixed packing provisions (RID) : MP15

Portable tank and bulk container instructions (RID) : T7

Portable tank and bulk container special provisions : TP2

(RID)

Tank codes for RID tanks (RID) : L4BH Special provisions for RID tanks (RID) : TU15 Transport category (RID) : 2

Special provisions for carriage - Loading, unloading : CW13, CW28, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE5
Hazard identification number (RID) : 60

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(b)	2-NITROTOLUENE FOR SYNTHESIS
3(c)	2-NITROTOLUENE FOR SYNTHESIS

REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Not listed on the PIC list (Regulation EU 649/2012)

POP Regulation (Persistent Organic Pollutants)

Not listed on the POP list (Regulation EU 2019/1021)

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

France

Occupational diseases	
Code	Description
RG 13	Occupational poisoning by nitrates and chloronitro compounds of benzene hydrocarbons

Germany

VOC ordinance (ChemVOCFarbV)

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV; ID No. 164).

Chemicals Prohibition Ordinance (ChemVerbotsV) : This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must

be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the

shipping route (according to § 10).

Major Accidents Ordinance (12. BlmSchV) : Is not subject to the Major Accidents Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : 2-NITROTOLUENE is listed SZW-lijst van mutagene stoffen : 2-NITROTOLUENE is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : The substance is not listed : 2-NITROTOLUENE is listed

SZW-lijst van reprotoxische stoffen -Vruchtbaarheid

3/11/2025 (Revision date) EN (English) 10/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SZW-lijst van reprotoxische stoffen – Ontwikkeling : The substance is not listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

The requirements from the Danish Working Environment Authorities regarding work with

carcinogens must be followed during use and disposal

Poland

Polish National Regulations

Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).

Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).

The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).

Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).

Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).

Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).

The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)

Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended). Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).

ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ACGIH	American Conference of Government Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

COD Chemical oxygen demand (COD) CSA Chemical safety assessment DMEL Derived Minimal Effect level DONEL Derived Minimal Effect level EC-No. European Community number ECGO Median effective concentration ED Enclose European Slandard EWC European Slandard EWC European Slandard EWC European Waste catalogue International Agency for Rosearch on Cancer IATA International Agency for Rosearch on Cancer IATA International Agency for Rosearch on Cancer IATA International Maritime Dangerous Goods LCSO Median lethal dose LCSO Median lethal dose LCSO Median lethal dose LOSO Median lethal dose LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) Log Fow Partition coefficient n-octanol/water (Log Fow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Level NOEC No-Observed Adverse Effect Concentration NOAEC No-Observed Adverse Effect Concentration NOAS Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OEL Occupational Exposure Limit PPE Persenal protection equipment FPE Persenal protection equipment FPE Personal protection equipment FF Technical function The Agelations concerning the International Carriage of Dangerous Goods by Rail SDS Sefety Data Sheet STP Sewage treatment plant FF Technical function TWA Median Tolerance Limit TWA Time Weighted Average VCC Volatile Organic Compounds VPVB Very Persistent and Very Biosocumulative UFI Unique Formula Identifier	Abbreviations and acronyms:	
DMEL Derived Minimal Effect level DNEL Derived-No Effect Level EC-No. European Community number ECS0 Median effective concentration ED Endocrine disruptor EN European Standard EWC European waste catalogue International Agency for Research on Cancer International Agency for Research on Cancer International Air Transport Association IMDG International Maritime Dangerous Goods LC50 Median lethal concentration LD50 Median lethal dose LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Row) Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEC No-Observed Adverse Effect Concentration NO.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety & Health Administration PET Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration RID Regulations concerning the International Carriage of Dangerous Goods by Rail SISS Safety Data Sheet STP Sewage treatment plant TF Technical function TILM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Versitent and Very Bioaccumulative VDC Volatile Organic Compounds VPvB Versitent and Very Bioaccumulative VDC Volatile Organic Compounds VPvB Versitent and Very Bioaccumulative VDC Volatile Organic Compounds	COD	Chemical oxygen demand (COD)
DNEL Derived-No Effect Level EC-No. European Community number EC50 Median effective concentration ED Endocrine disruptor EN European Standard EWC European waste catalogue IARC International Agency for Research on Cancer IATA International Arr Transport Association IMDG International Arr Transport Association IMDG International Maritime Dangerous Goods LC50 Median lethal concentration LD50 Median lethal concentration LD60 Median lethal dose LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) LOg Pow Partition coefficient n-octanol/water (Log Fow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Level NOEC No-Observed Adverse Effect Level NOEC No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety & Health Administration PBT Persistant Bioaccumulative Toxic PNEC Predicted No-Effect Concentration RID Regulations concerning the International Carriage of Dangerous Goods by Rail SIS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical coxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds	CSA	Chemical safety assessment
EC-No. European Community number EC50 Median effective concentration ED Endocrine disruptor EN European Standard EWC European waste catalogue IARC International Agency for Research on Cancer IATA International Ar Transport Association IMDG International Maritime Dangerous Goods LC50 Median lethal concentration LD50 Median lethal dose LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Fow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration NOAEL No-Observed Effect Concentration NOAEL No-Observed Effect Concentration NOAS Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Exposure Limit OSHA Occupational Safety & Health Administration PPT Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds verb Werry Persistent and Very Bioaccumulative	DMEL	Derived Minimal Effect level
EC50 Median effective concentration ED Endocrine disruptor EN European Standard EWC European waste catalogue IARC International Agency for Research on Cancer IATA International Arr Transport Association IMDG International Maritime Dangerous Goods LC50 Median lethal concentration LD50 Median lethal concentration MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEC No-Observed Adverse Effect Concentration NOAEC No-Observed Adverse Effect Level NOEC No-Observed Adverse Effect Effect Evel NOEC No-Observed Adverse Effect Effect Concentration OCCD Organisation for Economic Co-operation and Development OCED Occupational Exposure Limit OSHA Occupational Exposure Limit OSHA Occupational Exposure Limit OSHA Occupational Exposure Limit OSHA Persistent Biaccumulative Toxic PPEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPVB Very Boaccumulative	DNEL	Derived-No Effect Level
ED Endocrine disruptor EN European Standard EWC European waste catalogue IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods LC50 Median lethal dose LD50 Median lethal dose LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level NOEC No-Observed Adverse Effect Level NOEC No-Observed Adverse Effect Level NOS Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Exposure Limit OSHA Occupational Exposure Limit PBT Persistent Bioaccumulative Toxic PPE P	EC-No.	European Community number
EN European Standard EWC European waste catalogue IARC International Agency for Research on Cancer IATA International Maritime Dangerous Goods IAGO Median lethal concentration IAGO Median lethal concentration LOSO Partition coefficient n-octanol/water (Log Kow) LOSP Pow Partition coefficient n-octanol/water (Log Fow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level NOEC No-Observed Adverse Effect Level NOEC No-Observed Adverse Effect Level NOSO Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Exposure Limit OSHA Occupational Safety & Health Administration PBT Persistent Bioaccumulative Toxic PNEC Pedicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Cerriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function Thoo Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vieve Weighted Average	EC50	Median effective concentration
EWC European waste catalogue IARC International Agency for Research on Cancer IATA International Agency for Research on Cancer IATA International Maritme Dangerous Goods LC50 Median lethal concentration LD50 Median lethal dose LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration NOAEL No-Observed Effect Concentration NO.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety & Health Administration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rall SDS Safety Data Sheet TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VoC Volatile Organic Compounds vevB Very Persistent and Very Bloaccumulative	ED	Endocrine disruptor
International Agency for Research on Cancer IATA International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods LC50 Median lethal concentration LD50 Median lethal dose LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Concentration NOAEL No-Observed Effect Concentration NO.S. Not Otherwise Specified OCC Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Exposure Limit OPPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vevb Very Persistent and Very Bioaccumulative	EN	European Standard
IATA International Air Transport Association IMDG International Maritime Dangerous Goods LC50 Median lethal concentration LD50 Median lethal dose LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Concentration NOS. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety & Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative VPB Very Persistent and Very Bioaccumulative VPB Very Persistent and Very Bioaccumulative VPB Very Persistent and Very Bioaccumulative	EWC	European waste catalogue
IMDG International Maritime Dangerous Goods LC50 Median lethal concentration LD50 Median lethal dose LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level NOEC No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OCCUPATION OF Concentration NOAS Not Otherwise Specified OCCUPATION OF Persistent Bioaccumulative Toxic PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative VPB Very Persistent and Very Bioaccumulative	IARC	International Agency for Research on Cancer
LC50 Median lethal concentration LD50 Median lethal dose LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Level NOEC No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration NO.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety & Health Administration PBT Persistent Bioaccumulative Toxic PPEC Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vev8 Very Persistent and Very Bioaccumulative	IATA	International Air Transport Association
LOSO Median lethal dose LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety & Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPVB Very Persistent and Very Bioaccumulative	IMDG	International Maritime Dangerous Goods
LOAEL Lowest Observed Adverse Effect Level Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety & Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vevB Very Persistent and Very Bioaccumulative	LC50	Median lethal concentration
Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety & Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concenting the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	LD50	Median lethal dose
Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety & Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concentrating the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	LOAEL	Lowest Observed Adverse Effect Level
MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety & Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	Log Kow	Partition coefficient n-octanol/water (Log Kow)
NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Effect Level NoEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety & Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds veyB Very Persistent and Very Bioaccumulative	Log Pow	Partition coefficient n-octanol/water (Log Pow)
NOAEL No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety & Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	MAK	maximum workplace concentration
NOEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety & Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	NOAEC	No-Observed Adverse Effect Concentration
N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety & Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	NOAEL	No-Observed Adverse Effect Level
OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety & Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	NOEC	No-Observed Effect Concentration
OEL Occupational Exposure Limit OSHA Occupational Safety & Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	N.O.S.	Not Otherwise Specified
OSHA Occupational Safety & Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds VPVB Very Persistent and Very Bioaccumulative	OECD	Organisation for Economic Co-operation and Development
PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds VPVB Very Persistent and Very Bioaccumulative	OEL	Occupational Exposure Limit
PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds VPVB Very Persistent and Very Bioaccumulative	OSHA	Occupational Safety & Health Administration
PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	PBT	Persistent Bioaccumulative Toxic
RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	PNEC	Predicted No-Effect Concentration
SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	PPE	Personal protection equipment
STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	SDS	Safety Data Sheet
ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	STP	Sewage treatment plant
TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	TF	Technical function
TWA Time Weighted Average VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	ThOD	Theoretical oxygen demand (ThOD)
VOC Volatile Organic Compounds vPvB Very Persistent and Very Bioaccumulative	TLM	Median Tolerance Limit
vPvB Very Persistent and Very Bioaccumulative	TWA	Time Weighted Average
	VOC	Volatile Organic Compounds
UFI Unique Formula Identifier	vPvB	Very Persistent and Very Bioaccumulative
	UFI	Unique Formula Identifier

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Carc. 1B	Carcinogenicity, Category 1B
Muta. 1B	Germ cell mutagenicity, Category 1B
Repr. 2	Reproductive toxicity, Category 2
H302	Harmful if swallowed.
H340	May cause genetic defects.
H350	May cause cancer.
H361f	Suspected of damaging fertility.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.