

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Reference number: 00006 Issue date: 04-08-2022 Revision date: 04-08-2022 Supersedes version of: 13-03-2019 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

: Substance

1.1. Product identifier

Product form
Trade name
EC Index-No.
EC-No.
CAS-No.
Product code
Type of product
Formula
Chemical structure

:	ACETIC ACID GLACIAL AR (ALDEHYDE FREE)
:	607-002-00-6
:	200-580-7
:	64-19-7
:	00006
:	Acids
:	C2H4O2
:	
	H_3C OH

Synonyms

: Ethanoic acid, Methanecarboxylic acid

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec

Use of the substance/mixture

 Industrial For professional use only
 Laboratory chemicals Manufacture of substances Solvents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.
107 Wode House Road, Jehangir Villa, Colaba
400005 Mumbai
INDIA
T +91 22 6663 6663 - F +91 22 6663 6699
info@lobachemie.com - www.lobachemie.com

1.4. Emergency telephone number

Emergency number

: + 91 22 6663 6663 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

Classification according to Regulation (EC) No. 1272/2008 [CLP]Flammable liquids, Category 3H226Skin corrosion/irritation, Category 1, Sub-Category 1AH314Full text of H- and EUH-statements: see section 16Specific concentration limits: $(10 \le C < 25)$ Skin Irrit. 2, H315 $(10 \le C < 25)$ Eye Irrit. 2, H319 $(25 \le C < 90)$ Skin Corr. 1B, H314

(90 ≤C ≤ 100)

Skin Corr. 1A, H314

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes severe skin burns and eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2	2008 [CLP]
Hazard pictograms (CLP)	: GHS02 GHS05
Signal word (CLP)	: Danger
Hazard statements (CLP)	 H226 - Flammable liquid and vapour. H314 - Causes severe skin burns and eye damage.
Precautionary statements (CLP)	 P280 - Wear protective clothing, eye protection, face protection, protective gloves. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a doctor.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type :	Mono-constituent	
Name	Product identifier	%
	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6	100

3.2. Mixtures

Not applicable

SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures general : Call a physician immediately. First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice. First-aid measures after skin contact Gently wash with plenty of soap and water. Rinse skin with water/shower. Take off : immediately all contaminated clothing. Call a physician immediately. First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. Call a physician immediately. First-aid measures after ingestion Rinse mouth out with water. If you feel unwell, seek medical advice. Rinse mouth. Do not : induce vomiting. Call a physician immediately. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects : Causes severe skin burns and eye damage. Symptoms/effects after skin contact Burns. Symptoms/effects after eye contact • Serious damage to eyes. Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Sand. Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Toxic fumes may be released. 	
5.3. Advice for firefighters		
Firefighting instructions Protection during firefighting	 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures :	Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.	
6.1.1. For non-emergency personnel		
Emergency procedures :	Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, mist, spray, vapours.	
6.1.2. For emergency responders		
Protective equipment :	Do not attempt to take action without suitable protective equipment. Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures :	Ventilate area.	
6.2. Environmental precautions		

Avoid release to the environment. Prevent entry to sewers and public waters. Harmful to aquatic life.

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers. Collect spillage. Notify authorities if product enters sewers or public waters.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Avoid contact with skin, eyes and clothing. Do not breathe vapours. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, mist, spray, vapours. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures Storage conditions Incompatible products Incompatible materials	 Ground/bond container and receiving equipment. Store in original container. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources. 	
7.3. Specific end use(s)		

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.2.2. Skin protection

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear liquid.
Molecular mass	: 60.05 g/mol
Colour	: Clear Colorless.
Odour	: strong, vinegar-like.
Odour threshold	: No data available
рН	: 2.4 (1.0 M solution)
Relative evaporation rate (butylacetate=1)	: 0.97
Melting point	: 16.2 °C
Freezing point	: No data available
Boiling point	: 117 – 118 °C
Flash point	: 40 °C
Auto-ignition temperature	: 485 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable liquid and vapour.
Vapour pressure	: 15.2 hPa at 20°C
Relative vapour density at 20 °C	: 2.1
Relative density	: No data available
Density	: 1.049 g/cm ³
Solubility	: Water: Miscible in water
Partition coefficient n-octanol/water (Log Pow)	: -0.17
Viscosity, kinematic	: 1.163 mm²/s
Viscosity, dynamic	: 1.22 cP
Explosive properties	: No data available
Oxidising properties	: No data available
Lower explosive limit (LEL)	: 4 vol %
Upper explosive limit (UEL)	: 19.9 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Sparks. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1 Information on toxicological effects		
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
Skin corrosion/irritation	: Causes severe skin burns.	
	pH: 2.4 (1.0 M solution)	
Serious eye damage/irritation	: Assumed to cause serious eye damage	
	pH: 2.4 (1.0 M solution)	
Respiratory or skin sensitisation	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Germ cell mutagenicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Reproductive toxicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
STOT-single exposure	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
STOT-repeated exposure	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Aspiration hazard	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
ACETIC ACID GLACIAL AR (ALDEH	YDE FREE) (64-19-7)	
Viscosity, kinematic	1.163 mm²/s	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met	

symptoms

SECTION 12: Ecological information

12.1. Toxicity Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms. Hazardous to the aquatic environment, short-term (acute) : Not classified Hazardous to the aquatic environment, long-term (chronic) : Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.2. Persistence and degradability		
ACETIC ACID GLACIAL AR (ALDEHYDE FREE) (64-19-7)		
Persistence and degradability Not established.		
12.3. Bioaccumulative potential		
ACETIC ACID GLACIAL AR (ALDEHYDE FREE) (64-19-7)		
Partition coefficient n-octanol/water (Log Pow)	-0.17	
Bioaccumulative potential	Not established.	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Other adverse effects		
Additional information :	Avoid release to the environment.	

13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site
	except for empty clean containers which can be disposed of as non-hazardous waste.
Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID


SECTION 13: Disposal considerations

14.1 UN number		
UN-No. (ADR)	: UN 2789	
UN-No. (IMDG)	: UN 2789	
UN-No. (IATA)	: UN 2789	
UN-No. (ADN)	: UN 2789	
UN-No. (RID)	: UN 2789	
14.2. UN proper shipping name		
Proper Shipping Name (ADR)	: ACETIC ACID, GLACIAL	
Proper Shipping Name (IMDG)	: ACETIC ACID, GLACIAL	
Proper Shipping Name (IATA)	: Acetic acid, glacial	
Proper Shipping Name (ADN)	: ACETIC ACID, GLACIAL	
Proper Shipping Name (RID)	: ACETIC ACID, GLACIAL	
Transport document description (ADR)	: UN 2789 ACETIC ACID, GLACIAL, 8 (3), II, (D/E)	
Transport document description (IMDG)	: UN 2789 ACETIC ACID, GLACIAL, 8 (3), II	
Transport document description (IATA)	: UN 2789 Acetic acid, glacial, 8 (3), II	
Transport document description (ADN)	: UN 2789 ACETIC ACID, GLACIAL, 8 (3), II	
Transport document description (RID)	: UN 2789 ACETIC ACID, GLACIAL, 8 (3), II	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.3. Transport hazard class(es)



Classification code (ADR)

EN (English)

: CF1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH) with	its a	amendment Regulatio
Limited quantities (ADR)		11
Excepted quantities (ADR)		E2
Packing instructions (ADR)	:	P001, IBC02
Mixed packing provisions (ADR)		MP15
Portable tank and bulk container instructions (ADR)		T7
Portable tank and bulk container instructions (ADIC)	÷	TP2
(ADR)	•	IFZ
Tank code (ADR)		L4BN
Vehicle for tank carriage	:	FL
Transport category (ADR)	:	2
Special provisions for carriage - Operation (ADR)	:	
Hazard identification number (Kemler No.)	:	83
	:	
Orange plates	•	83
		2789
Tunnel restriction code (ADR)	:	
EAC code	:	•2P
APP code	:	A(fl)
Transport by sea		
Limited quantities (IMDG)	:	1 L
Excepted quantities (IMDG)	:	E2
Packing instructions (IMDG)	:	P001
IBC packing instructions (IMDG)	:	IBC02
Tank instructions (IMDG)	:	T7
Tank special provisions (IMDG)	:	TP2
EmS-No. (Fire)	:	F-E
EmS-No. (Spillage)	:	S-C
Stowage category (IMDG)	:	А
Air transport		
PCA Excepted quantities (IATA)	:	E2
PCA Limited quantities (IATA)		 Y840
PCA limited quantity max net quantity (IATA)		0.5L
PCA packing instructions (IATA)	÷	851
PCA max net quantity (IATA)	:	1L
CAO packing instructions (IATA)	:	855
CAO max net quantity (IATA)		30L
ERG code (IATA)	÷	8F
	-	
Inland waterway transport		
Classification code (ADN)		CF1
Limited quantities (ADN)		1 L
Excepted quantities (ADN)		E2
Carriage permitted (ADN)		T
Equipment required (ADN)		PP, EP, EX, A
		VE01
Ventilation (ADN)	:	
Number of blue cones/lights (ADN)	•	1
Rail transport		0.54
Classification code (RID)		CF1
Limited quantities (RID)		1L
Excepted quantities (RID)		E2
Packing instructions (RID)		P001, IBC02
Mixed packing provisions (RID)		MP15
Portable tank and bulk container instructions (RID)		T7
Portable tank and bulk container special provisions	:	TP2
(RID)		
Tank codes for RID tanks (RID)		L4BN
Transport category (RID)		2
Colis express (express parcels) (RID)	:	CE6

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard identification number (RID) : 83

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	ACETIC ACID GLACIAL AR (ALDEHYDE FREE)
3(b)	ACETIC ACID GLACIAL AR (ALDEHYDE FREE)
40.	ACETIC ACID GLACIAL AR (ALDEHYDE FREE)

REACH Annex XIV (Authorisation List)

ACETIC ACID GLACIAL AR (ALDEHYDE FREE) is not on the REACH Annex XIV List

REACH Candidate List (SVHC)

ACETIC ACID GLACIAL AR (ALDEHYDE FREE) is not on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

ACETIC ACID GLACIAL AR (ALDEHYDE FREE) is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

ACETIC ACID GLACIAL AR (ALDEHYDE FREE) is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

ACETIC ACID GLACIAL is not subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

Germany

Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)	: WGK 1, Slightly hazardous to water (Classification according to AwSV; ID No. 93). : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: The substance is not listed
SZW-lijst van mutagene stoffen	: The substance is not listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: The substance is not listed
SZW-lijst van reprotoxische stoffen –	: The substance is not listed
Vruchtbaarheid	
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: The substance is not listed
Denmark	
Class for fire hazard	: Class II-1
Store unit	: 5 liter

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Classification remarks	: R10 <h226;h314>; Emergency management guidelines for the storage of flammable liquids must be followed</h226;h314>
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
Switzerland	
Storage class (LK)	: LK 3 - Flammable liquids
15.2. Chemical safety assessment	

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and ac	Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:	
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Data sources

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

Other information

Full text of H- and EUH-statements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.