

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Reference number: 00004
Issue date: 03-08-2022 Revision date: 03-08-2022 Supersedes version of: 02-10-2017 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Substance

: ACETIC ACID GLACIAL EXTRA PURE Trade name

: 607-002-00-6 FC Index-No. EC-No. 200-580-7 CAS-No. 64-19-7 : 00004 Product code Type of product : Acids C2H4O2 Formula

Chemical structure

Synonyms : Ethanoic acid, Methanecarboxylic acid

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Industrial/Professional use spec · Industrial

For professional use only Use of the substance/mixture

: Laboratory chemicals Manufacture of substances

Solvents

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.

107 Wode House Road, Jehangir Villa, Colaba

400005 Mumbai - INDIA

T +91 22 6663 6663 - F +91 22 6663 6699

info@lobachemie.com - www.lobachemie.com

### 1.4. Emergency telephone number

**Emergency number** : + 91 22 6663 6663 (9:00am - 6:00 pm)

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226 Skin corrosion/irritation, Category 1, Sub-Category 1A H314

Full text of H-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes severe skin burns and eye damage.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

2 GHS05

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P280 - Wear protective clothing, eye protection, face protection, protective gloves.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a doctor.

#### 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Substance type : Mono-constituent
Name : ACETIC ACID GLACIAL

CAS-No. : 64-19-7 EC-No. : 200-580-7 EC Index-No. : 607-002-00-6

#### 3.2. Mixtures

Not applicable

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial

respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Gently wash with plenty of soap and water. Rinse skin with water/shower. Take off

immediately all contaminated clothing. Call a physician immediately.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with

water for several minutes. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth out with water. Do not induce vomiting because of corrosive effects. If you feel

unwell, seek medical advice. Rinse mouth. Do not induce vomiting. Call a physician

immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Causes serious eye damage. Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Water spray. Dry

powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames.

No smoking.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and

no smoking. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, mist, spray,

vapours.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Use personal protective

equipment as required. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area. Stop release.

#### 6.2. Environmental precautions

Avoid release to the environment

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Collect spillage. On land, sweep or shovel into

suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Additional hazards when processed Precautions for safe handling

: Handle empty containers with care because residual vapours are flammable.

Ensure good ventilation of the work station. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Do not breathe dust, fume, gas, mist, spray, vapours. Avoid contact during pregnancy/while nursing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes.

03-08-2022 (Revision date) EN (English) 3/11

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hygiene measures

: Wash hands, forearms and face thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Ground/bond container and receiving equipment.

Storage conditions

: Store in original container. Keep container tightly closed. Store in a well-ventilated place.

Keep cool. Store in a well-ventilated place. Keep cool. Store locked up.

Incompatible materials

: Heat sources.

### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

### 8.1.1. National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

### Personal protective equipment symbol(s):









#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses

### 8.2.2.2. Skin protection

### Hand protection:

protective gloves

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

### 8.2.2.4. Thermal hazards

No additional information available

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: LiquidAppearance: Clear liquid.Molecular mass: 60.05 g/molColour: Colourless.

Odour : strong, vinegar-like.
Odour threshold : No data available
pH : 2.4 (1.0 M solution)

Relative evaporation rate (butylacetate=1) : 0.97 Melting point :  $16.2 \,^{\circ}\text{C}$ 

Freezing point : No data available
Boiling point : 117 – 118 °C
Flash point : 40 °C
Auto-ignition temperature : 485 °C

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapour.

Vapour pressure : 15.2 hPa at 20°C

Relative vapour density at 20 °C : 2.1

Relative density : No data available Density : 1.049 g/cm³

Solubility : Water: Miscible in water

Partition coefficient n-octanol/water (Log Pow) : -0.17
Viscosity, kinematic : 1.163 mm²/s
Viscosity, dynamic : 1.22 cP

Explosive properties : No data available Oxidising properties : No data available

Lower explosive limit (LEL) : 4 vol % Upper explosive limit (UEL) : 19.9 vol %

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Flammable liquid and vapour.

## 10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 10.6. Hazardous decomposition products

May release flammable gases. Thermal decomposition generates: Corrosive vapours.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Skin corrosion/irritation : Causes severe skin burns.

pH: 2.4 (1.0 M solution)

Serious eye damage/irritation : Assumed to cause serious eye damage

pH: 2.4 (1.0 M solution)

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

### **ACETIC ACID GLACIAL EXTRA PURE (64-19-7)**

Viscosity, kinematic 1.163 mm²/s

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

### **ACETIC ACID GLACIAL EXTRA PURE (64-19-7)**

Partition coefficient n-octanol/water (Log Pow) -0.17

### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-

hazardous waste.

Additional information : Handle empty containers with care because residual vapours are flammable. Flammable

vapours may accumulate in the container.

### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

#### 14.1. UN number

 UN-No. (ADR)
 : UN 2789

 UN-No. (IMDG)
 : UN 2789

 UN-No. (IATA)
 : UN 2789

 UN-No. (ADN)
 : UN 2789

 UN-No. (RID)
 : UN 2789

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)

Proper Shipping Name (IMDG)

Proper Shipping Name (IMDG)

Proper Shipping Name (IATA)

Proper Shipping Name (ADN)

Proper Shipping Name (RDN)

Proper Shipping Name (RID)

ACETIC ACID, GLACIAL

ACETIC ACID, GLACIAL

Transport document description (ADR)

Transport document description (IMDG)

Transport document description (IMDG)

Transport document description (IATA)

Transport document description (ADN)

Transport document description (ADN)

Transport document description (RID)

### 14.3. Transport hazard class(es)

### ADR

Transport hazard class(es) (ADR) : 8 (3)
Danger labels (ADR) : 8, 3



### **IMDG**

Transport hazard class(es) (IMDG) : 8 (3)
Danger labels (IMDG) : 8, 3



### IATA

Transport hazard class(es) (IATA) : 8 (3)
Danger labels (IATA) : 8, 3

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



#### ADN

Transport hazard class(es) (ADN) : 8 (3)
Danger labels (ADN) : 8,3



#### RID

Transport hazard class(es) (RID) : 8 (3)
Danger labels (RID) : 8, 3



### 14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : CF1
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions : TP2

(ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 83

Orange plates

83 2789

Tunnel restriction code (ADR) : D/E EAC code : •2P APP code : A(fl)

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport by sea

Limited quantities (IMDG) : 1 L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP2 : F-E EmS-No. (Fire) : S-C EmS-No. (Spillage) Stowage category (IMDG) : A

Segregation (IMDG) : SGG1, SG36, SG49

Properties and observations (IMDG) : Colourless flammable liquid with a pungent odour. When pure, crystallizes below 16°C.

Flashpoint: 40°C c.c. (pure product) 60°C c.c. (80% solution) Explosive limits: 4% to 17% Miscible with water. Corrosive to lead and most other metals. Corrosive to skin, eyes

and mucous membranes.

MFAG-No : 132

Air transport

PCA Excepted quantities (IATA) : E2 : Y840 PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) : 0.5L : 851 PCA packing instructions (IATA) : 1L PCA max net quantity (IATA) CAO packing instructions (IATA) : 855 CAO max net quantity (IATA) : 30L ERG code (IATA) : 8F

Inland waterway transport

Classification code (ADN) : CF1
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2

Equipment required (ADN) : PP, EP, EX, A

Ventilation (ADN) : VE01 Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : CF1
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2
Packing instructions (RID) : P001, IBC02

Mixed packing provisions (RID) : MP15
Portable tank and bulk container instructions (RID) : T7
Portable tank and bulk container special provisions : TP2

(RID)

Tank codes for RID tanks (RID): L4BNTransport category (RID): 2Colis express (express parcels) (RID): CE6Hazard identification number (RID): 83

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	ACETIC ACID GLACIAL EXTRA PURE
3(b)	ACETIC ACID GLACIAL EXTRA PURE
40.	ACETIC ACID GLACIAL EXTRA PURE

ACETIC ACID GLACIAL EXTRA PURE is not on the REACH Candidate List

ACETIC ACID GLACIAL EXTRA PURE is not on the REACH Annex XIV List

ACETIC ACID GLACIAL EXTRA PURE is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

ACETIC ACID GLACIAL EXTRA PURE is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV; ID No. 93)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed SZW-lijst van reprotoxische stoffen – Borstvoeding : The substance is not listed SZW-lijst van reprotoxische stoffen – : The substance is not listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : The substance is not listed

Denmark

Class for fire hazard : Class II-1 Store unit : 5 liter

Classification remarks : R10 <H226;H314>; Emergency management guidelines for the storage of flammable liquids

must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Abbreviations and acronyms		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms		
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements	
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
H226	Flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.