

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Reference number: 00005 Issue date: 03-08-2022 Revision date: 03-08-2022 Supersedes version of: 16-02-2017 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form
Trade name
EC Index-No.
EC-No.
CAS-No.
Product code
Type of product
Formula
Chemical structure

: Substance : ACETIC ACID GLACIAL AR : 607-002-00-6 : 200-580-7 : 64-19-7 : 00005 : Acids : C2H4O2 : H₂COH

Synonyms

: Ethanoic acid, Methanecarboxylic acid

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec

Use of the substance/mixture

 Industrial For professional use only
 Laboratory chemicals Manufacture of substances Solvents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.		
107 Wode House Road, Jehangir Villa, Colaba		
400005 Mumbai		
INDIA		
T +91 22 6663 6663 - F +91 22 6663 6699		
info@lobachemie.com - www.lobachemie.com		

1.4. Emergency telephone number

Emergency number

: + 91 22 6663 6663 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Flammable liquids, Category 3	H226
Skin corrosion/irritation, Category 1, Sub-Category 1A	H314
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes severe skin burns and eye damage.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Figure 1 : GHS02 : GHS02 : GHS03 : Signal word (CLP) : Hazard statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : Pass - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a doctor.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients	
: Mono-constituent	
: ACETIC ACID GLACIAL	
: 64-19-7	
: 200-580-7	
: 607-002-00-6	
	: Mono-constituent : ACETIC ACID GLACIAL : 64-19-7 : 200-580-7

3.2. Mixtures

Not applicable

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.	
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor. Call a physician immediately.	
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Call a physician immediately.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Do not induce vomiting. Call a physician immediately.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	 Causes severe skin burns and eye damage. Burns. Causes serious eye damage. Serious damage to eyes. Burns. 	

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Toxic fumes may be released. 	
5.3. Advice for firefighters		
Firefighting instructions Protection during firefighting	 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures :	Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.	
6.1.1. For non-emergency personnel		
Emergency procedures :	Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, mist, spray, vapours.	
6.1.2. For emergency responders		
Protective equipment :	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures :	Ventilate area.	
6.2. Environmental precautions		

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters.	
Other information	Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Do not breathe dust, fume, gas, mist, spray, vapours. Avoid contact during pregnancy/while nursing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands, forearms and face thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including an	y incompatibilities
Storage conditions : Incompatible products :	Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical, lighting, ventilating equipment. Comply with applicable regulations. Keep only in the original container in a cool, well ventilated place away from : Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Strong bases. Strong acids.
Incompatible materials :	Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment: Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

No additional information available

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Dhysical state	Liquid
Physical state	: Liquid
Appearance Molecular mass	: Clear liquid.
Colour	: 60.05 g/mol : Colourless.
Odour	: strong, vinegar-like.
Odour threshold	: No data available
pH	: 2.4 (1.0 M solution)
Relative evaporation rate (butylacetate=1)	: 0.97
Melting point	: 16.2 °C
Freezing point	: No data available
Boiling point	: 117 – 118 °C
Flash point	: 40 °C
Auto-ignition temperature	: 485 K
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable liquid and vapour.
Vapour pressure	: 15.2 hPa at 20°C
Relative vapour density at 20 °C	: 2.1
Relative density	: No data available
Density	: 1.049 g/cm ³
Solubility	: Water: Miscible in water
Partition coefficient n-octanol/water (Log Pow)	: -0.17 at 25°C - Bioaccumulation is not expected
Viscosity, kinematic	: 1.163 mm²/s
Viscosity, dynamic	: 1.22 cP
Explosive properties	: No data available
Oxidising properties	: No data available
Lower explosive limit (LEL)	: 4 vol %
Upper explosive limit (UEL)	: 19.9 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours. Flammable liquid and vapour.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases. Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes severe skin burns.
	pH: 2.4 (1.0 M solution)
Serious eye damage/irritation	: Assumed to cause serious eye damage
	pH: 2.4 (1.0 M solution)
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
ACETIC ACID GLACIAL AR (64-19-7)	
Viscosity, kinematic	1.163 mm²/s
Potential adverse human health effects and	: Based on available data, the classification criteria are not met

Potential adverse human health effects and symptoms

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general Hazardous to the aquatic environment, short–term (acute)	Before neutralisation, the product may represent a danger to aquatic organisms.Not classified
Hazardous to the aquatic environment, long–term (chronic)	: Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.2. Persistence and degradability		
ACETIC ACID GLACIAL AR (64-19-7)		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
ACETIC ACID GLACIAL AR (64-19-7)		
Partition coefficient n-octanol/water (Log Pow)	-0.17 at 25°C - Bioaccumulation is not expected	
Bioaccumulative potential	Not established.	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Other adverse effects		
Additional information :	Avoid release to the environment.	

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.
Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information


In accordance with ADR / IMDG / IATA / ADN / RID

14.1 UN number	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN)	 UN 2789 UN 2789 UN 2789 UN 2789 UN 2789 UN 2789
UN-No. (RID) 14.2. UN proper shipping name	: UN 2789
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) Transport document description (ADR) Transport document description (IMDG) Transport document description (IATA) Transport document description (ADN) Transport document description (RID)	 ACETIC ACID, GLACIAL UN 2789 ACETIC ACID, GLACIAL, 8 (3), II, (D/E) UN 2789 ACETIC ACID, GLACIAL, 8 (3), II

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.3. Transport hazard class(es)



Classification code (ADR)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	its amendment Regulation (EU) 2015/830
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	
Portable tank and bulk container special provisions	
(ADR)	
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 83
Orange plates	¹ 83
	05
	2789
Tunnel restriction code (ADR)	: D/E
EAC code	: •2P
APP code	: A(fl)
Transport by sea	
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02 : T7
Tank instructions (IMDG) Tank special provisions (IMDG)	: TP2
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-C
Stowage category (IMDG)	: A
Segregation (IMDG)	: SGG1, SG36, SG49
Properties and observations (IMDG)	: Colourless flammable liquid with a pungent odour. When pure, crystallizes below 16°C.
	Flashpoint: 40°C c.c. (pure product) 60°C c.c. (80% solution) Explosive limits: 4% to
	17% Miscible with water. Corrosive to lead and most other metals. Corrosive to skin, eyes
	and mucous membranes.
MFAG-No	: 132
Airtronomout	
Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Excepted quantities (IATA) PCA Limited quantities (IATA)	: Y840
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA)	: Y840 : 0.5L
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA)	: Y840 : 0.5L : 851
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA)	: Y840 : 0.5L : 851 : 1L
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA)	: Y840 : 0.5L : 851 : 1L : 855
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA)	: Y840 : 0.5L : 851 : 1L : 855 : 30L
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA)	: Y840 : 0.5L : 851 : 1L : 855
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) ERG code (IATA)	: Y840 : 0.5L : 851 : 1L : 855 : 30L
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA)	: Y840 : 0.5L : 851 : 1L : 855 : 30L
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) ERG code (IATA) Inland waterway transport	: Y840 : 0.5L : 851 : 1L : 855 : 30L : 8F
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) ERG code (IATA) Inland waterway transport Classification code (ADN)	: Y840 : 0.5L : 851 : 1L : 855 : 30L : 8F : CF1
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) ERG code (IATA) Inland waterway transport Classification code (ADN) Limited quantities (ADN)	: Y840 : 0.5L : 851 : 1L : 855 : 30L : 8F : CF1 : 1L
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) ERG code (IATA) Inland waterway transport Classification code (ADN) Limited quantities (ADN) Excepted quantities (ADN) Equipment required (ADN) Ventilation (ADN)	: Y840 : 0.5L : 851 : 1L : 855 : 30L : 8F : CF1 : 1 L : E2
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) ERG code (IATA) Inland waterway transport Classification code (ADN) Limited quantities (ADN) Excepted quantities (ADN) Equipment required (ADN)	: Y840 : 0.5L : 851 : 1L : 855 : 30L : 8F : CF1 : 1 L : E2 : PP, EP, EX, A
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) ERG code (IATA) Inland waterway transport Classification code (ADN) Limited quantities (ADN) Excepted quantities (ADN) Equipment required (ADN) Ventilation (ADN) Number of blue cones/lights (ADN)	: Y840 : 0.5L : 851 : 1L : 855 : 30L : 8F : : CF1 : 1 L : E2 : PP, EP, EX, A : VE01
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) ERG code (IATA) Inland waterway transport Classification code (ADN) Limited quantities (ADN) Excepted quantities (ADN) Equipment required (ADN) Ventilation (ADN) Number of blue cones/lights (ADN) Rail transport	: Y840 : 0.5L : 851 : 1L : 855 : 30L : 8F : CF1 : 1 L : E2 : PP, EP, EX, A : VE01 : 1
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) ERG code (IATA) Inland waterway transport Classification code (ADN) Limited quantities (ADN) Excepted quantities (ADN) Equipment required (ADN) Ventilation (ADN) Number of blue cones/lights (ADN) Rail transport Classification code (RID)	: Y840 : 0.5L : 851 : 1L : 855 : 30L : 8F : CF1 : 1L : E2 : PP, EP, EX, A : VE01 : 1
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) ERG code (IATA) Inland waterway transport Classification code (ADN) Limited quantities (ADN) Excepted quantities (ADN) Equipment required (ADN) Ventilation (ADN) Number of blue cones/lights (ADN) Rail transport Classification code (RID) Limited quantities (RID)	: Y840 : 0.5L : 851 : 1L : 855 : 30L : 8F : CF1 : 1 L : E2 : PP, EP, EX, A : VE01 : 1 : CF1 : 1L
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) ERG code (IATA) Inland waterway transport Classification code (ADN) Limited quantities (ADN) Excepted quantities (ADN) Equipment required (ADN) Ventilation (ADN) Number of blue cones/lights (ADN) Rail transport Classification code (RID) Limited quantities (RID) Excepted quantities (RID)	: Y840 : 0.5L : 851 : 1L : 855 : 30L : 8F
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) ERG code (IATA) Inland waterway transport Classification code (ADN) Limited quantities (ADN) Excepted quantities (ADN) Equipment required (ADN) Ventilation (ADN) Number of blue cones/lights (ADN) Rail transport Classification code (RID) Limited quantities (RID) Excepted quantities (RID) Excepted quantities (RID) Packing instructions (RID)	: Y840 : 0.5L : 851 : 1L : 855 : 30L : 8F : CF1 : 1 L : E2 : PP, EP, EX, A : VE01 : 1 : CF1 : 1L : E2 : PP, EP, EX, A : VE01 : 1
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) ERG code (IATA) Inland waterway transport Classification code (ADN) Limited quantities (ADN) Excepted quantities (ADN) Equipment required (ADN) Ventilation (ADN) Number of blue cones/lights (ADN) Rail transport Classification code (RID) Limited quantities (RID) Excepted quantities (RID)	: Y840 : 0.5L : 851 : 1L : 855 : 30L : 8F

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Portable tank and bulk container special provisions : The	P2
(RID)	
Tank codes for RID tanks (RID): L4	4BN
Transport category (RID) : 2	
Colis express (express parcels) (RID) : C	E6
Hazard identification number (RID) : 83	3

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	ACETIC ACID GLACIAL AR
3(b)	ACETIC ACID GLACIAL AR
40.	ACETIC ACID GLACIAL AR

REACH Annex XIV (Authorisation List)

ACETIC ACID GLACIAL AR is not on the REACH Annex XIV List

REACH Candidate List (SVHC)

ACETIC ACID GLACIAL AR is not on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

ACETIC ACID GLACIAL AR is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

ACETIC ACID GLACIAL AR is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

ACETIC ACID GLACIAL is not subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

Germany

Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)	 WGK 1, Slightly hazardous to water (Classification according to AwSV; ID No. 93). Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen SZW-lijst van mutagene stoffen SZW-lijst van reprotoxische stoffen – Borstvoeding SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	 The substance is not listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: The substance is not listed

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Denmark	
Class for fire hazard	: Class II-1
Store unit	: 5 liter
Classification remarks	 R10 <h226;h314>; Emergency management guidelines for the storage of flammable liquids must be followed</h226;h314>
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
Switzerland	
Storage class (LK)	: LK 3 - Flammable liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and a	cronyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: None.

Abbreviations and acronyms:	
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

Full text of H- and EUH-statements:	
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.