

**CAS-No.: MSDS**

## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
:  
Product code : 2522D

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial  
For professional use only

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.  
107 Wode House Road, Jehangir Villa, Colaba  
400005 Mumbai - INDIA  
T +91 22 6663 6663 - F +91 22 6663 6699  
[info@lobachemie.com](mailto:info@lobachemie.com) - [www.lobachemie.com](http://www.lobachemie.com)

#### 1.4. Emergency telephone number

Emergency number : + 91 22 6663 6663 (9:00am - 6:00 pm)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Muta.Cat.3; R68  
Xn; R20/21/22  
C; R34

Full text of R-phrases: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

# CARBOL METHYLENE BLUE STAIN

## Safety Data Sheet

### 2.2. Label elements

#### Labelling according to Directive 67/548/EEC or 1999/45/EC

Hazard symbols :



C - Corrosive

R-phrases : R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed  
R34 - Causes burns  
R68 - Possible risk of irreversible effects

S-phrases : S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice  
S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection  
S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Water	(CAS-No.) 7732-18-5 (EC-No.) 231-791-2	75 - 99	Not classified	Not classified
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5	5 - 10	C; R35 R10	Flam. Liq. 3, H226 Skin Corr. 1A, H314
METHYLENE BLUE	(CAS-No.) 61-73-4	1 - 5	Xn; R22	Acute Tox. 4 (Oral), H302
Phenol	(CAS-No.) 108-95-2 (EC-No.) 203-632-7 (EC Index-No.) 604-001-00-2	1 - 5	Muta.Cat.3; R68 T; R23/24/25 Xn; R48/20/21/22 C; R34	Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Muta. 2, H341 STOT RE 2, H373

Full text of R- and H-statements: see section 16

# CARBOL METHYLENE BLUE STAIN

## Safety Data Sheet

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
- First-aid measures after skin contact : Immediately call a POISON CENTER/doctor. Specific measures (see supplemental first aid instruction on this label). Wash with plenty of water/.... Wash contaminated clothing before reuse. Take off immediately all contaminated clothing. Rinse skin with water/shower.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after inhalation : Harmful if inhaled.
- Symptoms/effects after skin contact : Harmful in contact with skin.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>).
- Unsuitable extinguishing media : Do not use extinguishing media containing water.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Avoid contact with skin, eyes and clothing.

##### 6.1.2. For emergency responders

- Protective equipment : Use personal protective equipment as required.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Clean up immediately by sweeping or vacuum.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact during pregnancy/while nursing. Obtain special instructions before use. Use personal protective equipment as required. Do not handle until all safety precautions have been read and understood.
- Hygiene measures : Wash hands, forearms and face thoroughly after handling.

# CARBOL METHYLENE BLUE STAIN

## Safety Data Sheet

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.  
Storage conditions : Store in a well-ventilated place.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Hand protection : Protective gloves  
Eye protection : Chemical goggles or face shield  
Skin and body protection : Wear suitable protective clothing  
Respiratory protection : Wear respiratory protection.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Colour : Blue Coloured.  
Odour : alcoholic odour.  
Odour threshold : No data available  
pH : No data available  
Relative evaporation rate (butylacetate=1) : No data available  
Melting point : No data available  
Freezing point : No data available  
Boiling point : No data available  
Flash point : No data available  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Flammability (solid, gas) : No data available  
Vapour pressure : No data available  
Relative vapour density at 20 °C : No data available  
Relative density : No data available  
Density : 0.99 g/cm<sup>3</sup>

# CARBOL METHYLENE BLUE STAIN

## Safety Data Sheet

Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Heat. Overheating.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Harmful by inhalation, in contact with skin and if swallowed.

Irritation	: Not classified
Corrosivity	: Causes burns.
Sensitisation	: Not classified
Repeated dose toxicity	: Not classified
Carcinogenicity	: Not classified
Mutagenicity	: Possible risk of irreversible effects.
Toxicity for reproduction	: Not classified

Potential adverse human health effects and symptoms : Harmful in contact with skin.

# CARBOL METHYLENE BLUE STAIN

## Safety Data Sheet

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR)	: 2927
UN-No. (IMDG)	: 2927
UN-No. (IATA)	: 2927
UN-No. (ADN)	: 2927
UN-No. (RID)	: 2927

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
Proper Shipping Name (IMDG)	: TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
Proper Shipping Name (IATA)	: Toxic liquid, corrosive, organic, n.o.s.
Proper Shipping Name (ADN)	: TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
Proper Shipping Name (RID)	: TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
Transport document description (ADR)	: UN 2927 TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S., 6.1 (8), II, (D/E)
Transport document description (IMDG)	: UN 2927 TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S., 6.1 (8), II
Transport document description (IATA)	: UN 2927 Toxic liquid, corrosive, organic, n.o.s., 6.1, II
Transport document description (ADN)	: UN 2927 TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S., 6.1 (8), II
Transport document description (RID)	: UN 2927 TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S., 6.1 (8), II

# CARBOL METHYLENE BLUE STAIN

## Safety Data Sheet

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 6.1 (8)

Danger labels (ADR) : 6.1, 8



#### IMDG

Transport hazard class(es) (IMDG) : 6.1 (8)

Danger labels (IMDG) : 6.1, 8



#### IATA

Transport hazard class(es) (IATA) : 6.1 (8)

Hazard labels (IATA) : 6.1, 8



#### ADN

Transport hazard class(es) (ADN) : 6.1 (8)

Danger labels (ADN) : 6.1, 8



#### RID

Transport hazard class(es) (RID) : 6.1 (8)

Danger labels (RID) : 6.1, 8



### 14.4. Packing group

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : II

Packing group (RID) : II

# CARBOL METHYLENE BLUE STAIN


## Safety Data Sheet

### 14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR)	: TC1
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 100ml
Excepted quantities (ADR)	: E4
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T11
Portable tank and bulk container special provisions (ADR)	: TP2, TP27
Tank code (ADR)	: L4BH
Tank special provisions (ADR)	: TU15, TE19
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13, CV28
Special provisions for carriage - Operation (ADR)	: S9, S19
Hazard identification number (Kemler No.)	: 68
Orange plates	: 
Tunnel restriction code (ADR)	: D/E
EAC code	: 2XE
APP code	: B

#### - Transport by sea

Special provisions (IMDG)	: 274
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T11
Tank special provisions (IMDG)	: TP2, TP27
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: SW2
Properties and observations (IMDG)	: Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.
MFAG-No	: 154

#### - Air transport

PCA Excepted quantities (IATA)	: E4
PCA Limited quantities (IATA)	: Y640
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 653



# CARBOL METHYLENE BLUE STAIN

## Safety Data Sheet

PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 660
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A4, A137
ERG code (IATA)	: 6C

### - Inland waterway transport

Classification code (ADN)	: TC1
Special provisions (ADN)	: 274, 802
Limited quantities (ADN)	: 100 ml
Excepted quantities (ADN)	: E4
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP, TOX, A
Ventilation (ADN)	: VE02
Number of blue cones/lights (ADN)	: 2

### - Rail transport

Classification code (RID)	: TC1
Special provisions (RID)	: 274
Excepted quantities (RID)	: E4
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T11
Portable tank and bulk container special provisions (RID)	: TP2, TP27
Tank codes for RID tanks (RID)	: L4BH
Special provisions for RID tanks (RID)	: TU15
Transport category (RID)	: 2
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW28, CW31
Colis express (express parcels) (RID)	: CE5
Hazard identification number (RID)	: 68

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

#### Germany

# CARBOL METHYLENE BLUE STAIN

## Safety Data Sheet

Reference to AwSV : Water hazard class (WGK) 3, severe hazard to water (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

### Netherlands

SZW-lijst van kankerverwekkende stoffen : Ethanol is listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : Ethanol is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : Ethanol is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : Ethanol is listed

### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

## 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Muta. 2	Germ cell mutagenicity, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H373	May cause damage to organs through prolonged or repeated exposure.
R10	Flammable

# CARBOL METHYLENE BLUE STAIN

## Safety Data Sheet

R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R22	Harmful if swallowed
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed
R34	Causes burns
R35	Causes severe burns
R48/20/21/22	Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed
R68	Possible risk of irreversible effects
C	Corrosive
T	Toxic
Xn	Harmful

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*