

DIETHYL PHTHALATE FOR SYNTHESIS

□□□□□□□□

□□ (EU) 2020/878 □□ □□ □□ REACH □□ (EC) 1907/2006 □□ □□

SDS Reference Number: 03333

□□ □□ □□: 4/9/2014 □□ □□ □□: 3/25/2025 □□ □□ □□: 5/27/2016 □□ □□: 1.0

□□ 1: □□□□□ □□□ □□ □□

1.1. □□□□

□□ □□

: □□

□□ □□

: DIETHYL PHTHALATE FOR SYNTHESIS

IUPAC □□

: Diethyl benzene-1,2-dicarboxylate

EC □□

: 201-550-6

CAS □□

: 84-66-2

□□ □□

: 03333

□□ □□


: Esters

□□ □□

: C12H14O4

□□ □□

:



□□ □□

: DEP, Ethyl phthalate

1.2. □□□□ □□ □□□□ □□ □□ □□ □□

□□ □□ □□

□□/□□□ □□ □□

: Industrial

For professional use only

□□□□/□□□□ □□

: Laboratory chemicals

□□ □□

1.3. □□□□□□□□ □□ □□ □□

LOBA CHEMIE PVT.LTD.

107 Wode House Road, Jehangir Villa, Colaba

400005 Mumbai

INDIA

T +91 22 6663 6663, F +91 22 6663 6699

info@lobachemie.com, www.lobachemie.com

1.4. □□□□□□

□□ □□ □□

: + 91 22 6663 6663 (9:00am - 6:00 pm)

□□ 2: □□□·□□□

2.1. □□□·□□□ □□

Regulation (EC) No.1272/2008 [CLP] □□ □□

□□□□ □□

□□□□□, □□ □□ □□□□□□□□

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. □□□□□□□ □□□ □□□□ □□

□□ (EC) No. 1272/2008 □□ □□ □□ [CLP]

□□ □□ □□

2.3. □□ □□

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

DIETHYL PHTHALATE FOR SYNTHESIS

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□□ □□ □□

□□ □□

- : Wear recommended personal protective equipment.
- : Ventilate spillage area. Evacuate unnecessary personnel.

□□ □□

□□ □□ □□

□□ □□

- : Do not attempt to take action without suitable protective equipment. □□□ □□ □□□□ □□□□□. □□ □□□ □□□ □□ 8: "□□□□ □ □□□□□" □□□□□□.

□□ □□

- : Ventilate area. Evacuate unnecessary personnel. □□□□ □□□□ □□ □□□□ □□□ □□□□.

6.2. □□□ □□□□ □□ □□□ □□□□

□□□□ □□□□ □□□.

6.3. □□ □□ □□ □□

□□□

- : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.

□□ □□

- : Take up liquid spill into absorbent material. □□□□ □□□□. On land, sweep or shovel into suitable containers.

□ □□ □□□□

- : Dispose of materials or solid residues at an authorized site.

6.4. □□ □□ □□

For further information refer to section 13.

□□ 7: □□ □ □□□□

7.1. □□□□□□

□□ □ □□□□□ □□ □□

- : □□□□ □□ □□□□□ □□□ □□□ □□□ □□.

□□□□□□

- : Ensure good ventilation of the work station. □□ □□□□ □□□□□□. □□ □ □□□ □□□ □□□□□. Do not breathe vapours.

□□ □□

- : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. □ □□□ □□□ □□□ □□□, □□□□ □□□□ □□□□. Always wash hands after handling the product.

7.2. □□□□ □□□ □□□ □□□ □□ □□

□□□ □□

- : Keep in a cool, well-ventilated place away from heat.

□□ □□

- : □□□ □ □□ □□ □□□□□. □□□ □□□ □□□□□.

□□□

- : Store always product in container of same material as original container.

7.3. □□ □□ □□

□□ □□

□□ 8: □□□□ □ □□□□□

8.1. □□ □□ □□

□□ □□

8.2. □□□□

□□□ □□□ □□

□□□ □□□ □□:

Ensure good ventilation of the work station.

□□ □□□

□□ □□□:

Wear recommended personal protective equipment.

DIETHYL PHTHALATE FOR SYNTHESIS

□ □ □ □ □ □ □ □

□ □ (EU) 2020/878 □ □ □ □ □ REACH □ □ (EC) 1907/2006 □ □ □

□ □ □ □ □ □ □ □:



□ □ □ □ □ □ □

□ □ □:

Chemical goggles or safety glasses

Skin protection

□ □ □ □:

Wear a mask

□ □ □:

Protective gloves

□ □ □ □ □ □

□ □ □ □ □ □:

Wear appropriate mask

□ □ □ □ □ □

□ □ □ □ □ □:

□ □ □ □ □ □ □ □ □ □.

□ □ 9: □ □ □ □ □ □ □ □

9.1. □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □

: □ □ □

□ □

: Colourless.

□ □

: Clear liquid.

□ □ □

: 222.24 g/mol

□ □

: Odourless.

□ □ □ □

: □ □ □ □

□ □ □

: □ □ □ □

□ □ □

: -4 °C

□ □ □ □ □ □ □ □ □ □ □ □

: 298 – 299 °C

□ □ □

: □ □ □ □

□ □ □ □ □

: 0.7 vol %

□ □ □ □ □

: □ □ □ □

□ □ □

: 161.1 °C (Open cup)

□ □ □ □ □ □

: 457.22 °C

□ □ □ □

: □ □ □ □

pH

: □ □ □ □

□ □ (□ □ □ □)

: 11.53 mm²/s at 20 °C - OECD Test Guideline

□ □ □

: □ □: 1080 mg/l at 25 °C - Slightly miscible in water

□ □ □: Miscible with ethanol

□ □ □: Miscible with ether

□ □ □: Miscible with acetone

Partition coefficient n-octanol/water (Log Kow)

: □ □ □ □

Partition coefficient n-octanol/water (Log Pow)

: 2.5

□ □ □

: 0.002 mm Hg at 25 °C

50°C □ □ □ □ □ □ □ □

: □ □ □ □

□ □

: 1.12 g/ml at 20 °C

□ □

: □ □ □ □

20°C □ □ □ □ □ □ □ □ □ □ □ □

: 7.7 (Air = 1)

□ □ □ □

: □ □ □ □

DIETHYL PHTHALATE FOR SYNTHESIS

□□□□□□□□

□□ (EU) 2020/878 □□ □□□□ REACH □□ (EC) 1907/2006 □□ □□

9.2. □□ □□ □□□□

□□ □□ □□

□□□□ : 1.5002 at 25 °C/D

□□ 10: □□□ □□□□

10.1. □□□

The product is non-reactive under normal conditions of use, storage and transport.

10.2. □□□ □□□

Stable under normal conditions.

10.3. □□ □□□ □□□

No dangerous reactions known under normal conditions of use.

10.4. □□□ □□□

□□□□. Open flame. Overheating.

10.5. □□□ □□□

□□ □□

10.6. □□□ □□□□ □□□□

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

□□ 11: □□□ □□ □□

11.1. □□ (EC) No 1272/2008 □□□□, □□□ □□□ □□ □□

□□ □□ (□□)	: □□□□ □□
□□ □□ (□□)	: □□□□ □□
□□ □□ (□□)	: □□□□ □□
□□ □□□ □□ □□□	: □□□□ □□
□□ □ □□ □□ □□□	: □□□□ □□
□□□ □□ □□ □□□	: □□□□ □□
□□□□ □□□□	: □□□□ □□
□□□□	: □□□□ □□
□□□□	: □□□□ □□
□□ □□□□ □□ (1□ □□)	: □□□□ □□
□□ □□□□ □□ (□□ □□)	: □□□□ □□
□□ □□□□	: □□□□ □□

DIETHYL PHTHALATE FOR SYNTHESIS (84-66-2)

□□(□□□)	11.53 mm ² /s at 20 °C - OECD Test Guideline
---------	---

DIETHYL PHTHALATE (84-66-2)

□□(□□□)	11.53 mm ² /s at 20 °C - OECD Test Guideline
---------	---

11.2. □□ □□ □□ □□

□□ □□

DIETHYL PHTHALATE FOR SYNTHESIS

□□□□□□□□

□□ (EU) 2020/878 □□ □□ □□ REACH □□ (EC) 1907/2006 □□ □□

□□ 12: □□□ □□□ □□

12.1. □□

□□□ - □□ : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
□□ □□□□ □□□ : □□□□ □□
□□ □□□□ □□□ : □□□□ □□

12.2. □□□ □ □□□

DIETHYL PHTHALATE FOR SYNTHESIS (84-66-2)

□□□ □ □□□	□□ □□ □□
-----------	----------

DIETHYL PHTHALATE (84-66-2)

□□□ □ □□□	□□ □□ □□
-----------	----------

12.3. □□ □□□

DIETHYL PHTHALATE (84-66-2)

Partition coefficient n-octanol/water (Log Pow)	2.5
---	-----

12.4. □□ □□□

□□ □□

12.5. PBT □ vPvB □□ □□

□□ □□

12.6. □□□ □□ □□

□□ □□

12.7. □□ □□ □□

□□ □□

□□ 13: □□□ □□□□

13.1. □□□ □□□

□□ □□(□□□) : Disposal must be done according to official regulations.
□□□ □□□ : Dispose of contents/container in accordance with licensed collector's sorting instructions.
□□ □□ □□ □□ : Disposal must be done according to official regulations.
□□/□□ □□ □□□□ : Disposal must be done according to official regulations.
□□ □□ : Do not re-use empty containers.

□□ 14: □□□ □□□ □□

ADR / IMDG / IATA / ADN / RID □□ □□

14.1. UN □□ □□ ID □□

□□ □□□□ □□□□

14.2. UN □□ □□□

□□ □□□ (ADR) : Not regulated
□□ □□□ (IMDG) : Not regulated
□□ □□□ (IATA) : Not regulated
□□ □□□ (ADN) : Not regulated
□□ □□□ (RID) : Not regulated

DIETHYL PHTHALATE FOR SYNTHESIS

□□□□□□□□

□□ (EU) 2020/878 □□ □□□□ REACH □□ (EC) 1907/2006 □□ □□

14.3. □□□□□ □□□ □□

ADR

□□□□□ □□□ □□ (ADR) : Not regulated

IMDG

□□□□□ □□□ □□ (IMDG) : Not regulated

IATA

□□□□□ □□□ □□ (IATA) : Not regulated

ADN

□□□□□ □□□ □□ (ADN) : Not regulated

RID

□□□□□ □□□ □□ (RID) : Not regulated

14.4. □□□□

□□ □□ (ADR) : Not regulated

□□ □□ (IMDG) : Not regulated

□□ □□ (IATA) : Not regulated

□□ □□ (ADN) : Not regulated

□□ □□ (RID) : Not regulated

14.5. □□ □□□□

□□ □□ □□□□ : □□ □□ □□ □□

14.6. □□□□ □□ □□ □□□□

□□ □□

Not regulated

□□ □□

Not regulated

□□ □□

Not regulated

□□ □□ □□

Not regulated

□□ □□

Not regulated

14.7. □□□□□□ (IMO) □□ □□ □□ □□

□□□□

□□ 15: □□ □□□□

15.1. □□, □□ □□ □□□□ □□□□ □□ □□□□ □□ □□ □□/□□

EU □□

REACH □□□□ XVII (□□ □□)

REACH □□□□ XVII □□□□ □□

REACH □□□□ XIV (□□ □□)

REACH □□□□ XIV (□□ □□) □□□□ □□

REACH □□ □□ □□ (SVHC)

REACH □□ □□ □□ □□ □□ □□□□ □□

DIETHYL PHTHALATE FOR SYNTHESIS

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□ 16: □□ □□□□

□□ □□□□□:

ACGIH	American Conference of Government Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	□□ □□ □
BOD	Biochemical oxygen demand (BOD)
CAS □□	□□□□ □□ □□ □□(CAS)
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	□□□ □□ □□□
CSA	□□ □□ □□□ □□
DMEL	Derived Minimal Effect level
DNEL	□□ □□□ □□
EC □□	□□ □□□ □□
EC50	Median effective concentration
ED	□□□ □□□□
EN	□□ □□
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	□□□ □□ □□
OSHA	Occupational Safety & Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	□□ □□□ □□
PPE	□□ □□□

DIETHYL PHTHALATE FOR SYNTHESIS

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□ □ □□□□□:	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	□□□□□□□□
STP	Sewage treatment plant
TF	□□□ □□
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
COV	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	□□ □□ □□□

□□□□□□□□(SDS), EU

□ □□□ □□ □□□ □□□ □□ □□□ □□, □□ □ □□ □□□ □□□ □□ □□□□ □□ □□□□. □□□□ □□□ □□□ □□□□ □□□ □□ □□□□ □□□□.