## **EUCALYPTUS OIL MSDS**



# CAS No: 8000-48-4 MSDS

### **MATERIAL SAFETY DATA SHEET (MSDS)**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identified	er
Product form	: Substance
	:
EC no	: 283-406-2
CAS No	: 8000-48-4
Product code	: 03758
Formula	: C10H18O
Synonyms	: Yo-shu oil

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture

: Industrial. For professional use only.

#### 1.2.2. Uses advised against

No additional information available

1.3.	Details of the supplier of the safety data sheet
LOBA C	HEMIE PVT.LTD.
107 Woo	de House Road, Jehangir Villa, Colaba
	Mumbai - INDIA
-	2 6663 6663 - F +91 22 6663 6699
info@lot	bachemie.com - www.lobachemie.com

#### 1.4. Emergency telephone number

Emergency number

: + 91 22 6663 6663 (9:00am - 6:00 pm)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Flammable liquids, H226 Category 3 Skin corrosion/irritation, H315 Category 2 Sensitisation - Skin, H317 category 1B Aspiration hazard, H304 Category 1 Hazardous to the aquatic H411 environment — Chronic Hazard, Category 2

Full text of classification categories and H statements : see section 16

#### Classification according to Directive 67/548/EEC or 1999/45/EC

Xi; R38 R10 Full text of R-phrases: see section 16

#### Adverse physicochemical, human health and environmental effects No additional information available

#### 2.2. Label elements

Labelling according to Regulation (EC) Hazard pictograms (CLP)	No. 1272/2008 [CLP]
	GHS02 GHS07 GHS08 GHS09
Signal word (CLP)	: Warning
Hazard statements (CLP)	<ul> <li>H226 - Flammable liquid and vapour</li> <li>H304 - May be fatal if swallowed and enters airways</li> <li>H315 - Causes skin irritation</li> <li>H317 - May cause an allergic skin reaction</li> <li>H411 - Toxic to aquatic life with long lasting effects</li> </ul>
Precautionary statements (CLP)	<ul> <li>P273 - Avoid release to the environment</li> <li>P280 - Wear protective gloves, protective clothing, eye protection, face protection</li> <li>P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or</li> <li>doctor/physician</li> <li>P331 - Do NOT induce vomiting</li> </ul>

#### 2.3. Other hazards

#### No additional information available

SECTIO	ON 3: Composition/information of	on ingredients
3.1.	Substance	
Name		: EUCALYPTUS OIL
CAS No	)	: 8000-48-4
EC no		: 283-406-2

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

Safety Data Sheet

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	<ul> <li>Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. Get medical advice/attention.</li> </ul>
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Wash contaminated clothing before reuse. Get medical advice/attention.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Get medical advice/attention. Do NOT induce vomiting.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/injuries	: May be fatal if swallowed and enters airways.
Symptoms/injuries after skin contact	: Causes skin irritation. May cause an allergic skin reaction.
	lical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Foam. Dry powder. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	
Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
5.3. Advice for firefighters	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measures	5
6.1. Personal precautions, protective	equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
6.2. Environmental precautions Toxic to aquatic life with long lasting effects	
Toxic to aquatic life with long lasting enects	
6.3. Methods and material for contain	nment and cleaning up
Methods for cleaning up	: Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.

Safety Data Sheet

Precautions for safe handling	: No naked lights. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid contact with skin and eyes. Do not breathe vapours. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, incl	uding any incompatibilities
Technical measures	<ul> <li>Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/ equipment.</li> </ul>
Storage conditions	: Keep container tightly closed.
Incompatible materials	: Heat sources.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/personal	protection

#### 8.1. Control parameters

No additional information available

8.2. Exposure controls	
Hand protection	: Protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection
SECTION 9: Physical and chemical prop	erties
9.1. Information on basic physical a	nd chemical properties
Physical state	: Liquid
Colour	: Colorless to pale yellow.
Odour	: No data available
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 175 °C
Flash point	: 57.1 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Freezing point Boiling point Flash point Auto-ignition temperature	<ul> <li>No data available</li> <li>175 °C</li> <li>57.1 °C</li> <li>No data available</li> </ul>

#### Safety Data Sheet

Flammability (solid, gas)	: Flammable Flammable liquid and vapour
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density Solubility	:0.909 g/cm³ :No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2.	Other	information	

#### No additional information available

**SECTION 10: Stability and reactivity** 

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

May release flammable gases.

# SECTION 11: Toxicological information 11.1. Information on toxicological effects Acute toxicity : Not classified Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified

Carcinogenicity

: Not classified

#### Safety Data Sheet

Reproductive toxicity Specific target organ toxicity (single exposure)	: Not classified : Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.

#### **SECTION 12: Ecological information**

# 12.1. Toxicity No additional information available

# 12.2. Persistence and degradability No additional information available 12.3. Bioaccumulative potential No additional information available 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment No additional information available

12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose of contents/container to
Additional information	: Handle empty containers with care because residual vapours are flammable.
SECTION 14: Transport information	

In accordance with ADR / RID / IMDG / IATA / ADN

UN-No.(IATA) : UN-No.(ADN) :	1993 Not regulated Not regulated	
UN-No.(IATA) :	1993	
UN-No. (IMDG) :	1993	
UN-No. (ADR) :	1993	
14.1. UN number		

Safety Data Sheet

14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (IATA)	: FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (ADN)	: Not regulated
Proper Shipping Name (RID)	: Not regulated
Transport document description (ADR)	: UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 3
Danger labels (ADR)	: 3
IMDG	
Transport hazard class(es) (IMDG)	: 3
Danger labels (IMDG)	: 3
	. 5
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: 3
Hazard labels (IATA)	: 3
	. 5
ADN	
Transport hazard class(es) (ADN)	: Not regulated
RID	
Transport hazard class(es) (RID)	: Not regulated
14.4. Packing group	
Packing group (ADR)	: 111
Packing group (IMDG)	: 111
Packing group (IATA)	: 111
Packing group (ADN)	: Not regulated
Packing group (RID)	: Not regulated
	Version: 1 07/06/2016 7/40

Safety Data Sheet

#### 14.5. Environmental hazards

Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

#### 14.6. Special precautions for user

- Overland transport	<i></i>
Classification code (ADR)	: F1
Special provision (ADR)	: 274, 601, 640E
Limited quantities (ADR)	: 5L
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 30
Orange plates	20
	30
	1993
Tunnel restriction code (ADR)	: D/E
EAC code	: •3YE
	. 512
- Transport by sea	
Special provision (IMDG)	: 223, 274, 955
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: A
MFAG-No	: 127;128
- Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
www.lobachemie.com	Version: 1

Safety Data Sheet

Special provision (IATA)	:	A3
ERG code (IATA)	:	3L

#### - Inland waterway transport

Not regulated

#### - Rail transport

Not regulated

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions EUCALYPTUS OIL is not on the REACH Candidate List EUCALYPTUS OIL is not on the REACH Annex XIV List

#### 15.1.2. National regulations

Germany	
---------	--

AwSV/VwVwS Annex reference	: Water hazard class (WGK) 2, hazardous to water (Classification according to VwVwS, Annex 3; WGK No 2892)	
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV		
Denmark		
Class for fire hazard	: Class III-1	
Store unit	: 50 liter	
Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed	
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product	

#### 15.2. Chemical safety assessment

No additional information available

**SECTION 16: Other information** 

Full text of R-, H- and EUH-phrases:

Hazardous to the aquatic environment — Chronic Hazard, Category 2

Aquatic Chronic 2

Safety Data Sheet

Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1B	Sensitisation — Skin, category 1B
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H411	Toxic to aquatic life with long lasting effects
R10	Flammable
R38	Irritating to skin
Xi	Irritant

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product