

CAS-No.: 98-00-0 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product form	: Substance :
EC Index-No.	: 603-018-00-2
EC-No.	: 202-626-1
CAS-No.	: 98-00-0
Product code	: 3893B
Formula	: C5H6O2
Chemical structure	ОН
Synonyms	: 2-(Hydroxymethyl) furan

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec

: Industrial For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD. 107 Wode House Road, Jehangir Villa, Colaba 400005 Mumbai - INDIA T +91 22 6663 6663 - F +91 22 6663 6699 info@lobachemie.com - www.lobachemie.com

1.4. Emergency telephone number

Emergency number

: + 91 22 6663 6663 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Acute toxicity (inhal.), H331 Category 3 Acute toxicity (dermal), H312 Category 4 Acute toxicity (oral), H302 Category 4 Carcinogenicity, Category H351

—	
Serious eye damage/eye	H319

Safety Data Sheet

irritation, Category 2 Specific target organ H335 toxicity — Single exposure, Category 3, Respiratory tract irritation Specific target organ H373 toxicity — Repeated exposure, Category 2

Full text of H statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.3; R40 T; R23 Xn; R21/22 Xn; R48/20 Xi; R36/37 Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects No additional information available

2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS06 GHS08 Signal word (CLP) : -: H302+H312 - Harmful if swallowed or in contact with skin Hazard statements (CLP) H319 - Causes serious eye irritation. H331 - Toxic if inhaled. H335 - May cause respiratory irritation. H351 - Suspected of causing cancer. H373 - May cause damage to organs through prolonged or repeated exposure. : P261 - Avoid breathing dust, fume, gas, vapours, spray, mist. Precautionary statements (CLP) P280 - Wear protective gloves, protective clothing, eye protection, face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P311 - Call a POISON CENTER/doctor

2.3. Other hazards

No additional information available

Safety Data Sheet

	n on ingredients
3.1. Substances	
	: FURFURYL ALCOHOL FOR SYNTHESIS
CAS-No.	: 98-00-0
EC-No.	: 202-626-1
EC Index-No.	: 603-018-00-2
Full text of R- and H-statements: see se	ection 16
3.2. Mixtures	
Not applicable	
SECTION 4: First aid measures	
4.1. Description of first aid measu	ures
First-aid measures general	: Suspected of causing cancer.
First-aid measures after inhalation	 Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Immediately call a POISON CENTER/doctor. Specific measures (see supplementa first aid instruction on this label). Wash with plenty of water/ Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a POISON CENTER/doctor if you feel unwell.
4.2. Most important symptoms ar	nd effects, both acute and delayed
Symptoms/effects	: Causes damage to organs.
- /	
	: May cause respiratory irritation. Toxic if inhaled.
Symptoms/effects after inhalation	 May cause respiratory irritation. Toxic if inhaled. Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.
Symptoms/effects after inhalation Symptoms/effects after skin contact	: Repeated exposure to this material can result in absorption through skin causing
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact	: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion 4.3. Indication of any immediate r	Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.Causes serious eye irritation.
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion 4.3. Indication of any immediate r No additional information available	 Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin. Causes serious eye irritation. Swallowing a small quantity of this material will result in serious health hazard.
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion 4.3. Indication of any immediate r No additional information available SECTION 5: Firefighting measures	 Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin. Causes serious eye irritation. Swallowing a small quantity of this material will result in serious health hazard.
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion 4.3. Indication of any immediate r No additional information available SECTION 5: Firefighting measures 5.1. Extinguishing media	 Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin. Causes serious eye irritation. Swallowing a small quantity of this material will result in serious health hazard.
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion 4.3. Indication of any immediate r No additional information available SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media	 Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin. Causes serious eye irritation. Swallowing a small quantity of this material will result in serious health hazard. medical attention and special treatment needed : Water spray. Foam. Dry powder. Carbon dioxide.
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion 4.3. Indication of any immediate r No additional information available SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media	 Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin. Causes serious eye irritation. Swallowing a small quantity of this material will result in serious health hazard.
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion 4.3. Indication of any immediate r No additional information available SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	 Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin. Causes serious eye irritation. Swallowing a small quantity of this material will result in serious health hazard. medical attention and special treatment needed : Water spray. Foam. Dry powder. Carbon dioxide. : Do not use a heavy water stream.
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion 4.3. Indication of any immediate r No additional information available SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising from	 Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin. Causes serious eye irritation. Swallowing a small quantity of this material will result in serious health hazard. medical attention and special treatment needed : Water spray. Foam. Dry powder. Carbon dioxide. : Do not use a heavy water stream.
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion 4.3. Indication of any immediate r No additional information available SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	 Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin. Causes serious eye irritation. Swallowing a small quantity of this material will result in serious health hazard. medical attention and special treatment needed : Water spray. Foam. Dry powder. Carbon dioxide. : Do not use a heavy water stream.

Safety Data Sheet

SECTION 6: Accidental release measures	6
6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary personnel.
 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions 	: Use personal protective equipment as required. : Ventilate area.
Avoid release to the environment.	
6.3. Methods and material for contain	nment and cleaning up
Methods for cleaning up	: Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Use only outdoors or in a well-ventilated area. Do not breathe vapours.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, incl	uding any incompatibilities
Storage conditions	: Keep container tightly closed.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/personal	protection
8.1. Control parameters	
No additional information available	

8.2. Exposure controls		
Hand protection	: Protective gloves	
Eye protection	: Chemical goggles or safety glasses	
Skin and body protection	: Wear suitable protective clothing	
Respiratory protection	: [In case of inadequate ventilation] wear respiratory protection.	
SECTION 9: Physical and chemical properties		
9.1. Information on basic physical an	nd chemical properties	
Physical state	: Liquid	
Molecular mass	: 98.1 g/mol	

Safety Data Sheet

Salety Data Sheet		
Colour	: Clear Colorless.	
Odour	: burning.	
Odour threshold	: 8 ppm	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: -29 °C	
Freezing point	: No data available	
Boiling point	: 170 °C	
Flash point	: 65 °C	
Auto-ignition temperature	: 490 °C	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: 0.1 kPa (at 20°C)	
Relative vapour density at 20 °C	: 3.38	
Relative density	: No data available	
Density Solubility	: 1.1296 g/cm³ : Water: Soluble	
Log Pow	: 0.3	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: 1.8 - 16.3 vol %	
9.2. Other information No additional information available SECTION 10: Stability and reactivity		
10.1.ReactivityNo additional information available		
10.2.Chemical stabilityStable under normal conditions.		
10.3. Possibility of hazardous reactions No additional information available		
10.4. Conditions to avoidDirect sunlight. Extremely high or low temper	eratures.	

10.5. Incompatible materials

No additional information available

Hazardous decomposition products

Safety Data Sheet

No additional information available

10.6.

11.1. Information on toxicological ef	fects
Acute toxicity	: Inhalation: Toxic if inhaled. Dermal: Harmful in contact with skin. Oral: Harmful if swallowed.
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Harmful if swallowed. Harmful in contact with skin.
SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	

12.2.	Persistence and degradability
No add	litional information available

12.3. Bioa	.3. Bioaccumulative potential	
FURFURYL ALCOHOL FOR SYNTHESIS (98-00-0)		
Log Pow		0.3

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

Safety Data Sheet

No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IAT	TA / ADN
14.1. UN number	
UN-No. (ADR)	: 2874
UN-No. (IMDG)	: 2874
UN-No. (IATA)	: 2874
UN-No. (ADN)	: 2874
UN-No. (RID)	: 2874
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: FURFURYL ALCOHOL
Proper Shipping Name (IMDG)	: FURFURYL ALCOHOL
Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	: Furfuryl alcohol
Proper Shipping Name (ADN)	: FURFURYL ALCOHOL
Proper Shipping Name (RID)	
Transport document description (ADR)	: UN 2874 FURFURYL ALCOHOL, 6.1, III, (E)
Transport document description (IMDG)	: UN 2874 FURFURYL ALCOHOL, 6.1, III
Transport document description (IATA)	: UN 2874 Furfuryl alcohol, 6.1, III
Transport document description (ADN)	: UN 2874 FURFURYL ALCOHOL, 6.1, III
Transport document description (RID)	: UN 2874 FURFURYL ALCOHOL, 6.1, III
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 6.1
Danger labels (ADR)	: 6.1
	6
	¥7
IMDG	
Transport hazard class(es) (IMDG)	: 6.1
Danger labels (IMDG)	: 6.1
	6
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: 6.1

Hazard labels (IATA)	: 6.1
	6
ADN	
Transport hazard class(es) (ADN)	: 6.1
Danger labels (ADN)	: 6.1
RID	
Transport hazard class(es) (RID)	: 6.1
Danger labels (RID)	: 6.1
	6
14.4. Packing group	
Packing group (ADR)	: 111
Packing group (IMDG)	: 111
Packing group (IATA)	: 111
Packing group (ADN)	: 111
Packing group (RID)	: 111
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
- Overland transport	
Classification code (ADR)	: T1
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container	. MF 19 : T4
instructions (ADR)	
Portable tank and bulk container special provisions (ADR)	: TP1

Safety Data Sheet

Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13, CV28
Special provisions for carriage - Operation (ADR)	: S9
Hazard identification number (Kemler No.)	: 60
Orange plates	60 2874
Tunnel restriction code (ADR)	: E
EAC code	: •2X
- Transport by sea	
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-A
Stowage category (IMDG)	: A
Segregation (IMDG)	: SG17, SG35
Properties and observations (IMDG)	: Clear, colourless, mobile liquid, becoming brown to dark-red upon exposure to light and air. Miscible with water. Reacts explosively with oxidizing substances. Toxic if swallowed, by skin contact or by inhalation.
MFAG-No	: 153
- Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y642
PCA limited quantity max net quantity (IATA)	: 2L
PCA packing instructions (IATA)	: 655
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 663
CAO max net quantity (IATA)	: 220L
ERG code (IATA)	: 6L
- Inland waterway transport	
Classification code (ADN)	: T1
Special provisions (ADN)	: 802
Limited quantities (ADN)	: 5L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP, TOX, A
Ventilation (ADN)	: VE02
Number of blue cones/lights (ADN)	: 0
- Rail transport	
Classification code (RID)	: T1
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4

Safety Data Sheet

Portable tank and bulk container special provisions (RID)	:	TP1
Tank codes for RID tanks (RID)	:	L4BH
Special provisions for RID tanks (RID)	:	TU15
Transport category (RID)	:	2
Special provisions for carriage – Packages (RID)	:	W12
Special provisions for carriage - Loading, unloading and handling (RID)	:	CW13, CW28, CW31
Colis express (express parcels) (RID)	:	CE8
Hazard identification number (RID)	:	60

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

FURFURYL ALCOHOL FOR SYNTHESIS is not on the REACH Candidate List FURFURYL ALCOHOL FOR SYNTHESIS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany	
Reference to AwSV	: Water hazard class (WGK) 1, low hazard to water (Classification according to AwSV; ID No. 114)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: The substance is not listed
SZW-lijst van mutagene stoffen	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: The substance is not listed
Denmark	
Class for fire hazard	: Class III-1
Store unit	: 50 liter
Classification remarks	 Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed

Safety Data Sheet

Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product
	The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
R21/22	Harmful in contact with skin and if swallowed
R23	Toxic by inhalation
R36/37	Irritating to eyes and respiratory system
R40	Limited evidence of a carcinogenic effect
R48/20	Harmful: danger of serious damage to health by prolonged exposure through inhalation
Т	Toxic
Xi	Irritant
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product