GIEMSA'S STAINING SOLUTION FOR MICROSCOPY MSDS



CAS No: MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

1.1. Product identifier	
Product form	: Mixture
Trade name	: Giemsa's Staining Solution for Microscopy
Product code	: 03941
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Industrial/Professional use spec	: Industrial For professional use only
Use of the substance/mixture	: Industrial. For professional use only.
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the	e safety data sheet
LOBA CHEMIE PVT.LTD. 107 Wode House Road, Jehangir Villa, 400005 Mumbai - INDIA T +91 22 6663 6663 - F +91 22 6663 6 info@lobachemie.com - www.lobachem	699
1.4. Emergency telephone numb	ber de la constant de
Emergency number	: + 91 22 6663 6663 (9:00am - 6:00 pm)

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2	H225
Acute toxicity (oral),	H301
Category 3 Acute toxicity (dermal),	H311
Category 3	
Acute toxicity (inhal.), Category 3	H331
Specific target organ	H370
toxicity — single exposure, Category 1	

Full text of classification categories and H statements : see section 16

Safety Data Sheet

Adverse physicochemical, human health and environmental effects No additional information available

2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS02 GHS06 GHS08 Signal word (CLP) : Danger Hazard statements (CLP) : H225 - Highly flammable liquid and vapour H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled H370 - Causes damage to organs : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition Precautionary statements (CLP) sources. No smoking P233 - Keep container tightly closed P240 - Ground and bond container and receiving equipment P241 - Use explosion-proof equipment P260 - Do not breathe dust/fume/gas/mist/vapours/spray P264 - Wash ... thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/... P302+P352 - IF ON SKIN: Wash with plenty of water/... P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P308+P311 - IF exposed or concerned: Call a POISON CENTER/doctor/... P311 - Call a POISON CENTER/doctor/... P321 - Specific treatment (see ... on this label) P330 - Rinse mouth P361+P364 - Take off immediately all contaminated clothing and wash it before reuse P370+P378 - In case of fire: Use ... to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up P501 - Dispose of contents/container to {0|message=<specify in accordance with local/regional/national/international regulations>|default=hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation|filter=()?DISPOSAL .+}

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

www.lobachemie.com

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Methanol	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00-X	50 - 75	Flam. Liq. 2, H225 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Oral), H301 STOT SE 1, H370
1,2,3-Propanetriol(glycerin)	(CAS No) 56-81-5 (EC no) 200-289-5	50 - 75	Not classified
GIEMSA`S STAIN	(CAS No) 51811-82-6	0.01 - 1	Eye Dam. 1, H318 Acute Tox. 4 (Oral), H302 Aquatic Chronic 3, H412

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measu	Ires
First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a POISON CENTER or doctor/physician. Specific treatment (see on this label).
First-aid measures after inhalation	: Get medical advice/attention. Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Immediately call a POISON CENTER or doctor/physician. Wash with plenty of soap and water. Specific measures (see on this label). Wash contaminated clothing before reuse.
First-aid measures after eye contact	 Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. Get medical advice/attention. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Immediately call a POISON CENTER or doctor/physician. Specific treatment (see on this label).
4.2. Most important symptoms an	d effects, both acute and delayed
Symptoms/injuries	: Causes damage to organs.
Symptoms/injuries after inhalation	: Toxic if inhaled.
Symptoms/injuries after skin contact	: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Toxic in contact with skin.
Symptoms/injuries after ingestion	: Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.
4.3. Indication of any immediate n	nedical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	

S.I. Extinguishing media	
Suitable extinguishing media	: Water spray. Foam. Dry powder. Carbon dioxide. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

May form flammable/explosive vapour-air mixture. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment. Do not enter fire area without proper protective equipment, including respiratory protection. equipment and emergency procedures Remove ignition sources. No naked lights. No smoking. Use special care to avoid static electric charges.
fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment. Do not enter fire area without proper protective equipment, including respiratory protection. equipment and emergency procedures Remove ignition sources. No naked lights. No smoking. Use special care to avoid
fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment. Do not enter fire area without proper protective equipment, including respiratory protection. equipment and emergency procedures Remove ignition sources. No naked lights. No smoking. Use special care to avoid
equipment and emergency procedures Remove ignition sources. No naked lights. No smoking. Use special care to avoid
Remove ignition sources. No naked lights. No smoking. Use special care to avoid
Remove ignition sources. No naked lights. No smoking. Use special care to avoid
Evacuate unnecessary personnel.
Lies personal protective equipment or required. Finite discuss the
Use personal protective equipment as required. Equip cleanup crew with proper protection. Avoid breathing dust/fume/gas/mist/vapours/spray.
Ventilate area.
nent and cleaning up
Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials.
nal protection.
Handle ampty containers with care because residual veneurs are flammable
Handle empty containers with care because residual vapours are flammable. Avoid contact with skin and eyes. Do not breathe vapours. Provide good ventilation in process area to prevent formation of vapour. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leavin work. No naked lights. No smoking. Use only non-sparking tools. Do not breathe dust/fume/gas/mist/vapours/spray.
Do not eat, drink or smoke when using this product. Wash thoroughly after handling.
ding any incompatibilities
Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/ equipment.
Keep container tightly closed. Keep in fireproof place. Keep only in the original
container in a cool, well ventilated place away from :
container in a cool, well ventilated place away from : Strong bases. Strong acids.
r

Safety Data Sheet

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

Personal protective equipment: Avoid all unnecessary exposure.Hand protection: Protective gloves. Wear protective glovesEye protection: Chemical goggles or safety glassesSkin and body protection: Wear suitable protective clothingRespiratory protection: Where exposure through inhalation may occur from use, respiratory protectionOther information: Do not eat, drink or smoke during use.	8.2. Exposure controls	
Eye protection: Chemical goggles or safety glassesSkin and body protection: Wear suitable protective clothingRespiratory protection: Where exposure through inhalation may occur from use, respiratory protectionequipment is recommended	Personal protective equipment	: Avoid all unnecessary exposure.
Skin and body protection : Wear suitable protective clothing Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is recommended	Hand protection	: Protective gloves. Wear protective gloves
Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is recommended	Eye protection	: Chemical goggles or safety glasses
equipment is recommended	Skin and body protection	: Wear suitable protective clothing
Other information : Do not eat, drink or smoke during use.	Respiratory protection	
	Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical a	nd chemical properties
Physical state	: Liquid
Colour	: No data available.
Odour	: characteristic.
Odour threshold	: No data available
рН	: 7
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 17.9 °C
Freezing point	: No data available
Boiling point	: 64.5 °C
Flash point	: 12 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable Highly flammable liquid and vapour
Vapour pressure	: 97.68 mm Hg at20° C)
Relative vapour density at 20 °C	: 2.37
Relative density	: No data available
Density Solubility	: 1.04 g/cm³ : Water: Easily soluble in cold water
Log Pow	: No data available

Safety Data Sheet

Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 6 - 36.5 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Highly flammable liquid and vapour.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Open flame. Heat. Sparks. Overheating. Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation: Toxic if inhaled.

ATE CLP (oral)	100 mg/kg bodyweight
ATE CLP (dermal)	300 mg/kg bodyweight
ATE CLP (gases)	700 ppmv/4h
ATE CLP (vapours)	3 mg/l/4h
ATE CLP (dust,mist)	0.5 mg/l/4h

Skin corrosion/irritation	: Not classified
	pH: 7
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
	рН: 7
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
www.lobachomio.com	Version: 1 06/10/2017

Safety Data Sheet

Reproductive toxicity Additional information Specific target organ toxicity (single exposure)	 Not classified Based on available data, the classification criteria are not met Causes damage to organs.
Specific target organ toxicity (repeated exposure)	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard Additional information	: Not classified : Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Toxic if swallowed. Toxic in contact with skin.
SECTION 12: Ecological information	
12.1. Toxicity	

No additional information available

Giemsa's Staining Solution for Microscopy	12.2. Persistence and degradability	
Demister of a second shifts Net established	Giemsa's Staining Solution for Microscop	ρ y
Persistence and degradability Not established.	Persistence and degradability	Not established.

12.3.	12.3. Bioaccumulative potential	
Giemsa's Staining Solution for Microscopy		
Bioac	cumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6.	Other adverse effects	
Addition	al information	: Avoid release to the environment
SECTIO	N 13: Disposal considerations	
13.1.	Waste treatment methods	
	/Packaging disposal endations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to
Addition	al information	: Handle empty containers with care because residual vapours are flammable.
Ecology	- waste materials	: Avoid release to the environment. Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number			
UN-No. (ADR)	: 1230		
UN-No. (IMDG)	: 1230		
UN-No.(IATA)	: 1230		
UN-No.(ADN)	: 1230		
UN-No. (RID)	: 1230		
14.2. UN proper shipping name			
Proper Shipping Name (ADR)	: METHANOL		
Proper Shipping Name (IMDG)	: METHANOL		
Proper Shipping Name (IATA)	: METHANOL		
Proper Shipping Name (ADN)	: METHANOL		
Proper Shipping Name (RID)	: METHANOL		
Transport document description (ADR)	: UN 1230 METHANOL, 3		
Transport document description (IMDG)	: UN 1230 METHANOL, 3		
Transport document description (IATA)	: UN 1230 METHANOL, 3		
Transport document description (ADN)	: UN 1230 METHANOL, 3		
Transport document description (RID)	: UN 1230 METHANOL, 3	(6.1), II	
14.3. Transport hazard class(es)			
ADR			
Transport hazard class(es) (ADR)	: 3 (6.1)		
Danger labels (ADR)	: 3, 6.1		
		`	
IMDG			
Transport hazard class(es) (IMDG)	: 3 (6.1)		
Danger labels (IMDG)	: 3, 6.1		
		`	
ΙΑΤΑ			
Transport hazard class(es) (IATA)	: 3 (6.1)		
Hazard labels (IATA)	: 3, 6.1		
		`	
ADN			
Transport hazard class(es) (ADN)	: 3 (6.1)		
www.lobachemie.com	Version: 1	06/10/2017	8/12

Danger labels (ADN)	: 3, 6.1
	6
RID	
Transport hazard class(es) (RID)	: 3 (6.1)
Danger labels (RID)	: 3, 6.1
14.4. Packing group	
Packing group (ADR)	: 11
Packing group (IMDG)	: 11
Packing group (IATA)	: 11
Packing group (ADN)	: 11
Packing group (RID)	: 11
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
14.6. Special precautions for user - Overland transport Classification code (ADR)	: FT1
- Overland transport Classification code (ADR)	: FT1 : 279
- Overland transport	
- Overland transport Classification code (ADR) Special provision (ADR)	: 279
- Overland transport Classification code (ADR) Special provision (ADR) Limited quantities (ADR)	: 279 : 1L
- Overland transport Classification code (ADR) Special provision (ADR) Limited quantities (ADR) Excepted quantities (ADR)	: 279 : 1L : E2
- Overland transport Classification code (ADR) Special provision (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Mixed packing provisions (ADR) Portable tank and bulk container	: 279 : 1L : E2 : P001, IBC02
- Overland transport Classification code (ADR) Special provision (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Mixed packing provisions (ADR)	: 279 : 1L : E2 : P001, IBC02 : MP19
- Overland transport Classification code (ADR) Special provision (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) Portable tank and bulk container special	: 279 : 1L : E2 : P001, IBC02 : MP19 : T7
- Overland transport Classification code (ADR) Special provision (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions (ADR)	: 279 : 1L : E2 : P001, IBC02 : MP19 : T7 : TP2
- Overland transport Classification code (ADR) Special provision (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR)	: 279 : 1L : E2 : P001, IBC02 : MP19 : T7 : TP2 : L4BH
 Overland transport Classification code (ADR) Special provision (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) Tank special provisions (ADR) 	: 279 : 1L : E2 : P001, IBC02 : MP19 : T7 : TP2 : L4BH : TU15
 Overland transport Classification code (ADR) Special provision (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) Tank special provisions (ADR) Vehicle for tank carriage 	: 279 : 1L : E2 : P001, IBC02 : MP19 : T7 : TP2 : L4BH : TU15 : FL
 Overland transport Classification code (ADR) Special provision (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) Tank special provisions (ADR) Vehicle for tank carriage Transport category (ADR) Special provisions for carriage - Loading, unloading and handling (ADR) 	 279 1L E2 P001, IBC02 MP19 T7 TP2 L4BH TU15 FL 2
 Overland transport Classification code (ADR) Special provision (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) Tank special provisions (ADR) Vehicle for tank carriage Transport category (ADR) Special provisions for carriage - Loading, unloading and handling (ADR) 	 279 1L E2 P001, IBC02 MP19 T7 TP2 L4BH TU15 FL 2 CV13, CV28
 Overland transport Classification code (ADR) Special provision (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) Tank special provisions (ADR) Vehicle for tank carriage Transport category (ADR) Special provisions for carriage - Loading, unloading and handling (ADR) Special provisions for carriage - Operation (ADR) 	 279 1L E2 P001, IBC02 MP19 T7 TP2 L4BH TU15 FL 2 CV13, CV28 \$2, \$19

1230

Tunnel restriction code (ADR)	: D/E
EAC code	: •2WE
APP code	: A(fl)
- Transport by sea	
Special provision (IMDG)	: 279
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: SW2
Flash point (IMDG)	: 12°C c.c.
MFAG-No	: 131
- Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity	: 1L
(IATA)	
PCA packing instructions (IATA)	: 352
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provision (IATA)	: A104, A113
ERG code (IATA)	: 3L
- Inland waterway transport	
Classification code (ADN)	: FT1
Special provisions (ADN)	: 279, 802
Limited guantities (ADN)	: 1L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: Т
Equipment required (ADN)	: PP, EP, EX, TOX, A
Ventilation (ADN)	: VE01, VE02
Number of blue cones/lights (ADN)	: 2
- Rail transport	. 574
Classification code (RID)	: FT1
Special provision (RID)	: 279 : 1L
Limited quantities (RID)	
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP19 : T7
Portable tank and bulk container instructions (RID)	. 17
Portable tank and bulk container special provisions (RID)	: TP2
Tank codes for RID tanks (RID)	: L4BH
Special provisions for RID tanks (RID)	: TU15
Transport category (RID)	: 2

Safety Data Sheet

Special provisions for carriage – Loading and unloading (RID)	: CW13, CW28
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 336

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference	: Water hazard class (WGK) 2, hazardous to water (Classification according to AwSV, Annex 1)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)
Denmark	
Class for fire hazard	: Class I-1
Store unit	: 1 liter
Classification remarks	: F <flam. 2="" liq.="">; Emergency management guidelines for the storage of flammable liquids must be followed</flam.>
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product

contact with the product

Pregnant/breastfeeding women working with the product must not be in direct

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixturejs, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.		
Other information	: None.		
www.lobachemie.com	Version: 1	06/10/2017	11/12

Safety Data Sheet

Full text of H- and EUH-phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 1	Specific target organ toxicity — single exposure, Category 1
H225	Highly flammable liquid and vapour
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H318	Causes serious eye damage
H331	Toxic if inhaled
H370	Causes damage to organs
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product