MAGNESIUM METAL POWDER EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878□ □□ □□□ REACH □□ (EC) 1907/2006□ □□
SDS Reference Number: 04461
□□ □□□□: 4/9/2014 □□ □□□□: 1/31/2025 □□ □□: 4/9/2015 □□: 1.0

□□ 1: □□□□□ □□□ □□ □□

1.1. □□□□

□□ □□	:	□□
□□□	:	MAGNESIUM METAL POWDER EXTRA PURE
EC □□ □□	:	012-001-00-3
EC □□	:	231-104-6
CAS □□	:	7439-95-4
□□ □□	:	04461
□□ □□	:	□□
□□□	:	Mg
□□ □□	:	

Mg

1.2. □□□□ □□ □□□□ □□ □□ □□ □□

□□ □□ □□

□□□□/□□□□ □□	:	Laboratory chemicals, Manufacture of substances

1.3. □□□□□□□□□ □□□ □□

LOBA CHEMIE PVT.LTD.
107 Wode House Road, Jehangir Villa, Colaba
400005 Mumbai
INDIA
T +91 22 6663 6663, F +91 22 6663 6699
info@lobachemie.com, www.lobachemie.com

1.4. □□□□□□

□□ □□ □□	:	+ 91 22 6663 6663 (9:00am - 6:00 pm)

□□ 2: □□□·□□□

2.1. □□□·□□□ □□

Regulation (EC) No.1272/2008 [CLP]□ □□ □□

□□□□□ □□, □□ 1	H250
□□□□ □□ □ □□□, □□ 1	H260

□□(H) □□ □ EUH □□ □□: 16□ □□.

□□□□□, □□ □□ □ □□□□□□□

□□□ □□□□ □□□□□. □□ □□ □ □□□□ □□□□ □□ □□□ □□□ □□□□.

2.2. □□□□□□□□ □□□ □□□□ □□

□□ (EC) No. 1272/2008□ □□ □□ □□[CLP]

□□ □□ □□□□(CLP) :

GHS02

□□□ (CLP) : □□

□□·□□ □□ (CLP) : H250 - □□□ □□□□ □□□ □□□.
H260 - □□ □□ □ □□□□ □□□ □□□ □□□ □□□□.

□□ □□ □□(CLP) : P222 - □□□ □□□□□ □□□.
P223 - □□ □□□□□ □□□.
P231+P232 - □□□□ □□□ □□ □□□ □□ □ □□□□□. □□□ □□□□□.
P370+P378 - □□ □ □□ □□ □□ □ □□□ □□ □(□) □□□□□.

2.3. □□ □□

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

□□ 3: □□□□□ □□ □ □□□

3.1. □□□□

□□ □□ : □□□□□□

□□	□□□□	%
MAGNESIUM METAL POWDER	CAS □□: 7439-95-4 EC □□: 231-104-6 EC □□ □□: 012-001-00-3	100

□□ 4: □□□□□□□

4.1. □□□□ □□

□□ □□ □□ : If you feel unwell, seek medical advice.

□□□□ □ : □□□ □□□ □□ □□□ □□□ □□□□ □□ □□□ □□□ □□□□. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.

□□□ □□□□ □ : □□□ □□ □□□ □□□□□. □□□ □□ □□□□[□□ □□ □□□ □□□□]. □□□□□ □□□ □□□ □□ □□, □□□ □□ □□□□ □□ □□□ □□□□. Wash skin with plenty of water.

□□ □□□□ □ : □□□□ □□□□□□ □□□□□. □□ □□□□. □ □□ □□ □□□□ □□□□. □□ □□□ □□□□: □□□ □ □□/□□□ □□□□.

□□□ □ : □□ □□□□□. □□□□ □□□ □□□□(□□)□ □□□ □□□□.

First-aid measures for first aider : □□□□ □□□□ □□□ □□ □□ □□□ □□□□ □□□.

4.2. □□ □ □□□ □□ □□□ □□ □ □□

□□ □ □□/□□ : None under normal conditions. Dust of the product, if present, may cause respiratory irritation after excessive inhalation exposure.

□□ □□ □ □□/□□ : None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing.

□ □□ □ □□/□□ : None under normal conditions. Dust from this product may cause eye irritation.

□□ □ □□/□□ : None under normal conditions.

4.3. □□□□ □□ □ □□ □□ □□ □□ □□

Treat symptomatically.

□□ 5: □□·□□□ □□□□

5.1. □□□ □□□

□□□ □□□ : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Dry powder. Foam.

□□□□ □□□ : Do not use extinguishing media containing water.

5.2. □□□□□□□ □□□ □□ □□□

□□ □□ : □□□ □□□□ □□□□□.

□□ □□ : No direct explosion hazard.

□□ □ □□□ □□□ □□ : Toxic fumes may be released.

5.3. □□□□ □□□□ □ □□□□

□□ □□ : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.

□□ □□ □ □□ : Do not attempt to take action without suitable protective equipment. □□□ □□□□□. Complete protective clothing.

□□ 6: □□□□□ □□□□

6.1. □□□ □□□□ □□ □□□ □□□□ □ □□□

□□ □□ : □□□ □□□□□ □□□. □□□ □□□ □□ □□□□□ □□□ □□ □□□ □□. □□□□□ □□□□ □□ □□ □□ □□□□□□.

□□□ □□ □□

□□ □□ : Wear recommended personal protective equipment.

□□ □□ : Ventilate spillage area. Evacuate unnecessary personnel. □□, □□□□ □□ □□. □□.

□□ □□ □□

□□ □□ : Do not attempt to take action without suitable protective equipment. □□□ □□ □□□□ □□□□□. □ □ □□□ □□□ □□ 8: "□□□□ □ □□□□□"□ □□□□□.

□□ □□ : Stop release. Evacuate unnecessary personnel.

6.2. □□□ □□□□ □□ □□□ □□□□

□□□□ □□□□ □□□. Do not allow water (or moist air) contact with this material.

6.3. □□ □□ □□ □□

□□□ : Using a clean shovel, put the material in a dry container and cover without compressing it.

□□ □□ : Mechanically recover the product. Clear up rapidly by scoop or vacuum.

□ □□ □□□□ : Dispose of materials or solid residues at an authorized site.

6.4. □□ □□ □□

For further information refer to section 13.

□□ 7: □□ □ □□□□

7.1. □□□□□□

□□ □ □□□□□ □□ □□ : Handle empty containers with care because residual vapours are flammable. □□□ □□□□ □□□□□ . □□ □□□□□ □□□.

□□□□□□ : Ensure good ventilation of the work station. No open flames. No smoking. □□□ □□□□□ □□□. □ □□ □□□□□. □□□ □□ □□□ □□□□□. □, □□□ □□, □□□, □□ □ □ □□ □□□□□□□ □□□ □□. □□. □□ □□□□ □□□□□. □□ □□□□□ □□□.

□□ □□ : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. □ □□□ □□□ □□□ □□□, □□□□ □□□□ □□□. Always wash hands after handling the product.

7.2. □□□□ □□□ □□□ □□□ □□ □□

□□□ □□ : □□□ □□□□□ □(□) □□□□ □□□□□.

□□ □□ : □□□ □□□ □□□□□. □□□ □□□□□. □□□ □□□ □□□□□.

□□□ □ □□ : Heat sources. □□ □□□□□ □□□.

□□□ : Store always product in container of same material as original container.

7.3. □□ □□ □□

□□ □□

□□ 8: □□□□ □ □□□□□

8.1. □□ □□ □□

□□ □□

8.2. □□□□

□□□ □□□ □□

□□□ □□□ □□:

Ensure good ventilation of the work station.

□□ □□□

□□ □□□:

Wear recommended personal protective equipment.

□□ □□ □□ □□:

□ □ □□ □□□

□ □□:

Chemical goggles or safety glasses

Skin protection

□□ □□:

Wear a mask

□ □□:

Protective gloves

□□□ □□

□□□ □□:

Wear appropriate mask

□□ □□ □□

□□ □□ □□:

□□□□ □□□□ □□□.

□□ 9: □□□□□ □□

9.1. □□□□ □□□□□ □□□ □□ □□

□□□ □□	:	□□
□□	:	Silvery white.
□□	:	Powder.
□□□	:	24.31 g/mol
□□	:	Odourless.
□□ □□	:	□□□□
□□□	:	648 °C
□□□	:	□□□□
□□ □□□□ □□□ □□	:	1091 °C
□□□	:	□□□ □□□□ □□□□□,□□ □□ □ □□□□ □□□□ □□ □□□ □□□ □□□□
□□ □□□	:	□□□□
□□ □□□	:	□□□□
□□□	:	□□□□
□□□□ □□	:	≈ 473 °C
□□ □□	:	□□□□
pH	:	□□□□
pH □□	:	□□□□
□□(□□□)	:	□□□□

□□□	:	□: Insoluble in water
Partition coefficient n-octanol/water (Log Kow)	:	□□□□
□□□	:	1.33 hPa at 621 °C
50°C□□□ □□□	:	□□□□
□□	:	1.74 g/cm³ at 25 °C
□□	:	□□□□
20°C□□□ □□ □□ □□	:	□□□□
Particle size	:	□□□□

9.2. □ □□ □□□□

□□ □□

□□ 10: □□□ □ □□□

10.1. □□□

□□□ □□□□ □□□□□.

10.2. □□□ □□□

□□□ □□□□ □□□□□.

10.3. □□ □□□ □□□

□□□ □□□□ □□□□□. □□ □□ □ □□□□ □□□□ □□ □□□ □□□ □□□□.

10.4. □□□ □ □□

□□□ □□□□□ □□□. Open flame. Overheating. □□□□. □. Sparks. □□□ □□□ □□□ □□□□. □□, □□□, □□□□ □□ □□□□□□. Water, humidity.

10.5. □□□ □ □□

□□ □□

10.6. □□□ □□□□ □□□□

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

□□ 11: □□□ □□ □□

11.1. □□ (EC) No 1272/2008□ □□□, □□□ □□□ □□ □□

□□ □□ (□□)	:	□□□□ □□
□□ □□ (□□)	:	□□□□ □□
□□ □□ (□□)	:	□□□□ □□
□□ □□□ □□ □□□	:	□□□□ □□
□□ □ □□ □□ □□□	:	□□□□ □□
□□□ □□ □□ □□□	:	□□□□ □□
□□□□ □□□□	:	□□□□ □□
□□□	:	□□□□ □□
□□□□	:	□□□□ □□
□□ □□□□ □□ (1□ □□)	:	□□□□ □□
□□ □□□□ □□ (□□ □□)	:	□□□□ □□
□□ □□□	:	□□□□ □□

MAGNESIUM METAL POWDER EXTRA PURE (7439-95-4)	
□□(□□□)	□□□□

11.2. □□ □□ □□

□□ □□

□□ 12: □□□ □□□ □□

12.1. □□

□□□ - □□	:	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
□□ □□□□ □□□	:	□□□□ □□
□□ □□□□ □□□	:	□□□□ □□

12.2. □□□ □ □□□

MAGNESIUM METAL POWDER EXTRA PURE (7439-95-4)	
□□□ □ □□□	□□ □□ □□

12.3. □□ □□□

□□ □□

12.4. □□ □□□

□□ □□

12.5. PBT □ vPvB □□ □□

□□ □□

12.6. □□□ □□ □□

□□ □□

12.7. □□ □□ □□

□□ □□

□□ 13: □□□ □□□□

13.1. □□□ □□□

□□ □□(□□□)	:	Disposal must be done according to official regulations.
□□□ □□□	:	Dispose of contents/container in accordance with licensed collector’s sorting instructions.
□□ □□ □□ □□	:	Disposal must be done according to official regulations.
□□/□□ □□ □□□□	:	□□, □□, □□ □/□□ □□ □□□ □□ □□□□ □□ □□ □□□ □□ □□ □ □□□□ □□□ □□□□□. Disposal must be done according to official regulations.
□□ □□	:	Handle empty containers with care because residual vapours are flammable. Do not re-use empty containers.

□□ 14: □□□ □□□ □□

ADR / IMDG / IATA / ADN / RID□ □□

14.1. UN □□ □□ ID □□

UN-□□(ADR)	:	UN 1869
UN-□□ (IMDG)	:	UN 1869
UN-□□(IATA)	:	UN 1869
UN-□□(ADN)	:	UN 1869
UN-□□(RID)	:	UN 1869

14.2. UN □□ □□□

□□ □□□ (ADR)	:	□□□□
□□ □□□ (IMDG)	:	MAGNESIUM
□□ □□□ (IATA)	:	Magnesium
□□ □□□ (ADN)	:	□□□□

□□ □□□ (RID)	:	□□□□
□□ □□ □□ (ADR) (ADR)	:	UN 1869 □□□□, 4.1, III, (E)
□□ □□ □□ (IMDG)	:	UN 1869 MAGNESIUM, 4.1, III
□□ □□ □□ (IATA)	:	UN 1869 Magnesium, 4.1, III
□□ □□ □□ (ADN)	:	UN 1869 □□□□, 4.1, III
□□ □□ □□ (RID)	:	UN 1869 □□□□, 4.1, III

14.3. □□□□□ □□□ □□

ADR

□□□□□ □□□ □□ (ADR)	:	4.1
□□ □□ (ADR)	:	4.1
	:	

IMDG

□□□□□ □□□ □□ (IMDG)	:	4.1
□□ □□ (IMDG)	:	4.1
	:	

IATA

□□□□□ □□□ □□ (IATA)	:	4.1
□□ □□ (IATA)	:	4.1
	:	

ADN

□□□□□ □□□ □□ (ADN)	:	4.1
□□ □□ (ADN)	:	4.1
	:	

RID

□□□□□ □□□ □□ (RID)	:	4.1
□□ □□ (RID)	:	4.1
	:	

14.4. □□□□

□□ □□ (ADR)	:	III
□□ □□(IMDG)	:	III
□□ □□ (IATA)	:	III
□□ □□(ADN)	:	III
□□ □□(RID)	:	III

14.5. □□ □□□

□□□ □□	:	□□□
□□□□□□	:	□□□

EmS-No. (□□)	:	F-G
EmS-No. (□□)	:	S-G
□ □□ □□□□	:	□□ □□ □□ □□

14.6. □□□□ □□ □□ □□□□

□□ □□

□□ □□(ADR)	:	F3
□□ □□(ADR)	:	59
□□□(ADR)	:	5kg
□□□(ADR)	:	E1
□□ □□(ADR)	:	P002, IBC08, LP02, R001
□□ □□ (ADR)	:	B3
□□ □□ □□ □□ □□(ADR)	:	MP11
□□□ □□ □ □□ □□□□ □□ (ADR)	:	T1
□□□ □□ □ □□ □□□□ □□ □□ (ADR)	:	TP33
□□ □□(ADR)	:	SGAV
□□ □□□ □□	:	AT
□□ □□(ADR)	:	3
□□ □□ □□ □□ - □□ □□(ADR)	:	VC1, VC2
□□ □□ □□(Kemler □□)	:	40
Orange plates (□□□□□□)	:	
□□ □□ □□ (ADR)	:	E
EAC □□	:	4W

□□ □□

□□ □□ (IMDG)	:	59, 920
□□ □□(IMDG)	:	5 kg
□□□(IMDG)	:	E1
□□ □□ (IMDG)	:	P002, LP02
□□ □□ (IMDG)	:	PP100, L3
IBC □□ □□(IMDG)	:	IBC08
IBC □□ □□ (IMDG)	:	B4
□□ □□ (IMDG)	:	T1
□□ □□ □□ (IMDG)	:	TP33
□□ □□ (IMDG)	:	A
□□ □ □□(IMDG)	:	H1
□□(IMDG)	:	SG17, SG32, SG35, SG36, SG52, SG25, SG26
□□□ □□□□ (IMDG)	:	Silvery white metal. Burns with an intense white light and heat. In contact with water, especially seawater, may evolve hydrogen, a flammable gas. Reacts readily with acids and caustic alkali, evolving hydrogen. Reacts readily with iron oxide, producing a thermite effect. Forms explosive mixtures with oxidizing substances.
MFAG-□□	:	138

□□ □□

PCA □□ □□(IATA)	:	E1
PCA □□ □□(IATA)	:	Y443
PCA □□ □□ □□ □□□(IATA)	:	10kg
PCA □□ □□(IATA)	:	446
PCA □□ □□□(IATA)	:	25kg
CAO □□ □□(IATA)	:	449
CAO □□ □□□(IATA)	:	100kg
□□ □□(IATA)	:	A15, A803
ERG □□(IATA)	:	3L

□□ □□ □□

□□ □□(ADN)	:	F3
□□ □□(ADN)	:	59
□□□(ADN)	:	5 kg
□□□(ADN)	:	E1

□□ □□(ADN)	:	PP
□□ □□/□□□ □□(ADN)	:	0

□□ □□

□□ □□(RID)	:	F3
□□ □□(RID)	:	59
□□ □□(RID)	:	5kg
□□□(RID)	:	E1
□□ □□ (RID)	:	P002, IBC08, LP02, R001
□□ □□ (RID)	:	B3
□□ □□ □□ □□ □□(RID)	:	MP11
□□□ □□ □ □□ □□□□ □□ (RID)	:	T1
□□□ □□ □ □□ □□□□ □□ □□ (RID)	:	TP33
RID □□□ □□ □□(RID)	:	SGAV
□□ □□(RID)	:	3
□□ □□ □□ □□ - □□(RID)	:	W1
□□ □□ □□ □□ - □□ □□(RID)	:	VC1, VC2
□□ □□□	:	CE11
□□□ □□ □□ (RID)	:	40

14.7. □□□□□□□(IMO)□ □□ □□ □□ □□

□□□□

□□ 15: □□ □□□□

15.1. □□, □□ □ □□□ □□□□ □□□□ □□ □□□□ □□ □□ □□/□□

EU □□

REACH □□□ XVII (□□ □□)

EU restriction □□ (REACH Annex XVII)	
□□ □□	□□ □□
40.	MAGNESIUM METAL POWDER EXTRA PURE

REACH □□□ XIV (□□ □□)

REACH □□□ XIV (□□ □□)□ □□□□ □□

REACH □□ □□ □□ (SVHC)

REACH □□ □□ □□□ □□□ □□□ □□□□ □□

PIC □□ (□□□□□□)

PIC □□□ □□□□ □□ (□□ EU 649/2012)

POP □□ (□□□ □□ □□□□)

POP □□□ □□□□ □□ (□□ EU 2019/1021)

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

□□□□ □□(428/2009)

Contains substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items: Magnesium powder (7439-95-4).

□□ □□□□ □□ (2019/1148)

□□□ □□□□ □□(□□ □□□□□ □□ □ □□□ □□ □□ EU 2019/1148)□ □□□ □□ □□□□ □□

□□ □□□□ □□ (273/2004)

□□ □□□□ □□□ □□□ □□□ □□□□ □□(□□ □ □□□□ □□□ □□ □□□ □□□□ □□ □□□ □□ □ □□□ □□ □□ EC 273/2004)

□□ □□

□□

VOC ordinance (ChemVOCFarbV) :

WGK	:	WGK 3, □□ □□ □□□ (Classification according to AwSV).
□□ □□ □□(12. BImSchV)	:	□□ □□ □□(12. BImSchV)□ □□ □□ □□

□□□□

SZW-lijst van kankerverwekkende stoffen	:	□□□ □□□□ □□□□□.
SZW-lijst van mutagene stoffen	:	□□□ □□□□ □□□□□.
SZW-lijst van reprotoxische stoffen – Borstvoeding	:	□□□ □□□□ □□□□□.
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	:	□□□ □□□□ □□□□□.
SZW-lijst van reprotoxische stoffen – Ontwikkeling	:	□□□ □□□□ □□□□□.

15.2. □□ □□ □□□ □□

No chemical safety assessment has been carried out

□□ 16: □ □□ □□□□

□□ □ □□□□:	
ACGIH	American Conference of Government Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	□□ □□ □
BOD	Biochemical oxygen demand (BOD)
CAS □□	□□□□ □□ □□ □□(CAS)
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	□□□ □□ □□□
CSA	□□ □□ □□□ □□
DMEL	Derived Minimal Effect level
DNEL	□□ □□□ □□
EC □□	□□ □□□ □□
EC50	Median effective concentration
ED	□□□ □□□□
EN	□□ □□
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration

□□ □ □□□□:	
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	□□□ □□ □□
OSHA	Occupational Safety & Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	□□ □□□ □□
PPE	□□ □□□
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	□□□□□□□□
STP	Sewage treatment plant
TF	□□□ □□
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
COV	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	□□ □□ □□□

□H□ □ EUH□ □□:	
□ □□□ 1	□□□□ □□ □ □□□, □□ 1
□□□□□ □□ 1	□□□□□ □□, □□ 1
H250	□□□ □□□□ □□□ □□□.
H260	□□ □□ □ □□□□ □□□ □□□ □□□ □□□□.

□□□□□□□□□(SDS), EU

□ □□□ □□ □□□ □□□□ □□ □□□ □□□ □ □□□ □□, □□ □ □□ □□□ □□□□ □□□ □□□□□ □□ □□□□. □□□□ □□□ □□□ □□□ □□□□ □□□ □□ □□□□ □ □□□.