MANGANESE AAS STANDARD SOLUTION 1000mg/L Mn IN DILUTED HNO3 traceable to NIST

□□□□□□□□

□□ (EU) 2020/878□ □□ □□□ REACH □□ (EC) 1907/2006□ □□
SDS Reference Number: A250N
□□ □□□□: 2/13/2019 □□ □□□□: 10/22/2026 □□ □□: 2/13/2019 □□: 1.0

□□ 1: □□□□□ □□□ □□ □□

1.1. □□□□

□□ □□	:	□□□
□□□	:	MANGANESE AAS STANDARD SOLUTION 1000mg/L Mn IN DILUTED HNO3 traceable to NIST
□□ □□	:	A250N
□□ □□	:	Solution
□□□	:	Manganese AAS Standard Solution 1000 ppm in diluted HNO3

1.2. □□□□ □□ □□□□ □□ □□ □□ □□

□□ □□ □□

□□/□□□ □□ □□	:	Industrial For professional use only
□□□□/□□□□ □□	:	Laboratory chemicals Reagent

1.3. □□□□□□□□ □□□ □□

LOBA CHEMIE PVT.LTD.
107 Wode House Road, Jehangir Villa, Colaba
400005 Mumbai
INDIA
T +91 22 6663 6663, F +91 22 6663 6699
info@lobachemie.com, www.lobachemie.com

1.4. □□□□□□

□□ □□ □□	:	+ 91 22 6663 6663 (9:00am - 6:00 pm)

□□ 2: □□□·□□□

2.1. □□□·□□□ □□

Regulation (EC) No.1272/2008 [CLP]□ □□ □□

□□ □□□, □□ 1	H290
□□ □□□/□□ □□□, □□ 2	H315
□□ □ □□□/□ □□□, □□ 2	H319

H-□□ □ EUH-□□ □□: □□ 16 □□

□□□□□, □□ □□ □ □□□□□□□

□□□ □□□□ □ □□. □□□ □□□ □□□. □□ □□ □□□ □□□.

2.2. □□□□□□□ □□□ □□□□ □□

□□ (EC) No. 1272/2008□ □□ □□ □□[CLP]

□□ □□ □□□□(CLP) :



GHS05

□□□ (CLP)	:	□□
□□·□□ □□ (CLP)	:	H290 - □□□ □□□□ □ □□. H315 - □□□ □□□ □□□. H319 - □□ □□ □□□ □□□.

□□ □□ □□(CLP)	:	P234 - □□□ □□□□ □□□□□. P280 - □□□, □□□, □□□□, respiratory protection □(□) □□□□□. P302+P352 - □□□ □□□ □□□ □ □ □□□□. P305+P351+P338 - □□ □□□□: □ □□ □□ □□□□ □□□□. □□□□ □□□ □□□ □□□□□. □□ □ □□□.

2.3. □□ □□

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

□ □□□□ REACH□ 59(1)□□ □□ □□□ □□ □□□ □□ □□□ □□□ □□□ □□□□ □□ □□□ □□□□ □□ □□□, □□□ □□ □□ (EU) 2017/2100 □□ □□□ □ □ (EU) 2018/605□ □□□ □□□ □□ □□□ 0.1% □□□ □□□ □□ □□□ □□ □□□ □□□□ □□ □□□ □□□□ □□ □□□□

□□ 3: □□□□□ □□ □ □□□

3.2. □□□

□□	□□□□	%	Regulation (EC) No.1272/2008 [CLP]□ □□ □□
WATER	CAS □□: 7732-18-5 EC □□: 231-791-2	90 – 98	□□□□ □□
NITRIC ACID	CAS □□: 7697-37-2 EC □□: 231-714-2 EC □□ □□: 007-004-00-1	1 – 5	□□□ □□ 2, H272 □□ □□ 1 (□□), H330 □□ □□□ 1A, H314
MANGANESE METAL FLAKES	CAS □□: 7439-96-5 EC □□: 231-105-1	0.1 – 0.5	□□□□ □□

H-□□ □ EUH-□□ □□: □□ 16 □□

□□ 4: □□□□□□

4.1. □□□□ □□

□□ □□ □□	:	If you feel unwell, seek medical advice.
□□□□ □	:	□□□ □□□ □□ □□□ □□□ □□□□ □□ □□□ □□□ □□□□. Allow affected person to breathe fresh air. □□□ □□□□□ □□□ □□□ □□ □□□ □□□ □□□□ □□ □□□ □□□ □□□□. □□□□ □ □/□□□ □□□□.
□□□ □□□□ □	:	□□□ □□□ □□ □□□□. □□ □□ □ □□□ □□□ □□□□□. □□□□ □□/□□□ □□□□. Wash skin with plenty of water. □□□ □□□ □□□□. □□ □□□ □□□□: □□□□ □□/□□□ □□□□.
□□ □□□□ □	:	□ □□ □□ □□□□ □□□□. □□□□ □□□□□□ □□□□□. □□ □□□□. □□□□ □□/□□□ □□□□ . □□ □□□ □□□□: □□□□ □□/□□□ □□□□.
□□□ □	:	□□ □□□□□. Do not induce vomiting. □□□□ □□/□□□ □□□□. □□□□ □□□ □□□□(□□)□ □ □□ □□□□.
Self protection of the first-aider	:	□□□□□□ □□□ □□□ □□□□, □□□□ □□□□□□ □□□□□□□(□□ 8 □□).

4.2. □□ □ □□□ □□ □□□ □□ □ □□

□□ □ □□/□□	:	None under normal conditions.
□□ □□ □ □□/□□	:	□□□ □□□ □□□. □□.
□ □□ □ □□/□□	:	□□ □□ □□□ □□□. Eye irritation.
□□ □ □□/□□	:	None under normal conditions.

4.3. □□□□ □□ □ □□ □□ □□ □□ □□

Treat symptomatically.

HNO3 traceable to NIST

물질안전보건자료
규정 (EU) 2020/878에 의해 수정된 REACH 규정 (EC) 1907/2006에 따름

섹션 5: 폭발·화재시 대처방법

5.1. 적절한 소화제

적절한 소화제 : Carbon dioxide. Dry powder. Foam. Water spray. 부적절한 소화제 : Do not use extinguishing media containing water.

5.2. 화학물질로부터 생기는 특정 유해성

화재 위험 : No fire hazard.

폭발 위험 : No direct explosion hazard.
화재 시 위험한 분해성 물질 : Toxic fumes may be released.

5.3. 소방관의 화재진압 시 주의사항

소방 지침 : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
화재 진압 중 보호 : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. 자급식 호흡보호구. Complete protective
clothing.

섹션 6: 누출사고시 대처방법

6.1. 인체를 보호하기 위해 필요한 조치사항 및 보호구

일반 조치 : 안전하게 처리하는 것이 가능하면 누출을 막으시오. 제품이 하수구 또는 상하수도로 들어갈 경우 당국에 통보. 물질손 상을 방지하기 위해 누출물을 흡수시키시오.

비응급 대응 요원

보호 장비 : Wear recommended personal protective equipment.
응급 조치 : Ventilate spillage area. Evacuate unnecessary personnel. 피부 및 눈과의 접촉을 피하시오.

응급 대응 요원

보호 장비 : Do not attempt to take action without suitable protective equipment. 적절한 개인 보호구를 착용하시오. 보 다 자세한 정보는 섹션 8: "노출방지 및 개인보호구"를 참조하시오.

응급 조치 : Ventilate area. Stop release. Evacuate unnecessary personnel. 안전하게 처리하는 것이 가능하면 누출을 막 으시오.

6.2. 환경을 보호하기 위해 필요한 조치사항

환경으로 배출하지 마시오.

6.3. 정화 또는 제거 방법

봉쇄용 : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
세척 방법 : Take up liquid spill into absorbent material. On land, sweep or shovel into suitable containers. 누출물 을 모으시오. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
그 밖의 참고사항 : Dispose of materials or solid residues at an authorized site.

6.4. 기타 항목 참조

For further information refer to section 13.

섹션 7: 취급 및 저장방법

7.1. 안전취급요령

취급 시 발생가능한 추가 위험 : 금속을 부식시킬 수 있음.

안전취급요령 : Ensure good ventilation of the work station. 피부 및 눈과의 접촉을 피하시오. Do not breathe vapours. 개 인 보호구를 착용하시오.

HNO3 traceable to NIST

물질안전보건자료
규정 (EU) 2020/878에 의해 수정된 REACH 규정 (EC) 1907/2006에 따름

위생 조치 : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. 다시 사용 전 오염된 의류를 세척하시오. 이 제품을 사용할 때에는 먹거나, 마시거나 흡연
하지 마시오. Always wash hands after handling the product.

7.2. 피해야할 조건을 포함한 안전한 저장 방법

기술적 조치 : Keep in a cool, well-ventilated place away from heat.
보관 조건 : 환기가 잘 되는 곳에 보관하시오. 용기를 단단히 밀폐하시오. Store in corrosive resistant container with a resistant inner liner. 원래의 용기에만 보관하시오.

Incompatible materials for storage : 금속.
포장재 : Always store product in container of same material as original container.

7.3. 특정 최종 사용

자료 없음

섹션 8: 노출방지 및 개인보호구

8.1. 제어 매개 변수

자료 없음

8.2. 노출방지

적절한 공학적 관리
적절한 공학적 관리:

Ensure good ventilation of the work station.
개인 보호구
개인 보호구:

Wear recommended personal protective equipment. 신체 보호 장비 기호:



눈 및 안면 보호구
눈 보호:

Chemical goggles or safety glasses

Skin protection
신체 보호:
Wear a mask

손 보호:

Protective gloves

호흡기 보호
호흡기 보호:

Wear appropriate mask

환경 노출 관리
환경 노출 관리:
환경으로 배출하지 마시오.

섹션 9: 물리화학적 특성

9.1. 기본적인 물리화학적 특성에 대한 정보

물리적 상태 : 액체

□□	:	Colourless.
□□	:	Clear liquid.
□□	:	Odourless.
□□ □□	:	□□□□
□□□	:	□□□□
□□□	:	-3 °C
□□ □□□□ □□□ □□	:	101 °C
□□□	:	□□□
□□ □□□	:	□□□□
□□ □□□	:	□□□□
□□□	:	□□□□
□□□□ □□	:	□□□□
□□ □□	:	□□□□
pH	:	□□□□
□□(□□□)	:	□□□□
□□□	:	□: Miscible
Partition coefficient n-octanol/water (Log Kow)	:	□□□□
□□□	:	□□□□
50°C□□□ □□□	:	□□□□
□□	:	≈ 1 g/cm³
□□	:	□□□□
20°C□□□ □□ □□ □□	:	□□□□
□□ □□	:	□□□□

9.2. □ □□ □□□□

□□ □□

□□ 10: □□□ □ □□□

10.1. □□□

□□□ □□□□ □ □□.

10.2. □□□ □□□

Stable under normal conditions.

10.3. □□ □□□ □□□

No dangerous reactions known under normal conditions of use.

10.4. □□□ □ □□

□□□□. Overheating. Open flame. □.

10.5. □□□ □ □□

metals.

10.6. □□□ □□□□ □□□□

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

□□ 11: □□□ □□ □□

11.1. □□ (EC) No 1272/2008□ □□□, □□□ □□□ □□ □□

□□ □□ (□□)	:	□□□□ □□
□□ □□ (□□)	:	□□□□ □□
□□ □□ (□□)	:	□□□□ □□
□□ □□□ □□ □□□	:	□□□ □□□ □□□.
□□ □ □□ □□ □□□	:	□□ □□ □□□ □□□.

□□□ □□ □□ □□□	: □□□□ □□
□□□□ □□□□	: □□□□ □□
□□□	: □□□□ □□
□□□□	: □□□□ □□
□□ □□□□ □□ (1□ □□)	: □□□□ □□
□□ □□□□ □□ (□□ □□)	: □□□□ □□
□□ □□□	: □□□□ □□

MANGANESE METAL FLAKES (7439-96-5)	
□□(□□□)	□□□□

11.2. □□ □□ □□

□□ □□

□□ 12: □□□ □□□ □□

12.1. □□

□□□ - □□	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
□□ □□□□ □□□	: □□□□ □□
□□ □□□□ □□□	: □□□□ □□

12.2. □□□ □ □□□

MANGANESE AAS STANDARD SOLUTION 1000mg/L Mn IN DILUTED HNO3 traceable to NIST	
□□□ □ □□□	□□ □□ □□

NITRIC ACID (7697-37-2)	
□□□ □ □□□	□□ □□ □□

WATER (7732-18-5)	
□□□ □ □□□	□□ □□ □□

MANGANESE METAL FLAKES (7439-96-5)	
□□□ □ □□□	□□ □□ □□

12.3. □□ □□□

□□ □□

12.4. □□ □□□

□□ □□

12.5. PBT □ vPvB □□ □□

□□ □□

12.6. □□□ □□ □□

□□ □□

12.7. □□ □□ □□

□□ □□

□□ 13: □□□ □□□□

13.1. □□□ □□□

□□ □□(□□□)	:	Disposal must be done according to official regulations.
□□□ □□□	:	Dispose of contents/container in accordance with licensed collector's sorting instructions.
□□ □□ □□ □□	:	Disposal must be done according to official regulations.
□□/□□ □□ □□□□	:	Disposal must be done according to official regulations.
□□ □□	:	Do not re-use empty containers.
Ecological waste information	:	The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself.

□□ 14: □□□ □□□ □□

ADR / IMDG / IATA / ADN / RID□ □□

14.1. UN □□ □□ ID □□

UN-□□ (ADR)	:	UN 3264
UN-□□ (IMDG)	:	UN 3264
UN-□□ (IATA)	:	UN 3264
UN-□□ (ADN)	:	UN 3264
UN-□□ (RID)	:	UN 3264

14.2. UN □□ □□□

□□ □□□ (ADR)	:	□□□ □□, □□, □□□, □□ □□□ □□□ □□ □
□□ □□□ (IMDG)	:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
□□ □□□ (IATA)	:	Corrosive liquid, acidic, inorganic, n.o.s.
□□ □□□ (ADN)	:	□□□ □□, □□, □□□, □□ □□□ □□□ □□ □
□□ □□□ (RID)	:	□□□ □□, □□, □□□, □□ □□□ □□□ □□ □
□□ □□ □□ (ADR) (ADR)	:	UN 3264 □□□ □□, □□, □□□, □□ □□□ □□□ □□ □ (MANGANESE AAS STANDARD SOLUTION 1000 mg/L Mn IN DILUTED HNO3), 8, III, (E)
Transport document description (IMDG)	:	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (MANGANESE AAS STANDARD SOLUTION 1000 mg/L Mn IN DILUTED HNO3), 8, III, MARINE POLLUTANT
Transport document description (IATA)	:	UN 3264 Corrosive liquid, acidic, inorganic, n.o.s. (MANGANESE AAS STANDARD SOLUTION 1000 mg/L Mn IN DILUTED HNO3), 8, III
Transport document description (ADN)	:	UN 3264 □□□ □□, □□, □□□, □□ □□□ □□□ □□ □, 8, III
Transport document description (RID)	:	UN 3264 □□□ □□, □□, □□□, □□ □□□ □□□ □□ □, 8, III

14.3. □□□□□ □□□ □□

ADR

□□□□□ □□□ □□ (ADR)	:	8
□□ □□ (ADR)	:	8
	:	

IMDG

□□□□□ □□□ □□ (IMDG)	:	8
□□ □□ (IMDG)	:	8
	:	

HNO3 traceable to NIST

물질안전보건자료
규정 (EU) 2020/878에 의해 수정된 REACH 규정 (EC) 1907/2006에 따름

IATA

운송에서의 위험성 등급 (IATA) : 8 위험 라벨 (IATA) : 8



:

ADN

운송에서의 위험성 등급 (ADN) : 8 위험 라벨 (ADN) : 8



:

RID

운송에서의 위험성 등급 (RID) : 8 위험 라벨 (RID) : 8



:

14.4. 용기등급

용기 등급 (ADR) : III 용기 등급(IMDG) : III
용기 등급 (IATA) : III
포장 그룹(ADN) : III
용기 등급(RID) : III

14.5. 환경 유해성

환경에 위험 : 비해당

해양오염물질 : 해당 (IMDG 규정만 적용) EmS-No. (화재) : F-A
EmS-No. (유출) : S-B

그 밖의 참고사항 : 가용 추가 정보 없음

14.6. 사용자를 위한 특별 주의사항

내륙 수송

분류 코드 (ADR) : C1
특별 규정(ADR) : 274
일정량(ADR) : 5l
극소량(ADR) : E1
포장 지침(ADR) : P001, IBC03, LP01, R001 공동 포장 관련 특별 규정(ADR) : MP19
휴대용 탱크 및 산적 컨테이너 지침 (ADR) : T7
휴대용 탱크 및 산적 컨테이너 특별 조항 (ADR) : TP1, TP28
탱크 코드(ADR) : L4BN
탱크 특별 조항(ADR) : TU42
탱크 운반용 차량 : AT

운송 범주(ADR) : 3
운송 관련 특별 조항 - 포장(ADR) : V12
위험 식별 번호(Kemler 번호) : 80

HNO3 traceable to NIST

물질안전보건자료
규정 (EU) 2020/878에 의해 수정된 REACH 규정 (EC) 1907/2006에 따름



Orange plates (운반차량표시) :

터널 제한 코드 (ADR) : E
EAC 코드 : 2X

해상 운송

특별 규정 (IMDG) : 223, 274 한정 수량(IMDG) : 5 L 극소량(IMDG) : E1
포장 지침 (IMDG) : P001, LP01
IBC 포장 지침(IMDG) : IBC03
탱크 지침 (IMDG) : T7
탱크 특별 지침 (IMDG) : TP1, TP28
적재 범주 (IMDG) : A
적재 및 취급(IMDG) : SW2
격리(IMDG) : SGG1, SG36, SG49
특성과 준수사항 (IMDG) : Causes burns to skin, eyes and mucous membranes. MFAG-번호 : 154

항공 운송

PCA 예상 수량(IATA) : E1
PCA 제한 수량(IATA) : Y841
PCA 제한 수량 최대 순수량(IATA) : 1L
PCA 포장 지침(IATA) : 852 PCA 최대 순수량(IATA) : 5L CAO 포장 지침(IATA) : 856 CAO 최대 순수량(IATA) : 60L 특별 규정(IATA) : A3, A803 ERG 코드(IATA) : 8L

국내 수로 운송

분류 코드(ADN) : C1
특별 공급(ADN) : 274 일정량(ADN) : 5 L 극소량(ADN) : E1 운송면장(ADN) : T 필수 장비(ADN) : PP, EP 청색 원뿔/조명등 갯수(ADN) : 0

철도 수송

분류 코드(RID) : C1
특별 공급(RID) : 274
한정 수량(RID) : 5L
극소량(RID) : E1
포장 지침 (RID) : P001, IBC03, LP01, R001 공동 포장 관련 특별 규정(RID) : MP19
휴대용 탱크 및 산적 컨테이너 지침 (RID) : T7
휴대용 탱크 및 산적 컨테이너 특별 조항 (RID) : TP1, TP28
RID 탱크용 탱크 코드(RID) : L4BN
RID 탱크용 특별 규정(RID) : TU42
운송 범주(RID) : 3
운송 관련 특별 조항 - 포장(RID) : W12
특급 수송물 : CE8

위험물 식별 번호 (RID) : 80

14.7. 국제해사기구(IMO)에 따른 대량 해상 운송

해당없음

MANGANESE AAS STANDARD SOLUTION 1000mg/L Mn IN DILUTED HNO3 traceable to NIST

□□□□□□□□

□□ (EU) 2020/878□ □□ □□□ REACH □□ (EC) 1907/2006□ □□

□□ 15: □□ □□□□

15.1. □□, □□ □ □□□ □□□□ □□□□ □□ □□□□ □□ □□ □□/□□

EU □□

REACH □□□ XVII (□□ □□)

EU restriction □□ (REACH Annex XVII)	
□□ □□	□□ □□
3(a)	NITRIC ACID
3(b)	MANGANESE AAS STANDARD SOLUTION 1000mg/L Mn IN DILUTED HNO3 traceable to NIST ; NITRIC ACID

REACH □□□ XIV (□□ □□)

REACH □□□ XIV (□□ □□)□ □□□ □□□ □□□□ □□

REACH □□ □□ □□ (SVHC)

REACH □□ □□ □□□ □□□ □□□ □□□□ □□

PIC □□ (□□□□□□)

PIC □□(□□ □□□□ □□□□ □□ □□ EU 649/2012)□ □□□ □□□ □□□□ □□

POP □□ (□□□ □□ □□□□)

POP □□□ □□□ □□□ □□□□ □□ (□□□□□□□□□□ □□ □□ EC 2019/1021)

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)
Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

□□□□ □□(428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

□□ □□□□ □□ (2019/1148)

□□□ □□□□ □□(□□ □□□□□ □□ □ □□□ □□ □□ EU 2019/1148)□ □□□ □□ □□
□□□ I □□ □□ □□□□
□□□ □ 2□ □□□ □□□ □□□ □□□□, □□□□□ □□ □ □□□ □□ □□ □ □□□ 24□□ □□□ □□ □□ □□□ □□□□ □□ □□□ □□, □ □□□ □□ □□□□ □□ □□ □□□ □□□□ □□ □□□ □□ □□□ □□□□, □□ □□□□ □□□ □ □□ □□□ □□□□□, □□ □□□ □□□□□ □□□□□ □ □ □□ □□ □□□□□.

□□	CAS □□	□□ □	□□ 5(3)□□ □□□□ □ □□ □□ □	□□□□□(CN)□ 28□ □□ 29□ □□□ Note 1 □□□ □□□□, □□ □□□□□ □□□ □□□ □ □□ □□□□□(CN) □□	□□ □□□□□ □□ (CN)□ □□ □□□ □ □□□ □□ □□□□□ □□ □□□□ □□ □□ □□□ □□
Nitric acid	7697-37-2	3 % w/w	10% w/w	ex 2808 00 00	ex 3824 99 96

□□ □□□□ □□ (273/2004)

□□ □□□□ □□□ □□□ □□□ □□□□ □□(□□ □ □□□□ □□□ □□ □□□ □□□□ □□ □□□ □□ □ □□□ □□ □□ EC 273/2004)

□□ □□

□□□

□□□ □□ □□ : 18□ □□ □□□ □□ □□□ □□□□□

□□

□□□ : □□□.
WGK : WGK 1, □□ □□ □□ □□ (AwSV, □□□ 1□ □□ □□).

□□□□

SZW-lijst van kankerverwekkende stoffen : □□ □□□ □□□□ □□□□□.
SZW-lijst van mutagene stoffen : □□ □□□ □□□□ □□□□□.

SZW-lijst van reprotoxische stoffen – Borstvoeding : □□ □□□ □□□□ □□□□□.

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : MANGANESE METAL FLAKES□(□) □□□ □□□□□

SZW-lijst van reprotoxische stoffen – Ontwikkeling : MANGANESE METAL FLAKES□(□) □□□ □□□□□

□□□

□□□ □□ □□ : Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).
Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).
The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).
Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).
Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).
Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).
The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)
Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended).
Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).
ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)
Regulation of the Minister of Health of 25 August 2015 on the method of marking places, pipelines, and containers and tanks used for storing or containing hazardous substances or hazardous mixtures (J.o.L. 2015, item 1368 as amended)

15.2. □□ □□ □□□ □□

No chemical safety assessment has been carried out

□□ 16: □ □□ □□□□

□□ □ □□□□:	
ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	□□ □□ □
BOD	Biochemical oxygen demand (BOD)
CAS □□	□□□□ □□ □□ □□(CAS)
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	□□□ □□ □□□
CSA	□□ □□ □□□ □□
DMEL	Derived Minimal Effect level
DNEL	□□ □□□ □□

MANGANESE AAS STANDARD SOLUTION 1000mg/L Mn IN DILUTED HNO3 traceable to NIST

□□□□□□□□

□□ (EU) 2020/878□ □□ □□□ REACH □□ (EC) 1907/2006□ □□

□□ □ □□□□:	
EC □□	□□ □□□ □□
EC50	Median effective concentration
ED	□□□ □□□□
EN	□□ □□
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	□□□ □□ □□
OSHA	Occupational Safety & Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	□□ □□□ □□
PPE	□□ □□□
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	□□□□□□□□
STP	Sewage treatment plant
TF	□□□ □□
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
COV	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	□□ □□ □□□

H-□□ □ EUH-□□ □□:	
□□ □□ 1 (□□)	□□ □□ (□□), □□ 1
□□□ □□ 2	□□□ □□, □□ 2

MANGANESE AAS STANDARD SOLUTION 1000mg/L Mn IN DILUTED HNO3 traceable to NIST

□□□□□□□□

□□ (EU) 2020/878□ □□ □□□ REACH □□ (EC) 1907/2006□ □□

H-□□ □ EUH-□□ □□:	
□□ □□□ 1A	□□ □□□/□□ □□□, □□ 1, □□□□ 1A
H272	□□□ □□□□ □; □□□.
H290	□□□ □□□□ □ □□.
H314	□□□ □□ □□□ □ □□□ □□□.
H315	□□□ □□□ □□□.
H319	□□ □□ □□□ □□□.
H330	□□□□ □□□□.

□□□□□□□□(SDS), EU

□ □□□ □□ □□□ □□□□ □□ □□□ □□□ □ □□□ □□, □□ □ □□ □□□ □□□□ □□□ □□□□□ □□ □□□□. □□□□ □□□ □□□ □□□ □□□□ □□□ □□ □□□□ □ □□□.