

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Reference number: 5170A Issue date: 29.08.2023 Revision date: 29.08.2023 Supersedes version of: 01.08.2013 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Substance

Trade name PHENOL DETACHED CRYSTALS EXTRA PURE

EC Index-No. 604-001-00-2 EC-No. 203-632-7 CAS-No. 108-95-2 Product code 5170A C6H6O Formula

Chemical structure

: Carbolic acid, Phenylic acid, Hydroxybenzene, Phenic acid, Benzenol Synonyms

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.

107 Wode House Road, Jehangir Villa, Colaba

400005 Mumbai

INDIA

T+91 22 6663 6663 - F+91 22 6663 6699

info@lobachemie.com - www.lobachemie.com

1.4. Emergency telephone number

Emergency number : + 91 22 6663 6663 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 3 H301 Acute toxicity (dermal), Category 3 H311 Acute toxicity (inhal.), Category 3 H331 Skin corrosion/irritation, Category 1, Sub-Category 1B H314 Germ cell mutagenicity, Category 2 H341 Specific target organ toxicity - Repeated exposure, Category 2 H373

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Suspected of causing genetic defects. May cause damage to organs through prolonged or repeated exposure. Toxic in contact with skin. Toxic if inhaled. Toxic if swallowed. Causes severe skin burns and eye damage.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Danger

Hazard statements (CLP) : H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled.

H314 - Causes severe skin burns and eye damage. H341 - Suspected of causing genetic defects.

H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 - Wear protective clothing, eye protection, face protection, protective gloves. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor.

Nordic countries regulation

Denmark

MAL code : 00-6 (Executive Order No. 301 (1993))

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type : Mono-constituent

Name : PHENOL DETACHED CRYSTALS

CAS-No. : 108-95-2 EC-No. : 203-632-7 EC Index-No. : 604-001-00-2

Name	Product identifier	%
PHENOL DETACHED CRYSTALS	CAS-No.: 108-95-2 EC-No.: 203-632-7 EC Index-No.: 604-001-00-2	100

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. Specific

treatment is urgent (see supplemental first aid instruction on this label). Call a doctor.

First-aid measures after skin contact : Immediately call a POISON CENTER/doctor. Take off immediately all contaminated clothing. Wash with plenty of water/ Specific measures (see supplemental first air

clothing. Wash with plenty of water/.... Specific measures (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Rinse skin with

water/shower. Call a physician immediately.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Specific treatment (see supplemental first aid instruction on this label). Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Immediately call a POISON CENTER/doctor. Specific treatment (see supplemental first aid instruction on this label). Do NOT induce vomiting. Call a physician

immediately. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage. Suspected of causing genetic defects. Causes

damage to organs.

Symptoms/effects after inhalation : Corrosive to the respiratory tract.

Symptoms/effects after skin contact : Repeated exposure to this material can result in absorption through skin causing significant

health hazard. Toxic in contact with skin. Burns.

Symptoms/effects after eye contact : Causes serious eye damage. Serious damage to eyes.

Symptoms/effects after ingestion : Toxic if swallowed. Swallowing a small quantity of this material will result in serious health

hazard. Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Water spray. Dry

powder. Foam.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Do not breathe

dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Use personal protective

equipment as required. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Stop release.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Clean up immediately by sweeping or vacuum. Notify

authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

29.08.2023 (Revision date) EN (English) 3/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not breathe dust/fume/gas/mist/vapours/spray. Obtain special instructions before use.

Use personal protective equipment as required. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Wear personal

protective equipment. Use only outdoors or in a well-ventilated area.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands, forearms and face

thoroughly after handling. Wash contaminated clothing before reuse. Always wash hands

after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place. Protect from

moisture. Store locked up. Store in a well-ventilated place. Keep cool.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

PHENOL DETACHED CRYSTALS EXTRA PURE (108-95-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Phenol
IOEL TWA [ppm]	2 ppm
IOEL STEL	16 mg/m³
IOEL STEL [ppm]	4 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2009/161/EU
EU - Biological Limit Value (BLV)	
Local name	Phenol
BLV	120 mg/g creatinine Parameter: phenol - Medium: urine
Regulatory reference	SCOEL List of recommended health-based BLVs and BGVs
Germany - Occupational Exposure Limits (TRGS 900)	
AGW (OEL TWA) [1]	8 mg/m³
AGW (OEL TWA) [2]	2 ppm
Peak exposure limitation factor	2(II)
Remark	EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich); H - hautresorptiv; 11 - Summe aus Dampf und Aerosolen
Regulatory reference	TRGS900

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PHENOL DETACHED CRYSTALS EXTRA PURE (108-95-2)		
Portugal - Occupational Exposure Limits		
Local name	Fenol	
OEL TWA [ppm]	5 ppm	
Remark	P (Toxicidade percutânea); A4 (Agente não classificável como carcinogénico no Homem); IBE (Índice biológico de exposição)	
Regulatory reference	Norma Portuguesa NP 1796:2014	
Portugal - Biological Exposure Indices		
Local name	Fenol	
BEI	250 mg/g creatinine Parâmetro: Fenol - Meio: urina - Momento da amostragem: Fim do turno - Notaçao: Vb (Valor basal), Ne (Não específico), Com hidrólise	
Regulatory reference	Norma Portuguesa NP 1796:2014	
Spain - Occupational Exposure Limits		
Local name	Fenol	
VLA-ED (OEL TWA) [1]	8 mg/m³	
VLA-ED (OEL TWA) [2]	2 ppm	
VLA-EC (OEL STEL)	16 mg/m³	
VLA-EC (OEL STEL) [ppm]	4 ppm	
Remark	Vía dérmica (Indica que, en las exposiciones a esta sustancia, la aportación por la vía cutánea puede resultar significativa para el contenido corporal total si no se adoptan medidas para prevenir la absorción. En estas situaciones, es aconsejable la utilización del control biológico para poder cuantificar la cantidad global absorbida del contaminante), VLB® (Agente químico que tiene Valor Límite Biológico), VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo).	
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT	
Spain - Biological limit values		
Local name	Fenol	
BLV	120 mg/g creatinine Parámetro: Fenol - Medio: Orina - Momento de muestreo: Final de la jornada laboral - Notas: F (Fondo. El indicador está generalmente presente en cantidades detectables en personas no expuestas laboraboralmente. Estos niveles de fondo están considerados en el valor VLB), I (Significa que el indicador biológico es inespecífico puesto que puede encontrarse después de la exposición a otros agentes químicos), con hidrólisis	
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT	
United Kingdom - Occupational Exposure Limits		
Local name	Phenol	
WEL TWA (OEL TWA) [1]	7,8 mg/m³	
WEL TWA (OEL TWA) [2]	2 ppm	
WEL STEL (OEL STEL)	16 mg/m³	
WEL STEL (OEL STEL) [ppm]	4 ppm	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PHENOL DETACHED CRYSTALS EXTRA PURE (108-95-2)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Phenol	
ACGIH OEL TWA [ppm]	5 ppm	
Remark (ACGIH)	TLV® Basis: URT irr; lung dam; CNS impair. Notations: Skin; A4 (Not classifiable as a Human Carcinogen); BEI	
Regulatory reference	ACGIH 2022	
USA - ACGIH - Biological Exposure Indices		
Local name	PHENOL	
BEI	250 mg/g creatinine Parameter: Phenol - Medium: urine - Sampling time: End of shift - Notations: B, Ns	
Regulatory reference	ACGIH 2022	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear a mask

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Colour : White.

Appearance : Crystals. Flakes. Molecular mass : 94,11 g/mol

Odour : Tarry. Sweet, sharp odour.

Odour threshold Not available Melting point : 39,5 - 41 °C Freezing point : Not applicable Boiling point : 181,7 °C Flammability : Non flammable. Lower explosion limit : 1,3 vol % Upper explosion limit : 9,5 vol % : 79 °C Flash point

Auto-ignition temperature : 715 °C at 1.013 hPa
Decomposition temperature : Not available

pH : ≈ 6 (Aqueous solution)

pH solution : Not available Viscosity, kinematic : Not applicable : Water: 87 g/l 25°C Solubility Partition coefficient n-octanol/water (Log Kow) : Not available : 0,53 hPa at 20°C Vapour pressure Vapour pressure at 50 °C : Not available Density : 1,07 g/cm³ Relative density : Not available Relative vapour density at 20 °C : 3,2 (Air = 1.0) Particle size : Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

10.5. Incompatible materials

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Toxic if swallowed.

Acute toxicity (dermal) : Toxic in contact with skin.

Acute toxicity (inhalation) : Toxic if inhaled.

Skin corrosion/irritation : Causes severe skin burns.

pH: ≈ 6 (Aqueous solution)

Serious eye damage/irritation : Assumed to cause serious eye damage

pH: ≈ 6 (Aqueous solution)

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Suspected of causing genetic defects.

Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified

Additional information : Corrosive to the respiratory tract.

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

PHENOL DETACHED CRYSTALS EXTRA PURE (108-95-2)

Viscosity, kinematic Not applicable

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and

symptoms

: Toxic if swallowed, Toxic in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term :

(acute)

Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

29.08.2023 (Revision date) EN (English) 8/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

Ecology - waste materials : Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

 UN-No. (ADR)
 : UN 1671

 UN-No. (IMDG)
 : UN 1671

 UN-No. (IATA)
 : UN 1671

 UN-No. (ADN)
 : UN 1671

 UN-No. (RID)
 : UN 1671

14.2. UN proper shipping name

Proper Shipping Name (ADR) : PHENOL, SOLID
Proper Shipping Name (IMDG) : PHENOL, SOLID
Proper Shipping Name (IATA) : Phenol, solid
Proper Shipping Name (ADN) : PHENOL, SOLID
Proper Shipping Name (RID) : PHENOL, SOLID

Transport document description (ADR)

Transport document description (IMDG)

Transport document description (IMTA)

Transport document description (IATA)

Transport document description (ADN)

Transport document description (RID)

Transport document description (RID)

UN 1671 PHENOL, SOLID, 6.1, II

UN 1671 PHENOL, SOLID, 6.1, II

UN 1671 PHENOL, SOLID, 6.1, II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1
Danger labels (ADR) : 6.1

6

IMDG

Transport hazard class(es) (IMDG) : 6.1 Danger labels (IMDG) : 6.1



IATA

Transport hazard class(es) (IATA) : 6.1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Danger labels (IATA) : 6.1

. 0



ADN

Transport hazard class(es) (ADN) : 6.1 Danger labels (ADN) : 6.1

.



RID

Transport hazard class(es) (RID) : 6.1
Danger labels (RID) : 6.1

.



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : T2
Special provisions (ADR) : 279
Limited quantities (ADR) : 500g
Excepted quantities (ADR) : E4
Packing instructions (ADR) : P002, IBC08

Special packing provisions (ADR) : B4
Mixed packing provisions (ADR) : MP10
Portable tank and bulk container instructions (ADR) : T3
Portable tank and bulk container special provisions : TP33

(ADR)

Tank code (ADR) : SGAH
Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages (ADR) : V11
Special provisions for carriage - Loading, unloading : CV13, CV28

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S9, S19 Hazard identification number (Kemler No.) : 60

Orange plates :

60 1671

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Tunnel restriction code (ADR) : D/E EAC code : 2X

Transport by sea

Special provisions (IMDG) : 279 Limited quantities (IMDG) 500 g Excepted quantities (IMDG) E4 Packing instructions (IMDG) P002 IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B21, B4 Tank instructions (IMDG) Т3 Tank special provisions (IMDG) TP33 : F-A EmS-No. (Fire) EmS-No. (Spillage) : S-A Stowage category (IMDG) : A

Properties and observations (IMDG) : Colourless or white crystals or crystallized mass. Melting point: 43°C (pure product). Soluble

in water. Toxic if swallowed, by skin contact or by vapour inhalation. Rapidly absorbed

through the skin.

MFAG-No : 153

Air transport

PCA Excepted quantities (IATA) : E4 PCA Limited quantities (IATA) : Y644 PCA limited quantity max net quantity (IATA) : 1kg PCA packing instructions (IATA) : 669 PCA max net quantity (IATA) : 25kg CAO packing instructions (IATA) : 676 : 100kg CAO max net quantity (IATA) Special provisions (IATA) : A113 ERG code (IATA) : 6L

Inland waterway transport

Classification code (ADN) : T2
Special provisions (ADN) : 279, 802
Limited quantities (ADN) : 500 g
Excepted quantities (ADN) : E4
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 2

Rail transport

Classification code (RID) : T2

Special provisions (RID) : 279

Limited quantities (RID) : 500g

Excepted quantities (RID) : E4

Packing instructions (RID) : P002, IBC08

Special packing provisions (RID) : B4

Mixed packing provisions (RID) : MP10

Portable tank and bulk container instructions (RID) : T3

Portable tank and bulk container special provisions : TP33

(RID)

Tank codes for RID tanks (RID): SGAHSpecial provisions for RID tanks (RID): TU15Transport category (RID): 2Special provisions for carriage – Packages (RID): W11

Special provisions for carriage - Loading, unloading : CW13, CW28, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE9
Hazard identification number (RID) : 60

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

No REACH Annex XVII restrictions

REACH Annex XIV (Authorisation List)

PHENOL DETACHED CRYSTALS EXTRA PURE is not on the REACH Annex XIV List

REACH Candidate List (SVHC)

PHENOL DETACHED CRYSTALS EXTRA PURE is not on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

PHENOL DETACHED CRYSTALS EXTRA PURE is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

PHENOL DETACHED CRYSTALS EXTRA PURE is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

PHENOL DETACHED CRYSTALS is not subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV; ID No. 170).

Chemicals Prohibition Ordinance (ChemVerbotsV) : This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic

requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the

shipping route (according to § 10).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed SZW-lijst van reprotoxische stoffen – Borstvoeding : The substance is not listed

SZW-lijst van reprotoxische stoffen – : The substance is not listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : The substance is not listed

Denmark

MAL code : 00-6 (Executive Order No. 301 (1993))

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

29.08.2023 (Revision date) EN (English) 12/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acr	Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
ThOD	Theoretical oxygen demand (ThOD)		
TLM	Median Tolerance Limit		
VOC	Volatile Organic Compounds		
CAS-No.	Chemical Abstract Service number		
N.O.S.	Not Otherwise Specified		
vPvB	Very Persistent and Very Bioaccumulative		
ED	Endocrine disrupting properties		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H373	May cause damage to organs through prolonged or repeated exposure.
Muta. 2	Germ cell mutagenicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.