

SELENIUM DIOXIDE (SUBLIMED) EXTRA PURE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|--------------------------------|---|
| Signal word (CLP) | : Danger |
| Hazard statements (CLP) | : H301+H331 - Toxic if swallowed or if inhaled. H373 - May cause damage to organs through prolonged or repeated exposure. H410 - Very toxic to aquatic life with long lasting effects. |
| Precautionary statements (CLP) | : P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P273 - Avoid release to the environment. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. |

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type : Mono-constituent

| Name | Product identifier | % |
|-----------------------------|---|-----|
| SELENIUM DIOXIDE (SUBLIMED) | CAS-No.: 7446-08-4 EC-No.: 231-194-7 EC Index-No.: 034-002-00-8 | 100 |

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : Call a physician immediately. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice. Call a doctor. |
| First-aid measures after skin contact | : Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. |
| First-aid measures after eye contact | : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Rinse mouth. Obtain emergency medical attention. Immediately call a POISON CENTER/doctor. Specific treatment (see supplemental first aid instruction on this label). Call a physician immediately. |
| Self protection of the first-aider | : First aid workers will be equipped with suitable personal protective equipment. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|---|
| Symptoms/effects | : May cause damage to organs. |
| Symptoms/effects after inhalation | : Toxic if inhaled. |
| Symptoms/effects after skin contact | : None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing. |
| Symptoms/effects after eye contact | : None under normal conditions. Dust from this product may cause eye irritation. |
| Symptoms/effects after ingestion | : Toxic if swallowed. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SELENIUM DIOXIDE (SUBLIMED) EXTRA PURE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂). Water spray. Dry powder. Foam.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : No fire hazard.
- Explosion hazard : No direct explosion hazard.
- Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

- Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

For non-emergency personnel

- Protective equipment : Wear recommended personal protective equipment.
- Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Stop release. Evacuate unnecessary personnel.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage.
- Methods for cleaning up : Mechanically recover the product. Clear up rapidly by scoop or vacuum.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.
- Precautions for safe handling : Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.
- Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling. Always wash hands after handling the product.

SELENIUM DIOXIDE (SUBLIMED) EXTRA PURE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

| | |
|---------------------|--|
| Technical measures | : Keep in a cool, well-ventilated place away from heat. |
| Storage conditions | : Store in original container. Keep container tightly closed. Store locked up. Store in a well-ventilated place. |
| Packaging materials | : Store always product in container of same material as original container. |

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Chemical goggles or safety glasses

Skin protection

Skin and body protection:

Wear a mask

Hand protection:

Protective gloves

Respiratory protection

Respiratory protection:

Wear appropriate mask

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|-----------------------------------|
| Physical state | : Solid |
| Colour | : White to pale pink. |
| Appearance | : Crystalline powder or crystals. |
| Molecular mass | : 110.96 g/mol |
| Odour | : vapor has a pungent sour smell. |
| Odour threshold | : Not available |
| Melting point | : 315 °C (Sublimes) |

SELENIUM DIOXIDE (SUBLIMED) EXTRA PURE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|---|--|
| Freezing point | : Not applicable |
| Boiling point | : Not available |
| Flammability | : Non flammable. |
| Lower explosion limit | : Not applicable |
| Upper explosion limit | : Not applicable |
| Flash point | : Not applicable |
| Auto-ignition temperature | : Not applicable |
| Decomposition temperature | : Not available |
| pH | : Not available |
| pH solution | : Not available |
| Viscosity, kinematic | : Not applicable |
| Solubility | : Water: 39.5 g/100ml at 25 °C - Soluble |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : 1 hPa at 157 °C |
| Vapour pressure at 50°C | : Not available |
| Density | : 3.95 g/cm ³ |
| Relative density | : Not available |
| Relative vapour density at 20°C | : Not applicable |
| Particle size | : Not available |

9.2. Other information

Other safety characteristics

Refractive index : 17.6 at 20 °C/D

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | |
|-----------------------------------|-----------------------|
| Acute toxicity (oral) | : Toxic if swallowed. |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Toxic if inhaled. |
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |

SELENIUM DIOXIDE (SUBLIMED) EXTRA PURE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|------------------------|--|
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : May cause damage to organs through prolonged or repeated exposure. |
| Additional information | : There are potential chronic health effects to consider |
| Aspiration hazard | : Not classified |

SELENIUM DIOXIDE (SUBLIMED) EXTRA PURE (7446-08-4)

| | |
|----------------------|----------------|
| Viscosity, kinematic | Not applicable |
|----------------------|----------------|

11.2. Information on other hazards

Other information

| | |
|---|-----------------------|
| Potential adverse human health effects and symptoms | : Toxic if swallowed. |
|---|-----------------------|

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|---|
| Ecology - general | : Very toxic to aquatic life with long lasting effects. |
| Ecology - water | : Very toxic to aquatic life with long lasting effects. |
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Very toxic to aquatic life with long lasting effects. |

12.2. Persistence and degradability

SELENIUM DIOXIDE (SUBLIMED) EXTRA PURE (7446-08-4)

| | |
|-------------------------------|---|
| Persistence and degradability | May cause long-term adverse effects in the environment. |
|-------------------------------|---|

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|--|--|
| Regional waste regulation | : Disposal must be done according to official regulations. |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Sewage disposal recommendations | : Disposal must be done according to official regulations. |
| Product/Packaging disposal recommendations | : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Disposal must be done according to official regulations. |
| Additional information | : Do not re-use empty containers. |
| Ecological waste information | : Hazardous waste due to toxicity. |

SELENIUM DIOXIDE (SUBLIMED) EXTRA PURE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

| | |
|---------------|-----------|
| UN-No. (ADR) | : UN 3283 |
| UN-No. (IMDG) | : UN 3283 |
| UN-No. (IATA) | : UN 3283 |
| UN-No. (ADN) | : UN 3283 |
| UN-No. (RID) | : UN 3283 |

14.2. UN proper shipping name

| | |
|--|--|
| Proper Shipping Name (ADR) | : SELENIUM COMPOUND, SOLID, N.O.S. |
| Proper Shipping Name (IMDG) | : SELENIUM COMPOUND, SOLID, N.O.S. |
| Proper Shipping Name (IATA) | : Selenium compound, solid, n.o.s. |
| Proper Shipping Name (ADN) | : SELENIUM COMPOUND, SOLID, N.O.S. |
| Proper Shipping Name (RID) | : SELENIUM COMPOUND, SOLID, N.O.S. |
| Transport document description (ADR) (ADR) | : UN 3283 SELENIUM COMPOUND, SOLID, N.O.S. (SELENIUM DIOXIDE (SUBLIMED)), 6.1, III, (E), ENVIRONMENTALLY HAZARDOUS |
| Transport document description (IMDG) | : UN 3283 SELENIUM COMPOUND, SOLID, N.O.S., 6.1, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS |
| Transport document description (IATA) | : UN 3283 Selenium compound, solid, n.o.s. (SELENIUM DIOXIDE (SUBLIMED)), 6.1, III, ENVIRONMENTALLY HAZARDOUS |
| Transport document description (ADN) | : UN 3283 SELENIUM COMPOUND, SOLID, N.O.S., 6.1, III, ENVIRONMENTALLY HAZARDOUS |
| Transport document description (RID) | : UN 3283 SELENIUM COMPOUND, SOLID, N.O.S., 6.1, III, ENVIRONMENTALLY HAZARDOUS |

14.3. Transport hazard class(es)

ADR

| | |
|----------------------------------|-------|
| Transport hazard class(es) (ADR) | : 6.1 |
| Danger labels (ADR) | : 6.1 |



IMDG

| | |
|-----------------------------------|-------|
| Transport hazard class(es) (IMDG) | : 6.1 |
| Danger labels (IMDG) | : 6.1 |



IATA

| | |
|-----------------------------------|-------|
| Transport hazard class(es) (IATA) | : 6.1 |
| Danger labels (IATA) | : 6.1 |



ADN

| | |
|----------------------------------|-------|
| Transport hazard class(es) (ADN) | : 6.1 |
| Danger labels (ADN) | : 6.1 |

SELENIUM DIOXIDE (SUBLIMED) EXTRA PURE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



RID

Transport hazard class(es) (RID)

: 6.1

Danger labels (RID)

: 6.1



14.4. Packing group

Packing group (ADR)

: III

Packing group (IMDG)

: III

Packing group (IATA)

: III

Packing group (ADN)

: III

Packing group (RID)

: III

14.5. Environmental hazards

Dangerous for the environment

: Yes

Marine pollutant

: Yes

EmS-No. (Fire)

: F-A

EmS-No. (Spillage)

: S-A

Other information

: No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR)

: T5

Special provisions (ADR)

: 274, 563

Limited quantities (ADR)

: 5kg

Excepted quantities (ADR)

: E1

Packing instructions (ADR)

: P002, IBC08, LP02, R001

Special packing provisions (ADR)

: B3

Mixed packing provisions (ADR)

: MP10

Portable tank and bulk container instructions (ADR)

: T1

Portable tank and bulk container special provisions (ADR)

: TP33

Tank code (ADR)

: SGAH, L4BH

Tank special provisions (ADR)

: TU15, TE19

Vehicle for tank carriage

: AT

Transport category (ADR)

: 2

Special provisions for carriage - Bulk (ADR)

: VC1, VC2, AP7

Special provisions for carriage - Loading, unloading and handling (ADR)

: CV13, CV28


Special provisions for carriage - Operation (ADR)

: S9

Hazard identification number (Kemler No.)

: 60

Orange plates



Tunnel restriction code (ADR)

: E

EAC code

: 2X

Transport by sea

Special provisions (IMDG)

: 223, 274

Limited quantities (IMDG)

: 5 kg

Excepted quantities (IMDG)

: E1

Packing instructions (IMDG)

: P002, LP02

SELENIUM DIOXIDE (SUBLIMED) EXTRA PURE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|------------------------------------|---|
| IBC packing instructions (IMDG) | : IBC08 |
| IBC special provisions (IMDG) | : B3 |
| Tank instructions (IMDG) | : T1 |
| Tank special provisions (IMDG) | : TP33 |
| Stowage category (IMDG) | : A |
| Properties and observations (IMDG) | : Toxic if swallowed, by skin contact or by inhalation. |
| MFAG-No | : 151 |

Air transport

| | |
|--|----------|
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y645 |
| PCA limited quantity max net quantity (IATA) | : 10kg |
| PCA packing instructions (IATA) | : 670 |
| PCA max net quantity (IATA) | : 100kg |
| CAO packing instructions (IATA) | : 677 |
| CAO max net quantity (IATA) | : 200kg |
| Special provisions (IATA) | : A3, A5 |
| ERG code (IATA) | : 6L |

Inland waterway transport

| | |
|-----------------------------------|-----------------|
| Classification code (ADN) | : T5 |
| Special provisions (ADN) | : 274, 563, 802 |
| Limited quantities (ADN) | : 5 kg |
| Excepted quantities (ADN) | : E1 |
| Equipment required (ADN) | : PP, EP |
| Number of blue cones/lights (ADN) | : 0 |

Rail transport

| | |
|---|---------------------------|
| Classification code (RID) | : T5 |
| Special provisions (RID) | : 274, 563 |
| Limited quantities (RID) | : 5kg |
| Excepted quantities (RID) | : E1 |
| Packing instructions (RID) | : P002, IBC08, LP02, R001 |
| Special packing provisions (RID) | : B3 |
| Mixed packing provisions (RID) | : MP10 |
| Portable tank and bulk container instructions (RID) | : T1 |
| Portable tank and bulk container special provisions (RID) | : TP33 |
| Tank codes for RID tanks (RID) | : SGAH, L4BH |
| Special provisions for RID tanks (RID) | : TU15 |
| Transport category (RID) | : 2 |
| Special provisions for carriage – Bulk (RID) | : VC1, VC2, AP7 |
| Special provisions for carriage - Loading, unloading and handling (RID) | : CW13, CW28, CW31 |
| Colis express (express parcels) (RID) | : CE11 |
| Hazard identification number (RID) | : 60 |

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Not listed on REACH Annex XVII

REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

SELENIUM DIOXIDE (SUBLIMED) EXTRA PURE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Candidate List (SVHC)

Not listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Not listed on the PIC list (Regulation EU 649/2012)

POP Regulation (Persistent Organic Pollutants)

Not listed on the POP list (Regulation EU 2019/1021)

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Council Regulation (EC) for the control of dual-use items

Not listed on the COUNCIL REGULATION (EC) of dual-use items.

Explosives Precursors Regulation (2019/1148)

Not listed on the Explosives Precursors list (EU)

Drug Precursors Regulation (273/2004)

Not listed on the Drug Precursors list (EU)

National regulations

| Occupational diseases | |
|-----------------------|---|
| Code | Description |
| RG 75 | Occupational diseases resulting from exposure to selenium and its mineral derivatives |

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV; ID No. 419).
Chemicals Prohibition Ordinance (ChemVerbotsV) : This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the shipping route (according to § 10).

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed
SZW-lijst van mutagene stoffen : The substance is not listed
SZW-lijst van reprotoxische stoffen – Borstvoeding : SELENIUM DIOXIDE (SUBLIMED) is listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : The substance is not listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling : The substance is not listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

SELENIUM DIOXIDE (SUBLIMED) EXTRA PURE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Poland

Polish National Regulations

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).
Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).
The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).
Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).
Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).
Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).
The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488).
Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended).
Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).
ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

| | |
|---------|---|
| ACGIH | American Conference of Government Industrial Hygienists |
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| CAS-No. | Chemical Abstract Service number |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| COD | Chemical oxygen demand (COD) |
| CSA | Chemical safety assessment |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC-No. | European Community number |
| EC50 | Median effective concentration |
| ED | Endocrine disruptor |

SELENIUM DIOXIDE (SUBLIMED) EXTRA PURE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: | |
|-----------------------------|--|
| EN | European Standard |
| EWC | European waste catalogue |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| Log Kow | Partition coefficient n-octanol/water (Log Kow) |
| Log Pow | Partition coefficient n-octanol/water (Log Pow) |
| MAK | maximum workplace concentration |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| N.O.S. | Not Otherwise Specified |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| OSHA | Occupational Safety & Health Administration |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| PPE | Personal protection equipment |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| TF | Technical function |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| TWA | Time Weighted Average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and Very Bioaccumulative |
| UFI | Unique Formula Identifier |

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhal.), Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| STOT RE 2 | Specific target organ toxicity – Repeated exposure, Category 2 |
| H301 | Toxic if swallowed. |
| H331 | Toxic if inhaled. |

SELENIUM DIOXIDE (SUBLIMED) EXTRA PURE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:

| | |
|------|--|
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.