

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Reference number: 05845

Issue date: 31-03-2023 Revision date: 31-03-2023 Supersedes version of: 09-04-2015 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Substance

Trade name SODIUM CYANIDE EXTRA PURE

EC Index-No. 006-007-00-5 EC-No. 205-599-4 CAS-No. 143-33-9 Product code 05845 Formula NaCN

Chemical structure

N≡C<sup>-</sup> Na<sup>+</sup>

: Hydrocyanic acid, sodium salt; Prussiate of soda; Cyanide of sodium Synonyms

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.

107 Wode House Road, Jehangir Villa, Colaba

400005 Mumbai

**INDIA** 

T +91 22 6663 6663 - F +91 22 6663 6699 info@lobachemie.com - www.lobachemie.com

## 1.4. Emergency telephone number

: +91 22 6663 6663 (9:00am - 6:00 pm) **Emergency number** 

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 1 H300 Acute toxicity (dermal), Category 1 H310 Acute toxicity (inhal.), Category 1 H330 Hazardous to the aquatic environment – Chronic Hazard, Category 1 H410

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Fatal in contact with skin. Fatal if inhaled. Fatal if swallowed. Very toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

GHS06 GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H300+H310+H330 - Fatal if swallowed, in contact with skin or if inhaled.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective clothing, eye protection, face protection, protective gloves.

P284 - Wear respiratory protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P304+P340+P310 - IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Immediately call a POISON CENTER or doctor.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

## 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Substance type : Mono-constituent

Name	Product identifier	%
SODIUM CYANIDE	CAS-No.: 143-33-9 EC-No.: 205-599-4 EC Index-No.: 006-007-00-5	100

#### 3.2. Mixtures

Not applicable

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air

and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. Call a

physician immediately.

First-aid measures after skin contact : Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages. Take off

immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a

POISON CENTER/doctor. Call a physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Call a

physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Fatal if inhaled.

Symptoms/effects after skin contact : Fatal in contact with skin. Symptoms/effects after ingestion : Fatal if swallowed.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

31-03-2023 (Revision date) EN (English) 2/12

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Water spray. Dry

powder. Foam.

Unsuitable extinguishing media : Do not use extinguishing media containing water.

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel. Only qualified personnel equipped with suitable

protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Use personal protective

equipment as required. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Stop release.

## 6.2. Environmental precautions

Avoid release to the environment. Do not allow water (or moist air) contact with this material.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Mechanically recover the product. Clear up rapidly by scoop or vacuum.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Do not allow contact with water.

Precautions for safe handling : Protect from moisture. Handle under inert gas. Do not breathe

dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear personal protective equipment. Use only outdoors or in a well-ventilated area.

Hygiene measures : Wash hands, forearms and face thoroughly after handling. Wash contaminated clothing

before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Store in a dry place. Protect from moisture. Store in dry protected location to prevent any

moisture contact. Store locked up. Store in a well-ventilated place. Keep container tightly

closed. Keep cool.

Incompatible materials : Do not allow contact with water.

31-03-2023 (Revision date) EN (English) 3/12

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

SODIUM CYANIDE EXTRA PURE (143-33-9)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Sodium cyanide (as cyanide)	
IOEL STEL	5 mg/m³	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) [1]	1 mg/m³ (E)	
Peak exposure limitation factor	5(II)	
Remark	EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich); H - hautresorptiv; Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden	
Regulatory reference	TRGS900	
Portugal - Occupational Exposure Limits		
Local name	Sais de cianeto, expressos em CN	
OEL C [ppm]	5 ppm	
Remark	P (Toxicidade percutânea)	
Regulatory reference	Norma Portuguesa NP 1796:2014	
Spain - Occupational Exposure Limits		
Local name	Cianuro de sodio	
VLA-ED (OEL TWA) [1]	1 mg/m³ como CN	
VLA-EC (OEL STEL)	5 mg/m³ como CN	
Remark	VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo), vía dérmica (Indica que, en las exposiciones a esta sustancia, la aportación por la vía cutánea puede resultar significativa para el contenido corporal total si no se adoptan medidas para prevenir la absorción. En estas situaciones, es aconsejable la utilización del control biológico para poder cuantificar la cantidad global absorbida del contaminante).	
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT	
United Kingdom - Occupational Exposure Limits		
Local name	Sodium cyanide	
WEL TWA (OEL TWA) [1]	1 mg/m³ (as cyanide)	
WEL STEL (OEL STEL)	5 mg/m³ (as cyanide)	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SODIUM CYANIDE EXTRA PURE (143-33-9)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Sodium cyanide
ACGIH OEL C	5 mg/m³
Remark (ACGIH)	TLV® Basis: URT irr; headache; nausea; thyroid eff. Notations: Skin
Regulatory reference	ACGIH 2022

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):









## 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or face shield

### 8.2.2.2. Skin protection

## Skin and body protection:

Wear suitable protective clothing

## Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection. Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

## Environmental exposure controls:

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Solid

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Appearance : Granular powder.

Molecular mass : 49.01 g/mol
Colour : White.

Odour : faint, almond like odor.
Odour threshold : No data available

pH : 11 - 12pH solution concentration : 2%

Relative evaporation rate (butylacetate=1) : No data available
Melting point : 563.7 °C
Freezing point : Not applicable
Boiling point : 1496 °C
Flash point : Not applicable
Auto-ignition temperature : Not applicable

Flammability (solid, gas) : In contact with water releases flammable gases which may ignite spontaneously.

: No data available

Ethanol: Soluble

Vapour pressure : 1 mm Hg at 817 °C Relative vapour density at 20 °C : No data available Relative density : No data available

Density : 1.6 g/cm³

Solubility : Water: 48.15 g/100cm³ at 10 °C

Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : Not applicable Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available Explosive limits : Not applicable

#### 9.2. Other information

Decomposition temperature

Bulk density :  $750 - 950 \text{ kg/m}^3$ 

Refractive index : 1.452

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Thermal decomposition generates: Corrosive vapours. Reacts violently with water.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

In contact with water releases flammable gases which may ignite spontaneously. Highly reactive material. Reacts violently with water.

#### 10.4. Conditions to avoid

Moisture.

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapours.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity (oral) : Fatal if swallowed.

Acute toxicity (dermal) : Fatal in contact with skin.

31-03-2023 (Revision date) EN (English) 6/12

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute toxicity (inhalation) : Fatal if inhaled.
Skin corrosion/irritation : Not classified

pH: 11 – 12

Serious eye damage/irritation : Not classified

pH: 11 - 12

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

#### **SODIUM CYANIDE EXTRA PURE (143-33-9)**

Viscosity, kinematic Not applicable

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

acute

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Very toxic to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

Additional information : Do not allow water (or moist air) contact with this material.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

## 14.1 UN number

UN-No. (ADR) : UN 1689

31-03-2023 (Revision date) EN (English) 7/12

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

UN-No. (IMDG) : UN 1689 UN-No. (IATA) : UN 1689 UN-No. (ADN) : UN 1689 UN-No. (RID) : UN 1689

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : SODIUM CYANIDE, SOLID Proper Shipping Name (IMDG) SODIUM CYANIDE, SOLID Proper Shipping Name (IATA) Sodium cyanide, solid Proper Shipping Name (ADN) : SODIUM CYANIDE, SOLID Proper Shipping Name (RID) : SODIUM CYANIDE, SOLID

Transport document description (ADR) : UN 1689 SODIUM CYANIDE, SOLID, 6.1, I, (C/E), ENVIRONMENTALLY HAZARDOUS Transport document description (IMDG) : UN 1689 SODIUM CYANIDE, SOLID, 6.1, I, MARINE POLLUTANT/ENVIRONMENTALLY

**HAZARDOUS** 

Transport document description (IATA) : UN 1689 Sodium cyanide, solid, 6.1, I, ENVIRONMENTALLY HAZARDOUS Transport document description (ADN) : UN 1689 SODIUM CYANIDE, SOLID, 6.1, I, ENVIRONMENTALLY HAZARDOUS Transport document description (RID) : UN 1689 SODIUM CYANIDE, SOLID, 6.1, I, ENVIRONMENTALLY HAZARDOUS

#### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 6.1 Danger labels (ADR) 6.1



#### **IMDG**

Transport hazard class(es) (IMDG) Danger labels (IMDG) 6.1



#### IATA

Transport hazard class(es) (IATA) : 6.1 6.1

Danger labels (IATA)



#### ADN

Transport hazard class(es) (ADN) : 6.1 Danger labels (ADN) 6.1



## RID

Transport hazard class(es) (RID) : 6.1 Danger labels (RID) : 6.1

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830





## 14.4. Packing group

Packing group (ADR) : I
Packing group (IMDG) : I
Packing group (IATA) : I
Packing group (ADN) : I
Packing group (RID) : I

## 14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR): T5Limited quantities (ADR): 0Excepted quantities (ADR): E5

Packing instructions (ADR) : P002, IBC07
Mixed packing provisions (ADR) : MP18
Portable tank and bulk container instructions (ADR) : T6
Portable tank and bulk container special provisions : TP33

(ADR)

Tank code (ADR) : S10AH
Tank special provisions (ADR) : TU15, TE19
Vehicle for tank carriage : AT

Vehicle for tank carriage : AT
Transport category (ADR) : 1
Special provisions for carriage - Packages (ADR) : V10

Special provisions for carriage - Loading, unloading : CV1, CV13, CV28

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S9, S14 Hazard identification number (Kemler No.) : 66

Orange plates :

66 1689

Tunnel restriction code (ADR) : C/E EAC code : 2X

#### Transport by sea

Limited quantities (IMDG) : 0 Excepted quantities (IMDG) · F5 Packing instructions (IMDG) · P002 : PP31 Special packing provisions (IMDG) IBC packing instructions (IMDG) : IBC07 IBC special provisions (IMDG) : B1 Tank instructions (IMDG) T6 TP33 Tank special provisions (IMDG) EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-A Stowage category (IMDG) : B

Segregation (IMDG) : SGG6, SG35

Properties and observations (IMDG) : White, deliquescent crystals or lumps. Soluble in water. Reacts with acids or acid fumes,

evolving hydrogen cyanide, a highly toxic and flammable gas. Highly toxic if swallowed, by

skin contact or by dust inhalation.

MFAG-No : 157

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Air transport

PCA Excepted quantities (IATA) : E5 PCA Limited quantities (IATA) : Forbidden PCA limited quantity max net quantity (IATA) : Forbidden PCA packing instructions (IATA) : 666 PCA max net quantity (IATA) : 5kg CAO packing instructions (IATA) : 673 CAO max net quantity (IATA) : 50kg ERG code (IATA) : 6L

#### Inland waterway transport

Classification code (ADN) : T5
Special provisions (ADN) : 802
Limited quantities (ADN) : 0
Excepted quantities (ADN) : E5
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 2

#### Rail transport

Classification code (RID) : T5

Limited quantities (RID) : 0

Excepted quantities (RID) : E5

Packing instructions (RID) : P002, IBC07

Mixed packing provisions (RID) : MP18

Portable tank and bulk container instructions (RID) : T6

Portable tank and bulk container special provisions : TP33

(RID)

Tank codes for RID tanks (RID) : S10AH
Special provisions for RID tanks (RID) : TU15
Transport category (RID) : 1
Special provisions for carriage – Packages (RID) : W10

Special provisions for carriage - Loading, unloading : CW13, CW28, CW31

and handling (RID)

Hazard identification number (RID) : 66

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

No REACH Annex XVII restrictions

## **REACH Annex XIV (Authorisation List)**

SODIUM CYANIDE EXTRA PURE is not on the REACH Annex XIV List

#### **REACH Candidate List (SVHC)**

SODIUM CYANIDE EXTRA PURE is not on the REACH Candidate List

## **PIC Regulation (Prior Informed Consent)**

SODIUM CYANIDE EXTRA PURE is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

#### **POP Regulation (Persistent Organic Pollutants)**

SODIUM CYANIDE EXTRA PURE is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Ozone Regulation (1005/2009)

SODIUM CYANIDE is not subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV; ID No. 60).

Chemicals Prohibition Ordinance (ChemVerbotsV) : This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must

be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the

shipping route (according to § 10).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed SZW-lijst van reprotoxische stoffen – Borstvoeding : The substance is not listed

SZW-lijst van reprotoxische stoffen – : The substance is not listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : The substance is not listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:		
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:	
Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 1 (Inhalation)	Acute toxicity (inhal.), Category 1
Acute Tox. 1 (Oral)	Acute toxicity (oral), Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H410	Very toxic to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.