

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Reference number: 05846

Issue date: 31-03-2023 Revision date: 31-03-2023 Supersedes version of: 09-04-2015 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Substance

Trade name SODIUM CYANIDE AR/ACS

EC Index-No. 006-007-00-5 EC-No. 205-599-4 CAS-No. 143-33-9 Product code 05846 Formula NaCN

Chemical structure

N≡C⁻ Na⁺

: Hydrocyanic acid, sodium salt; Prussiate of soda; Cyanide of sodium Synonyms

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.

107 Wode House Road, Jehangir Villa, Colaba

400005 Mumbai

INDIA

T +91 22 6663 6663 - F +91 22 6663 6699 info@lobachemie.com - www.lobachemie.com

1.4. Emergency telephone number

: +91 22 6663 6663 (9:00am - 6:00 pm) **Emergency number**

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 1 H300 Acute toxicity (dermal), Category 1 H310 Acute toxicity (inhal.), Category 1 H330 Hazardous to the aquatic environment – Chronic Hazard, Category 1 H410

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Fatal in contact with skin. Fatal if inhaled. Fatal if swallowed. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

GHS06 GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H300+H310+H330 - Fatal if swallowed, in contact with skin or if inhaled.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective clothing, eye protection, face protection, protective gloves.

P284 - Wear respiratory protection.

P304+P340+P310 - IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Immediately call a POISON CENTER or doctor.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type : Mono-constituent

| Name | Product identifier | % |
|----------------|--|-----|
| SODIUM CYANIDE | CAS-No.: 143-33-9 EC-No.: 205-599-4 EC Index-No.: 006-007-00-5 | 100 |

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air

and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. Call a

physician immediately.

First-aid measures after skin contact : Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages. Take off

immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a

POISON CENTER/doctor. Call a physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Call a

physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Fatal if inhaled.

Symptoms/effects after skin contact : Fatal in contact with skin. Symptoms/effects after ingestion : Fatal if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

31-03-2023 (Revision date) EN (English) 2/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Water spray. Dry

powder. Foam.

Unsuitable extinguishing media : Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel. Only qualified personnel equipped with suitable

protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Use personal protective

equipment as required. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Stop release.

6.2. Environmental precautions

Avoid release to the environment. Do not allow water (or moist air) contact with this material.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Mechanically recover the product. Clear up rapidly by scoop or vacuum.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Do not allow contact with water.

Precautions for safe handling : Protect from moisture. Handle under inert gas. Do not breathe

dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear personal protective equipment. Use only outdoors or in a well-ventilated area.

Hygiene measures : Wash hands, forearms and face thoroughly after handling. Wash contaminated clothing

before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Store in a dry place. Protect from moisture. Store in dry protected location to prevent any

moisture contact. Store locked up. Store in a well-ventilated place. Keep container tightly

closed. Keep cool.

Incompatible materials : Do not allow contact with water.

31-03-2023 (Revision date) EN (English) 3/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| SODIUM CYANIDE AR/ACS (143-33-9) | | |
|--|---|--|
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| Local name | Sodium cyanide (as cyanide) | |
| IOEL STEL | 5 mg/m³ | |
| Remark | Skin | |
| Regulatory reference | COMMISSION DIRECTIVE (EU) 2017/164 | |
| ermany - Occupational Exposure Limits (TRGS 900) | | |
| AGW (OEL TWA) [1] | 1 mg/m³ (E) | |
| Peak exposure limitation factor | 5(II) | |
| Remark | EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich); H - hautresorptiv; Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden | |
| Regulatory reference | TRGS900 | |
| Portugal - Occupational Exposure Limits | | |
| Local name | Sais de cianeto, expressos em CN | |
| OEL C [ppm] | 5 ppm | |
| Remark | P (Toxicidade percutânea) | |
| Regulatory reference | Norma Portuguesa NP 1796:2014 | |
| Spain - Occupational Exposure Limits | | |
| Local name | Cianuro de sodio | |
| VLA-ED (OEL TWA) [1] | 1 mg/m³ como CN | |
| VLA-EC (OEL STEL) | 5 mg/m³ como CN | |
| Remark | VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo), vía dérmica (Indica que, en las exposiciones a esta sustancia, la aportación por la vía cutánea puede resultar significativa para el contenido corporal total si no se adoptan medidas para prevenir la absorción. En estas situaciones, es aconsejable la utilización del control biológico para poder cuantificar la cantidad global absorbida del contaminante). | |
| Regulatory reference | Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT | |
| United Kingdom - Occupational Exposure Limits | | |
| Local name | Sodium cyanide | |
| WEL TWA (OEL TWA) [1] | 1 mg/m³ (as cyanide) | |
| WEL STEL (OEL STEL) | 5 mg/m³ (as cyanide) | |
| Remark | Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) | |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| SODIUM CYANIDE AR/ACS (143-33-9) | |
|--|---|
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Sodium cyanide |
| ACGIH OEL C | 5 mg/m³ |
| Remark (ACGIH) | TLV® Basis: URT irr; headache; nausea; thyroid eff. Notations: Skin |
| Regulatory reference | ACGIH 2022 |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):









8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or face shield

8.2.2.2. Skin protection

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Granular powder.

Molecular mass : 49.01 g/mol
Colour : White.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Odour : faint, almond like odor.
Odour threshold : No data available

pH : 11 - 12pH solution concentration : 2%

Relative evaporation rate (butylacetate=1) : No data available
Melting point : 563.7 °C
Freezing point : Not applicable
Boiling point : 1496 °C
Flash point : Not applicable

Auto-ignition temperature : Not applicable

Decomposition temperature : No data available

Flammability (solid, gas) : In contact with water releases flammable gases which may ignite spontaneously.

Vapour pressure : 1 mm Hg at 817 °C
Relative vapour density at 20 °C : No data available
Relative density : No data available
Density : 1.6 g/cm³

Solubility : Water: 48.15 g/100cm³ at 10 °C

Ethanol: Soluble
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : Not applicable
Viscosity, dynamic : No data available
Explosive properties : No data available

Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : Not applicable

9.2. Other information

Bulk density : $750 - 950 \text{ kg/m}^3$

Refractive index : 1.452

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapours. Reacts violently with water.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

In contact with water releases flammable gases which may ignite spontaneously. Highly reactive material. Reacts violently with water.

10.4. Conditions to avoid

Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapours.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Fatal if swallowed.

Acute toxicity (dermal) : Fatal in contact with skin.

Acute toxicity (inhalation) : Fatal if inhaled.

Skin corrosion/irritation : Not classified pH: 11 – 12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Serious eye damage/irritation : Not classified

pH: 11 – 12

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified : Not classified

SODIUM CYANIDE AR/ACS (143-33-9)

Viscosity, kinematic Not applicable

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Very toxic to aquatic life with long lasting effects.

(chronic)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

Additional information : Do not allow water (or moist air) contact with this material.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1 UN number

 UN-No. (ADR)
 : UN 1689

 UN-No. (IMDG)
 : UN 1689

 UN-No. (IATA)
 : UN 1689

 UN-No. (ADN)
 : UN 1689

 UN-No. (RID)
 : UN 1689

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.2. UN proper shipping name

Proper Shipping Name (ADR) : SODIUM CYANIDE, SOLID Proper Shipping Name (IMDG) : SODIUM CYANIDE, SOLID Proper Shipping Name (IATA) : Sodium cyanide, solid Proper Shipping Name (ADN) : SODIUM CYANIDE, SOLID Proper Shipping Name (RID) : SODIUM CYANIDE, SOLID

Transport document description (ADR)

: UN 1689 SODIUM CYANIDE, SOLID, 6.1, I, (C/E), ENVIRONMENTALLY HAZARDOUS

Transport document description (IMDG)

: UN 1689 SODIUM CYANIDE, SOLID, 6.1, I, MARINE POLLUTANT/ENVIRONMENTALLY

HAZARDOUS

Transport document description (IATA)

: UN 1689 Sodium cyanide, solid, 6.1, I, ENVIRONMENTALLY HAZARDOUS

Transport document description (ADN)

: UN 1689 SODIUM CYANIDE, SOLID, 6.1, I, ENVIRONMENTALLY HAZARDOUS

Transport document description (RID)

: UN 1689 SODIUM CYANIDE, SOLID, 6.1, I, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1
Danger labels (ADR) : 6.1



IMDG

Transport hazard class(es) (IMDG) : 6.1
Danger labels (IMDG) : 6.1



IATA

Transport hazard class(es) (IATA) : 6.1

Danger labels (IATA) : 6.1



ADN

Transport hazard class(es) (ADN) : 6.1 Danger labels (ADN) : 6.1



RID

Transport hazard class(es) (RID) : 6.1
Danger labels (RID) : 6.1



14.4. Packing group

Packing group (ADR) : I

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Packing group (IMDG) : I
Packing group (IATA) : I
Packing group (ADN) : I
Packing group (RID) : I

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : T5
Limited quantities (ADR) : 0
Excepted quantities (ADR) : E5
Packing instructions (ADR) : P002, IBC07

Mixed packing provisions (ADR) : MP18
Portable tank and bulk container instructions (ADR) : T6
Portable tank and bulk container special provisions : TP33

(ADR)

Tank code (ADR) : S10AH
Tank special provisions (ADR) : TU15, TE19
Vehicle for tank carriage : AT

Transport category (ADR) : 1
Special provisions for carriage - Packages (ADR) : V10

Special provisions for carriage - Loading, unloading : CV1, CV13, CV28

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S9, S14
Hazard identification number (Kemler No.) : 66

Orange plates : T

66 1689

Tunnel restriction code (ADR) : C/E EAC code : 2X

Transport by sea

Limited quantities (IMDG) : 0 Excepted quantities (IMDG) : E5 Packing instructions (IMDG) P002 : PP31 Special packing provisions (IMDG) IBC packing instructions (IMDG) : IBC07 IBC special provisions (IMDG) : B1 Tank instructions (IMDG) : T6 TP33 Tank special provisions (IMDG) EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-A Stowage category (IMDG) : B

Segregation (IMDG) : SGG6, SG35

Properties and observations (IMDG) : White, deliquescent crystals or lumps. Soluble in water. Reacts with acids or acid fumes,

evolving hydrogen cyanide, a highly toxic and flammable gas. Highly toxic if swallowed, by

skin contact or by dust inhalation.

MFAG-No : 157

Air transport

PCA Excepted quantities (IATA) : E5
PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity (IATA) : Forbidden
PCA packing instructions (IATA) : 666
PCA max net quantity (IATA) : 5kg
CAO packing instructions (IATA) : 673

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

CAO max net quantity (IATA) : 50kg ERG code (IATA) : 6L

Inland waterway transport

Classification code (ADN) : T5

Special provisions (ADN) : 802

Limited quantities (ADN) : 0

Excepted quantities (ADN) : E5

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 2

Rail transport

Classification code (RID) : T5

Limited quantities (RID) : 0

Excepted quantities (RID) : E5

Packing instructions (RID) : P002, IBC07

Mixed packing provisions (RID) : MP18

Portable tank and bulk container instructions (RID) : T6

Portable tank and bulk container special provisions : TP33

(RID)

Tank codes for RID tanks (RID) : \$10AH Special provisions for RID tanks (RID) : TU15 Transport category (RID) : 1 Special provisions for carriage – Packages (RID) : W10

Special provisions for carriage - Loading, unloading : CW13, CW28, CW31

and handling (RID)

Hazard identification number (RID) : 66

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

No REACH Annex XVII restrictions

REACH Annex XIV (Authorisation List)

SODIUM CYANIDE AR/ACS is not on the REACH Annex XIV List

REACH Candidate List (SVHC)

SODIUM CYANIDE AR/ACS is not on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

SODIUM CYANIDE AR/ACS is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

SODIUM CYANIDE AR/ACS is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

SODIUM CYANIDE is not subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV; ID No. 60).

Chemicals Prohibition Ordinance (ChemVerbotsV) : This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic

requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the

shipping route (according to § 10).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : The substance is not listed

SZW-lijst van reprotoxische stoffen – : The substance is not listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : The substance is not listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Abbreviations and acronyms: | |
|-----------------------------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| COD | Chemical oxygen demand (COD) |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC-No. | European Community number |
| EC50 | Median effective concentration |
| EN | European Standard |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Abbreviations and acronyms: | |
|-----------------------------|--|
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| VOC | Volatile Organic Compounds |
| CAS-No. | Chemical Abstract Service number |
| N.O.S. | Not Otherwise Specified |
| vPvB | Very Persistent and Very Bioaccumulative |
| ED | Endocrine disrupting properties |

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Acute Tox. 1 (Dermal) | Acute toxicity (dermal), Category 1 |
| Acute Tox. 1 (Inhalation) | Acute toxicity (inhal.), Category 1 |
| Acute Tox. 1 (Oral) | Acute toxicity (oral), Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| H300 | Fatal if swallowed. |
| H310 | Fatal in contact with skin. |
| H330 | Fatal if inhaled. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.