

SODIUM METAL AR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
SDS Reference Number: 5753B
Issue date: 4/9/2014 Revision date: 8/26/2025 Supersedes version of: 4/9/2015 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Trade name : SODIUM METAL AR
EC Index-No. : 011-001-00-0
EC-No. : 231-132-9
CAS-No. : 7440-23-5
Product code : 5753B
Type of product : Metals
Formula : Na
Chemical structure :

Na

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.
107 Wode House Road, Jehangir Villa, Colaba
400005 Mumbai
INDIA
T +91 22 6663 6663, F +91 22 6663 6699
info@lobachemie.com, www.lobachemie.com

1.4. Emergency telephone number

Emergency number : + 91 22 6663 6663 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Substances and Mixtures which, in contact with water, emit flammable gases, Category 1 H260
Skin corrosion/irritation, Category 1, Sub-Category 1B H314
Full text of H- and EUH-statements: see section 16


Adverse physicochemical, human health and environmental effects

In contact with water releases flammable gases which may ignite spontaneously. Causes severe skin burns and eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS05

SODIUM METAL AR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|--------------------------------|---|
| Signal word (CLP) | : Danger |
| Hazard statements (CLP) | : H260 - In contact with water releases flammable gases which may ignite spontaneously. H314 - Causes severe skin burns and eye damage. |
| Precautionary statements (CLP) | : P223 - Do not allow contact with water. P231+P232 - Handle and store contents under inert gas. Protect from moisture. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P370+P378 - In case of fire: Use media other than water to extinguish. |
| EUH-statements | : EUH014 - Reacts violently with water. |

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type : Mono-constituent

| Name | Product identifier | % |
|--------------|---|-----|
| SODIUM METAL | CAS-No.: 7440-23-5 EC-No.: 231-132-9 EC Index-No.: 011-001-00-0 | 100 |

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : Call a physician immediately. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. |
| First-aid measures after skin contact | : Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages. Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor. Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages. Call a physician immediately. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Call a physician immediately. |
| First-aid measures after ingestion | : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Do not induce vomiting. Call a physician immediately. |
| Self protection of the first-aiders | : First aid workers will be equipped with suitable personal protective equipment. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|--|
| Symptoms/effects | : Causes severe skin burns and eye damage. |
| Symptoms/effects after inhalation | : None under normal conditions. Dust of the product, if present, may cause respiratory irritation after excessive inhalation exposure. |
| Symptoms/effects after skin contact | : Burns. |
| Symptoms/effects after eye contact | : Serious damage to eyes. |
| Symptoms/effects after ingestion | : Burns. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SODIUM METAL AR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

- | | |
|--------------------------------|---|
| Suitable extinguishing media | : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO ₂). Dry powder. Foam. |
| Unsuitable extinguishing media | : Do not use extinguishing media containing water. |

5.2. Special hazards arising from the substance or mixture

- | | |
|--|--|
| Fire hazard | : In contact with water releases flammable gases which may ignite spontaneously. |
| Explosion hazard | : Explosive with or without contact with air. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |

5.3. Advice for firefighters

- | | |
|--------------------------------|---|
| Firefighting instructions | : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- | | |
|------------------|---|
| General measures | : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage. |
|------------------|---|

For non-emergency personnel

- | | |
|----------------------|---|
| Protective equipment | : Wear recommended personal protective equipment. |
| Emergency procedures | : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. |

For emergency responders

- | | |
|----------------------|--|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Stop release. Evacuate unnecessary personnel. |

6.2. Environmental precautions

Avoid release to the environment. Do not allow water (or moist air) contact with this material.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|---|
| For containment | : Using a clean shovel, put the material in a dry container and cover without compressing it. |
| Methods for cleaning up | : Mechanically recover the product. Clear up rapidly by scoop or vacuum. |
| Other information | : Dispose of materials or solid residues at an authorized site. |

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-----------------------------------|---|
| Additional hazards when processed | : Do not allow contact with water. |
| Precautions for safe handling | : Ensure good ventilation of the work station. Protect from moisture. Handle under inert gas. Do not breathe dust/fume/gas/mist/vapours/spray. Do not allow contact with water. Wear personal protective equipment. Avoid contact with skin and eyes. |
| Hygiene measures | : Wash hands, forearms and face thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |

SODIUM METAL AR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

| | |
|------------------------|---|
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Store in a dry place. Protect from moisture. Store in dry protected location to prevent any moisture contact. Store in a closed container. Store locked up. |
| Incompatible materials | : Do not allow contact with water. |
| Packaging materials | : Store always product in container of same material as original container. |

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Chemical goggles or face shield

Skin protection

Skin and body protection:

Wear a mask

Hand protection:

Protective gloves

Respiratory protection

Respiratory protection:

Wear appropriate mask

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|------------------|
| Physical state | : Solid |
| Colour | : Silvery white. |
| Appearance | : Solid. |
| Molecular mass | : 22.99 g/mol |
| Odour | : Odourless. |
| Odour threshold | : Not available |

SODIUM METAL AR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|---|--|
| Melting point | : 97.8 °C |
| Freezing point | : Not applicable |
| Boiling point | : 883 °C |
| Flammability | : In contact with water releases flammable gases which may ignite spontaneously. |
| Lower explosion limit | : Not applicable |
| Upper explosion limit | : Not applicable |
| Flash point | : 82 °C |
| Auto-ignition temperature | : > 1150 °C |
| Decomposition temperature | : Not available |
| pH | : Not available |
| pH solution | : Not available |
| Viscosity, kinematic | : Not applicable |
| Solubility | : Water: Decomposes violently in water |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : 1 hPa at 440 °C |
| Vapour pressure at 50°C | : Not available |
| Density | : 0.968 g/cm³ at 20 °C |
| Relative density | : Not available |
| Relative vapour density at 20°C | : 0.003 |
| Particle size | : Not available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours. Reacts violently with water.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

In contact with water releases flammable gases which may ignite spontaneously. Highly reactive material. Reacts violently with water.

10.4. Conditions to avoid

Moisture. Water, humidity.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | |
|-----------------------------------|---------------------------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |
| Skin corrosion/irritation | : Causes severe skin burns. |
| Serious eye damage/irritation | : Assumed to cause serious eye damage |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |

SODIUM METAL AR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|------------------------|------------------|
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |

SODIUM METAL AR (7440-23-5)

| | |
|----------------------|----------------|
| Viscosity, kinematic | Not applicable |
|----------------------|----------------|

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|---|
| Ecology - general | : Before neutralisation, the product may represent a danger to aquatic organisms. |
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified |

12.2. Persistence and degradability

SODIUM METAL AR (7440-23-5)

| | |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |
|-------------------------------|--------------------|

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|--|--|
| Regional waste regulation | : Disposal must be done according to official regulations. |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Sewage disposal recommendations | : Disposal must be done according to official regulations. |
| Product/Packaging disposal recommendations | : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Disposal must be done according to official regulations. |
| Additional information | : Do not allow water (or moist air) contact with this material. Do not re-use empty containers. |

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

SODIUM METAL AR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.1. UN number or ID number

| | |
|---------------|-----------|
| UN-No. (ADR) | : UN 1428 |
| UN-No. (IMDG) | : UN 1428 |
| UN-No. (IATA) | : UN 1428 |
| UN-No. (ADN) | : UN 1428 |
| UN-No. (RID) | : UN 1428 |

14.2. UN proper shipping name

| | |
|--|---------------------------------|
| Proper Shipping Name (ADR) | : SODIUM |
| Proper Shipping Name (IMDG) | : SODIUM |
| Proper Shipping Name (IATA) | : Sodium |
| Proper Shipping Name (ADN) | : SODIUM |
| Proper Shipping Name (RID) | : SODIUM |
| Transport document description (ADR) (ADR) | : UN 1428 SODIUM, 4.3, I, (B/E) |
| Transport document description (IMDG) | : UN 1428 SODIUM, 4.3, I |
| Transport document description (IATA) | : UN 1428 Sodium, 4.3, I |
| Transport document description (ADN) | : UN 1428 SODIUM, 4.3, I |
| Transport document description (RID) | : UN 1428 SODIUM, 4.3, I |

14.3. Transport hazard class(es)

ADR

| | |
|----------------------------------|-------|
| Transport hazard class(es) (ADR) | : 4.3 |
| Danger labels (ADR) | : 4.3 |
| | : |



IMDG

| | |
|-----------------------------------|-------|
| Transport hazard class(es) (IMDG) | : 4.3 |
| Danger labels (IMDG) | : 4.3 |
| | : |



IATA

| | |
|-----------------------------------|-------|
| Transport hazard class(es) (IATA) | : 4.3 |
| Danger labels (IATA) | : 4.3 |
| | : |



ADN

| | |
|----------------------------------|-------|
| Transport hazard class(es) (ADN) | : 4.3 |
| Danger labels (ADN) | : 4.3 |
| | : |



RID

| | |
|----------------------------------|-------|
| Transport hazard class(es) (RID) | : 4.3 |
| Danger labels (RID) | : 4.3 |

SODIUM METAL AR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



14.4. Packing group

| | |
|----------------------|-----|
| Packing group (ADR) | : I |
| Packing group (IMDG) | : I |
| Packing group (IATA) | : I |
| Packing group (ADN) | : I |
| Packing group (RID) | : I |

14.5. Environmental hazards

| | |
|-------------------------------|--|
| Dangerous for the environment | : No |
| Marine pollutant | : No |
| EmS-No. (Fire) | : F-G |
| EmS-No. (Spillage) | : S-N |
| Other information | : No supplementary information available |

14.6. Special precautions for user

Overland transport

| | |
|---|----------------------|
| Classification code (ADR) | : W2 |
| Limited quantities (ADR) | : 0 |
| Excepted quantities (ADR) | : E0 |
| Packing instructions (ADR) | : P403, IBC04 |
| Mixed packing provisions (ADR) | : MP2 |
| Portable tank and bulk container instructions (ADR) | : T9 |
| Portable tank and bulk container special provisions (ADR) | : TP7, TP33 |
| Tank code (ADR) | : L10BN(+) |
| Tank special provisions (ADR) | : TU1, TE5, TT3, TM2 |
| Vehicle for tank carriage | : AT |
| Transport category (ADR) | : 1 |
| Special provisions for carriage - Packages (ADR) | : V1 |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : CV23 |
| Special provisions for carriage - Operation (ADR) | : S20 |
| Hazard identification number (Kemler No.) | : X423 |
| Orange plates | : |



| | |
|-------------------------------|-------|
| Tunnel restriction code (ADR) | : B/E |
| EAC code | : 4W |

Transport by sea

| | |
|------------------------------------|---|
| Limited quantities (IMDG) | : 0 |
| Excepted quantities (IMDG) | : E0 |
| Packing instructions (IMDG) | : P403 |
| Special packing provisions (IMDG) | : PP31 |
| IBC packing instructions (IMDG) | : IBC04 |
| IBC special provisions (IMDG) | : B1 |
| Tank instructions (IMDG) | : T9 |
| Tank special provisions (IMDG) | : TP7, TP33 |
| Stowage category (IMDG) | : D |
| Stowage and handling (IMDG) | : H1 |
| Segregation (IMDG) | : SG26, SG35 |
| Properties and observations (IMDG) | : White, ductile, soft metal. Floats on water. Reacts violently with moisture, water or acids, evolving hydrogen, which may be ignited by the heat of the reaction. Highly reactive, sometimes with explosive effect. |

SODIUM METAL AR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

MFAG-No : 138

Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity (IATA) : Forbidden
PCA packing instructions (IATA) : Forbidden
PCA max net quantity (IATA) : Forbidden
CAO packing instructions (IATA) : 487
CAO max net quantity (IATA) : 15kg
Special provisions (IATA) : A1
ERG code (IATA) : 4W

Inland waterway transport

Classification code (ADN) : W2
Limited quantities (ADN) : 0
Excepted quantities (ADN) : E0
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Provisions for handling and stowage of the cargo (ADN) : HA08
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : W2
Limited quantities (RID) : 0
Excepted quantities (RID) : E0
Packing instructions (RID) : P403, IBC04
Mixed packing provisions (RID) : MP2
Portable tank and bulk container instructions (RID) : T9
Portable tank and bulk container special provisions (RID) : TP7, TP33
Tank codes for RID tanks (RID) : L10BN(+)
Special provisions for RID tanks (RID) : TU1, TE5, TT3, TM2
Transport category (RID) : 1
Special provisions for carriage – Packages (RID) : W1
Special provisions for carriage - Loading, unloading and handling (RID) : CW23
Hazard identification number (RID) : X423

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)

| Reference code | Applicable on |
|----------------|-----------------|
| 40. | SODIUM METAL AR |

REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Not listed on the REACH Candidate List

SODIUM METAL AR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Not listed on the PIC list (Regulation EU 649/2012)

POP Regulation (Persistent Organic Pollutants)

Not listed on the POP list (Regulation EU 2019/1021)

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Council Regulation (EC) for the control of dual-use items

Not listed on the COUNCIL REGULATION (EC) of dual-use items.

Explosives Precursors Regulation (2019/1148)

Not listed on the Explosives Precursors list (EU)

Drug Precursors Regulation (273/2004)

Not listed on the Drug Precursors list (EU)

National regulations

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV; ID No. 772).

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed
SZW-lijst van mutagene stoffen : The substance is not listed
SZW-lijst van reprotoxische stoffen – Borstvoeding : The substance is not listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : The substance is not listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling : The substance is not listed

Denmark

Class for fire hazard : Class III-1
Store unit : 50 liter
Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

SODIUM METAL AR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Poland

Polish National Regulations

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).
Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).
The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).
Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).
Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).
Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).
The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488).
Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended).
Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).
ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

| | |
|---------|---|
| ACGIH | American Conference of Government Industrial Hygienists |
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| CAS-No. | Chemical Abstract Service number |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| COD | Chemical oxygen demand (COD) |
| CSA | Chemical safety assessment |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC-No. | European Community number |
| EC50 | Median effective concentration |
| ED | Endocrine disruptor |

SODIUM METAL AR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: | |
|-----------------------------|--|
| EN | European Standard |
| EWC | European waste catalogue |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| Log Kow | Partition coefficient n-octanol/water (Log Kow) |
| Log Pow | Partition coefficient n-octanol/water (Log Pow) |
| MAK | maximum workplace concentration |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| N.O.S. | Not Otherwise Specified |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| OSHA | Occupational Safety & Health Administration |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| PPE | Personal protection equipment |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| TF | Technical function |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| TWA | Time Weighted Average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and Very Bioaccumulative |
| UFI | Unique Formula Identifier |

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Water-react. 1 | Substances and Mixtures which, in contact with water, emit flammable gases, Category 1 |
| H260 | In contact with water releases flammable gases which may ignite spontaneously. |
| H314 | Causes severe skin burns and eye damage. |
| EUH014 | Reacts violently with water. |

Safety Data Sheet (SDS), EU

SODIUM METAL AR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.