

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	: Substance
Trade name	: SODIUM METHOXIDE EXTRA PURE
EC Index-No.	: 603-040-00-2
EC-No.	: 204-699-5
CAS-No.	: 124-41-4
Product code	: 05938
Type of product	: Organic compound
Formula	: NaOCH <sub>3</sub>
Chemical structure	: $\text{Na}^+ \text{ } ^-\text{O}-\text{CH}_3$
Synonyms	: Sodium methylate

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

#### 1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.  
107 Wode House Road, Jehangir Villa, Colaba  
400005 Mumbai  
INDIA  
T +91 22 6663 6663, F +91 22 6663 6699  
[info@lobachemie.com](mailto:info@lobachemie.com), [www.lobachemie.com](http://www.lobachemie.com)

#### 1.4. Emergency telephone number

Emergency number : + 91 22 6663 6663 (9:00am - 6:00 pm)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Self-Heating Substances and Mixtures, Category 1 H251

Skin corrosion/irritation, Category 1 H314

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Self-heating: may catch fire. Causes severe skin burns and eye damage.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS05

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H251 - Self-heating: may catch fire.

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.  
No smoking.

# SODIUM METHOXIDE EXTRA PURE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

- P235 - Keep cool.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection.  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

EUH-statements

- : EUH014 - Reacts violently with water.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Substance type : Mono-constituent

Name	Product identifier	%
SODIUM METHOXIDE	CAS-No.: 124-41-4 EC-No.: 204-699-5 EC Index-No.: 603-040-00-2	100

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures general : Call a physician immediately.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
- First-aid measures after skin contact : Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor. Call a physician immediately.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Call a physician immediately.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Do not induce vomiting. Call a physician immediately.
- Self protection of the first-aider : First-aiders should pay attention to their own protection and use the recommended personal protective equipment (see section 8).

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : Causes severe skin burns and eye damage.
- Symptoms/effects after inhalation : None under normal conditions. Dust of the product, if present, may cause respiratory irritation after excessive inhalation exposure.
- Symptoms/effects after skin contact : Burns.
- Symptoms/effects after eye contact : Serious damage to eyes.
- Symptoms/effects after ingestion : Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>). Water spray. Dry powder. Foam.
- Unsuitable extinguishing media : Do not use extinguishing media containing water.

# SODIUM METHOXIDE EXTRA PURE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Self-heating: may catch fire.
- Explosion hazard : May form flammable/explosive vapour-air mixture.
- Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

- Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

#### For non-emergency personnel

- Protective equipment : Wear recommended personal protective equipment.
- Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Stop release. Evacuate unnecessary personnel.

### 6.2. Environmental precautions

Avoid release to the environment. Do not allow water (or moist air) contact with this material.

### 6.3. Methods and material for containment and cleaning up

- For containment : Using a clean shovel, put the material in a dry container and cover without compressing it.
- Methods for cleaning up : Mechanically recover the product. Clear up rapidly by scoop or vacuum. Notify authorities if product enters sewers or public waters.
- Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.
- Precautions for safe handling : Ensure good ventilation of the work station. No open flames. No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. Avoid contact with skin and eyes. Protect from moisture.
- Hygiene measures : Wash hands, forearms and face thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Comply with applicable regulations. Maintain air gap between stacks/pallets.

# SODIUM METHOXIDE EXTRA PURE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Storage conditions	: Heat sources. Direct sunlight. Keep in fireproof place. Store in dry protected location to prevent any moisture contact. Store away from other materials. Keep cool. Protect from sunlight. Store locked up. Protect from moisture. Store in a dry place. Store in a closed container.
Storage temperature	: 2 – 8 °C
Packaging materials	: Store always product in container of same material as original container.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

#### Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protection equipment

##### Personal protective equipment:

Wear recommended personal protective equipment.

##### Personal protective equipment symbol(s):



#### Eye and face protection

##### Eye protection:

Chemical goggles or face shield

#### Skin protection

##### Skin and body protection:

Wear a mask

##### Hand protection:

Protective gloves

#### Respiratory protection

##### Respiratory protection:

Wear appropriate mask

#### Environmental exposure controls

##### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: White.
Appearance	: Powder.
Molecular mass	: 54.02 g/mol
Odour	: Odourless.
Odour threshold	: Not available
Melting point	: 127 °C

# SODIUM METHOXIDE EXTRA PURE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Freezing point	: Not applicable
Boiling point	: 350 °C (Decomposition)
Flammability	: Flammable solid.
Lower explosion limit	: 7.3 vol %
Upper explosion limit	: 36 vol %
Flash point	: 33 °C
Auto-ignition temperature	: 240 °C
Decomposition temperature	: > 126 °C
pH	: 13 at 20 °C
pH solution	: 5 g/L
Viscosity, kinematic	: Not applicable
Solubility	: Water: Reacts with water Ethanol: Soluble in Ethanol
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 67 hPa at 20 °C
Vapour pressure at 50°C	: Not available
Density	: 0.97 g/cm <sup>3</sup>
Relative density	: Not available
Relative vapour density at 20°C	: 1.87 (Air = 1.0)
Particle size	: Not available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Thermal decomposition generates : Corrosive vapours. Reacts violently with water. Self-heating: may catch fire.

### 10.2. Chemical stability

Flammable solid. May form flammable/explosive vapour-air mixture.

### 10.3. Possibility of hazardous reactions

Highly reactive material. Reacts violently with water.

### 10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks. Moisture. Water, humidity.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

May release flammable gases. Thermal decomposition generates : Corrosive vapours.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes severe skin burns. pH: 13 at 20 °C
Serious eye damage/irritation	: Assumed to cause serious eye damage pH: 13 at 20 °C
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified

# SODIUM METHOXIDE EXTRA PURE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

### SODIUM METHOXIDE EXTRA PURE (124-41-4)

Viscosity, kinematic	Not applicable
----------------------	----------------

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

### 12.2. Persistence and degradability

### SODIUM METHOXIDE EXTRA PURE (124-41-4)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Disposal must be done according to official regulations.
Additional information	: Handle empty containers with care because residual vapours are flammable. Do not allow water (or moist air) contact with this material. Do not re-use empty containers.

# SODIUM METHOXIDE EXTRA PURE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

#### 14.1. UN number or ID number

UN-No. (ADR)	: UN 1431
UN-No. (IMDG)	: UN 1431
UN-No. (IATA)	: UN 1431
UN-No. (ADN)	: UN 1431
UN-No. (RID)	: UN 1431

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: SODIUM METHYLATE
Proper Shipping Name (IMDG)	: SODIUM METHYLATE
Proper Shipping Name (IATA)	: Sodium methylate
Proper Shipping Name (ADN)	: SODIUM METHYLATE
Proper Shipping Name (RID)	: SODIUM METHYLATE
Transport document description (ADR) (ADR)	: UN 1431 SODIUM METHYLATE, 4.2 (8), II, (D/E)
Transport document description (IMDG)	: UN 1431 SODIUM METHYLATE, 4.2 (8), II
Transport document description (IATA)	: UN 1431 Sodium methylate, 4.2 (8), II
Transport document description (ADN)	: UN 1431 SODIUM METHYLATE, 4.2 (8), II
Transport document description (RID)	: UN 1431 SODIUM METHYLATE, 4.2 (8), II

#### 14.3. Transport hazard class(es)

##### ADR

Transport hazard class(es) (ADR)	: 4.2 (8)
Danger labels (ADR)	: 4.2, 8



##### IMDG

Transport hazard class(es) (IMDG)	: 4.2 (8)
Danger labels (IMDG)	: 4.2, 8



##### IATA

Transport hazard class(es) (IATA)	: 4.2 (8)
Danger labels (IATA)	: 4.2, 8



##### ADN

Transport hazard class(es) (ADN)	: 4.2 (8)
Danger labels (ADN)	: 4.2, 8



##### RID

Transport hazard class(es) (RID)	: 4.2 (8)
----------------------------------	-----------

# SODIUM METHOXIDE EXTRA PURE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Danger labels (RID) : 4.2, 8



### 14.4. Packing group

Packing group (ADR) : II  
Packing group (IMDG) : II  
Packing group (IATA) : II  
Packing group (ADN) : II  
Packing group (RID) : II


### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-L  
Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : SC4  
Limited quantities (ADR) : 0  
Excepted quantities (ADR) : E2  
Packing instructions (ADR) : P410, IBC05  
Mixed packing provisions (ADR) : MP14  
Portable tank and bulk container instructions (ADR) : T3  
Portable tank and bulk container special provisions (ADR) : TP33  
Tank code (ADR) : SGAN  
Vehicle for tank carriage : AT  
Transport category (ADR) : 2  
Special provisions for carriage - Packages (ADR) : V1  
Hazard identification number (Kemler No.) : 48  
Orange plates :



Tunnel restriction code (ADR) : D/E  
EAC code : 1W

#### Transport by sea

Limited quantities (IMDG) : 0  
Excepted quantities (IMDG) : E2  
Packing instructions (IMDG) : P410  
Special packing provisions (IMDG) : PP31  
IBC packing instructions (IMDG) : IBC05  
IBC special provisions (IMDG) : B21  
Tank instructions (IMDG) : T3  
Tank special provisions (IMDG) : TP33  
Stowage category (IMDG) : B  
Segregation (IMDG) : SGG18, SG35  
Properties and observations (IMDG) : White, amorphous, free-flowing, hygroscopic powder. Decomposed by water to form methanol, a flammable liquid, which may be ignited by the heat of the reaction. Causes burns to skin, eyes and mucous membranes.  
MFAG-No : 138

#### Air transport

PCA Excepted quantities (IATA) : E2

# SODIUM METHOXIDE EXTRA PURE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: 466
PCA max net quantity (IATA)	: 15kg
CAO packing instructions (IATA)	: 470
CAO max net quantity (IATA)	: 50kg
ERG code (IATA)	: 4C

### Inland waterway transport

Classification code (ADN)	: SC4
Limited quantities (ADN)	: 0
Excepted quantities (ADN)	: E2
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

### Rail transport

Classification code (RID)	: SC4
Limited quantities (RID)	: 0
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P410, IBC05
Mixed packing provisions (RID)	: MP14
Portable tank and bulk container instructions (RID)	: T3
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAN
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W1
Colis express (express parcels) (RID)	: CE10
Hazard identification number (RID)	: 48

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

##### REACH Annex XVII (Restriction List)

Not listed on REACH Annex XVII

##### REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Not listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Not listed on the PIC list (Regulation EU 649/2012)

##### POP Regulation (Persistent Organic Pollutants)

Not listed on the POP list (Regulation EU 2019/1021)

##### Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

##### Council Regulation (EC) for the control of dual-use items

Not listed on the COUNCIL REGULATION (EC) of dual-use items.

##### Explosives Precursors Regulation (EU 2019/1148)

Not listed on the Explosives Precursors list (EU)

# SODIUM METHOXIDE EXTRA PURE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Drug Precursors Regulation (EC 273/2004)

Not listed on the Drug Precursors list (EU)

### National regulations

#### Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV; ID No. 1155).

#### Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : The substance is not listed

SZW-lijst van reprotoxische stoffen –

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : The substance is not listed

#### Denmark

Class for fire hazard : Class II-1

Store unit : 5 liter

Classification remarks : R10 <H251;H314>; Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

#### Poland

Polish National Regulations : Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).  
Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).  
The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).  
Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).  
Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).  
Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).  
The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)  
Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended).  
Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).  
ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Abbreviations and acronyms:

ACGIH	American Conference of Government Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

# SODIUM METHOXIDE EXTRA PURE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
OSHA	Occupational Safety & Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
PPE	Personal protection equipment
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TF	Technical function

# SODIUM METHOXIDE EXTRA PURE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Abbreviations and acronyms:

ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	Unique Formula Identifier

### Full text of H- and EUH-statements:

Self-heat. 1	Self-Heating Substances and Mixtures, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
H251	Self-heating: may catch fire.
H314	Causes severe skin burns and eye damage.
EUH014	Reacts violently with water.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.