

SODIUM tert-BUTOXIDE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□ □□ REACH □□ (EC) 1907/2006 □□ □□


SDS Reference Number: 05806

□□ □□□□: 4/9/2014 □□ □□□□: 11/27/2025 □□ □□: 4/9/2015 □□: 1.0

□□ 1: □□□□□ □□□ □□ □□

1.1. □□□□

□□ □□ : □□
 □□ □□ : SODIUM tert-BUTOXIDE EXTRA PURE
 EC □□ : 212-741-9
 CAS □□ : 865-48-5
 □□ □□ : 05806
 □□ □□ : Organic compound
 □□ □□ : C4H9NaO
 □□ □□ :



□□ □□ : Sodium-2-methyl propan-2-olate, Sodium t-butoxide, Sodium t-butanolate, Sodium t-butylate

1.2. □□□□ □□ □□□□ □□ □□ □□ □□

□□ □□ □□ : Laboratory chemicals, Manufacture of substances

1.3. □□□□□□□□ □□□ □□

LOBA CHEMIE PVT.LTD.
 107 Wode House Road, Jehangir Villa, Colaba
 400005 Mumbai
 INDIA
 T +91 22 6663 6663, F +91 22 6663 6699
info@lobachemie.com, www.lobachemie.com

1.4. □□□□□□

□□ □□ □□ : + 91 22 6663 6663 (9:00am - 6:00 pm)

□□ 2: □□□·□□□

2.1. □□□·□□□ □□

Regulation (EC) No.1272/2008 [CLP] □□ □□ □□

□□□□□ □□ □□□, □□ 1 H251
 □□ □□□/□□ □□□, □□ 1 H314
 H-□□ □□ EUH-□□ □□: □□ 16 □□

□□□□□, □□ □□ □□□□□□□□
 □□□□□; □□□ □□□ □□□. □□□ □□ □□□ □□□ □□□□□.

2.2. □□□□□□□ □□□ □□□□ □□

□□ (EC) No. 1272/2008 □□ □□ □□ □□ [CLP]

□□ □□ □□□□ (CLP)



GHS02 GHS05

□□□ (CLP) : □□

SODIUM tert-BUTOXIDE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□ REACH □□ (EC) 1907/2006 □□ □□

□□·□□ □□ (CLP) : H251 - □□□□□; □□□ □□□ □ □□.
H314 - □□□ □□ □□□ □ □□□ □□□.
□□ □□ □□(CLP) : P235 - □□□□ □□□□□.
P280 - □□□□, □□□, □□□, □□□□□ □(□) □□□□□.
P303+P361+P353 - □□(□□ □□□□)□ □□□ □□□ □□ □□□ □□ □□□□. □□□ □□ □□□□. □□□
P305+P351+P338 - □□ □□□□: □ □□ □□ □□□□ □□□□. □□□□ □□□ □□□□□□. □□ □□
□□□.

2.3. □□ □□

□□ □□

□□ 3: □□□□□ □□ □ □□□

3.1. □□□□

□□ □□ : □□□□□□

□□	□□□□	%
SODIUM tert-BUTOXIDE	CAS □□: 865-48-5 EC □□: 212-741-9	100

□□ 4: □□□□□□

4.1. □□□□ □□

□□ □□ □□ : Call a physician immediately.
□□□□ □ : □□□ □□□ □□ □□□ □□□□ □□ □□□ □□□□□□. □□□ □□□ □□ □□□ □□□ □□□
□ □□ □□□ □□□□□. □□ □□□□/□□□ □□□ □□□□. □□□□ □□□ □□ □□□ □□□
□□ □□□□(□□)□ □□□ □□□□□.
□□□ □□□□ □ : □□□ □□ □□□ □□ □□□□. □□□ □□ □□□□[□□ □□□□□]. □□ □□□□/□□□ □□□ □□□□.
Call a physician immediately.
□□ □□□□ □ : □ □□ □□ □□□□ □□□□. □□□□ □□□□□□ □□□□□□. □□ □□□□. □□ □□□□/□□□ □□□
□□□□. Call a physician immediately.
□□□ □ : □□ □□□□□. □□□ □□ □□□. □□ □□□□/□□□ □□□ □□□□. Do not induce vomiting. Call a
physician immediately.
Self protection of the first-aider : □□□□□□ □□□ □□□□ □□□□, □□□□ □□□□□□ □□□□□□□(□□ 8 □□).

4.2. □□ □ □□□ □□ □□□ □□ □ □□

□□/□□ : □□□ □□ □□□ □□ □□□ □□□.
□□ □ □□/□□ : □□□ □□□ □□□ □ □□.
□□ □□ □ □□/□□ : Burns.
□ □□ □ □□/□□ : Serious damage to eyes.
□□ □ □□/□□ : Burns.

4.3. □□□□ □□ □ □□ □□ □□ □□ □□

Treat symptomatically.

□□ 5: □□·□□□ □□□□

5.1. □□□ □□□

□□□ □□□ : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Water spray. Dry powder.
Foam.
□□□□ □□□ : Do not use extinguishing media containing water.

SODIUM tert-BUTOXIDE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

5.2. □□□□□□ □□ □□ □□□

- □□ : □□□ □□. □□□□□; □□□ □□□ □ □□.
- □□ : May form flammable/explosive vapour-air mixture.
- □ □□□ □□□ □□ : Toxic fumes may be released.

5.3. □□□□ □□□□ □ □□□□

- □□ : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
- □□ □ □□ : Do not attempt to take action without suitable protective equipment. □□□ □□□□□. Complete protective clothing.

□□ 6: □□□□□ □□□□□

6.1. □□□ □□□□ □□ □□□ □□□□ □ □□□

- □□ : □□□□ □□□□□. Use special care to avoid static electric charges. No open flames. No smoking. □□ □□ □□ □□□□□ □□□ □□ □□□ □□. □□□□□ □□□□ □□ □□□□ □□□□□□.
- □□ □□ : Wear recommended personal protective equipment.
- □□ : Ventilate spillage area. Evacuate unnecessary personnel. □□, □□□□ □□ □□. □□. □□ □ □□□ □□ □□□□. □□/□/□□/□□□/□□/□□□□ □(□) □□□□ □□□.
- □□ □□ : Do not attempt to take action without suitable protective equipment. □□□ □□ □□□□ □□□□□. □□ □□□ □□□ □□ 8: "□□□□ □ □□□□□" □□□□□.
- □□ : Stop release. Evacuate unnecessary personnel.

6.2. □□□ □□□□ □□ □□□ □□□□

□□□□ □□□□ □□□. Do not allow water (or moist air) contact with this material.

6.3. □□ □□ □□ □□

- : Using a clean shovel, put the material in a dry container and cover without compressing it.
- □□ : Mechanically recover the product. Clear up rapidly by scoop or vacuum. □□□ □□□ □□ □□□□□ □□□ □□ □□□ □□.
- □□ □□□□ : Dispose of materials or solid residues at an authorized site.

6.4. □□ □□ □□

For further information refer to section 13.

□□ 7: □□ □ □□□□

7.1. □□□□□□

- □ □□□□□ □□ □□ : Handle empty containers with care because residual vapours are flammable.
- : No open flames. No smoking. □□/□/□□/□□□/□□/□□□□ □(□) □□□□ □□□□. □□ □□ □□□ □□ □□□□ □□□□□. □□ □□□□ □□□□□□. □□ □ □□□ □□□ □□□□.
- □□ : □□ □□□ □□ □□ □(□) □□□ □□□□□. □□ □□ □ □□□ □□□ □□□□□□. □ □□□ □□□ □□□ □□□, □□□□ □□□□ □□□. Always wash hands after handling the product.

7.2. □□□□ □□□ □□□ □□□ □□ □□

- □□ : Proper grounding procedures to avoid static electricity should be followed. □□□ □□□□□ □□□□ □. □□□ □□·□□·□□.□□□ □□□□□. Comply with applicable regulations. □□□ □□ □□□ □□□ □□□□□□.
- □□ : Heat sources. □□□□. Keep in fireproof place. □□□ □□□ □□□□□. Store in dry protected location to prevent any moisture contact. □□□□ □□□□□. □□□□ □□□□□□. □□□□□ □□□□□. □□□□ □□ □□□□□.
- : Store always product in container of same material as original container.

SODIUM tert-BUTOXIDE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

7.3. □□ □□ □□

□□ □□

8: □□□□ □□□□□□

8.1. □□ □□ □□

□□ □□

8.2. □□□□

□□□ □□□ □□

□□□ □□□ □□:

Ensure good ventilation of the work station.

□□ □□□

□□ □□□:

Wear recommended personal protective equipment.

□□ □□ □□ □□:



□ □ □ □ □□□

□ □□:

Chemical goggles or safety glasses

Skin protection

□□ □□:

Wear a mask

□ □□:

Protective gloves

□□□ □□

□□□ □□:

Wear appropriate mask

□□ □□ □□

□□ □□ □□:

□□□□ □□□□ □□□.

9: □□□□□ □□

9.1. □□□□ □□□□□ □□□ □□ □□

□□□ □□

: □□

□□

: White.

□□

: Crystalline powder or crystals.

□□□

: 96.1 g/mol

□□

: □□□□

□□ □□

: □□□□

□□□

: 180 °C

□□□

: □□□□

□□ □□□□ □□□ □□

: □□□□

□□□

: □□□ □□

□□ □□□

: 2.3 vol %

□□ □□□

: 8 vol %

□□□

: 14 °C

□□□□ □□

: 505 °C

SODIUM tert-BUTOXIDE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□□ REACH □□ (EC) 1907/2006 □□ □□

□□ □□	: 300 °C
pH	: □□□□
pH □□	: □□□□
□□(□□□)	: □□□□
□□□	: □: Reacts with water
Partition coefficient n-octanol/water (Log Kow)	: □□□□
□□□	: < 0.000001 hPa at 20 °C - OECD Test Guideline 104
50°C□□□□ □□□	: □□□□
□□	: 1.025 g/cm ³ at 20 °C
□□	: □□□□
20°C□□□□ □□ □□ □□	: □□□□
Particle size	: □□□□

9.2. □□□□□□□□

□□ □□

□□ 10: □□□□ □□□□

10.1. □□□

Thermal decomposition generates : Corrosive vapours. □□ □□ □□□□ □□. □□□□□; □□□□ □□□ □□.

10.2. □□□□□□

□□□ □□. May form flammable/explosive vapour-air mixture.

10.3. □□□□□□□□

Highly reactive material. □□ □□ □□□□ □□.

10.4. □□□□□□

Open flame. Overheating. □□□□. □. Sparks. Moisture.

10.5. □□□□□□

□□ □□

10.6. □□□□□□□□□□

May release flammable gases. Thermal decomposition generates : Corrosive vapours.

□□ 11: □□□□ □□ □□

11.1. □□ (EC) No 1272/2008 □□□□, □□□□ □□□□ □□ □□

□□ □□ (□□)	: □□□□ □□
□□ □□ (□□)	: □□□□ □□
□□ □□ (□□)	: □□□□ □□
□□ □□□ □□□□	: Causes severe skin burns.
□□ □□□ □□□□	: Assumed to cause serious eye damage
□□□□ □□□□	: □□□□ □□
□□□□ □□□□	: □□□□ □□
□□□□	: □□□□ □□
□□□□	: □□□□ □□
□□ □□□□ □□ (1□ □□)	: □□□□ □□
□□ □□□□ □□ (□□ □□)	: □□□□ □□
□□ □□□	: □□□□ □□

SODIUM tert-BUTOXIDE EXTRA PURE (865-48-5)

□□(□□□)

□□□□

SODIUM tert-BUTOXIDE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

11.2. □□ □□ □□

□□ □□

□□ 12: □□□ □□□ □□

12.1. □□

□□□ - □□ : Before neutralisation, the product may represent a danger to aquatic organisms.
□□ □□□□ □□□ : □□□□ □□
□□ □□□□ □□□ : □□□□ □□

12.2. □□□ □□□□

SODIUM tert-BUTOXIDE EXTRA PURE (865-48-5)

□□□ □□□□	□□ □□ □□
----------	----------

12.3. □□ □□□

□□ □□

12.4. □□ □□□

□□ □□

12.5. PBT □ vPvB □□ □□

□□ □□

12.6. □□□ □□ □□

□□ □□

12.7. □□ □□ □□

□□ □□

□□ 13: □□□ □□□□

13.1. □□□ □□□

□□ □□(□□□) : Disposal must be done according to official regulations.
□□□ □□□□ : Dispose of contents/container in accordance with licensed collector's sorting instructions.
□□ □□ □□ □□ : Disposal must be done according to official regulations.
□□/□□ □□ □□□□□ : □□, □□, □□ □/□□ □□ □□□ □□ □□□□ □□ □□ □□□□ □□□ □□□□□□.
□□ □□ : Disposal must be done according to official regulations.
□□ □□ : Handle empty containers with care because residual vapours are flammable. Do not allow water (or moist air) contact with this material. Do not re-use empty containers.

□□ 14: □□□ □□□ □□

ADR / IMDG / IATA / ADN / RID □□ □□

14.1. UN □□ □□ ID □□

UN-□□ (ADR) : UN 3206
UN-□□ (IMDG) : UN 3206
UN-□□ (IATA) : UN 3206
UN-□□ (ADN) : UN 3206
UN-□□ (RID) : UN 3206

14.2. UN □□ □□□

□□ □□□ (ADR) : □□□ □□ □□□□□□, □□ □□□ □ □□□, □□ □□□ □□□ □□ □

SODIUM tert-BUTOXIDE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□ □□□ (IMDG)	: ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S.
□□ □□□ (IATA)	: Alkali metal alcoholates, self-heating, corrosive, n.o.s.
□□ □□□ (ADN)	: □□□□ □□ □□□□□□, □□ □□□□ □□□□, □□ □□□□ □□□□ □□ □□
□□ □□□ (RID)	: □□□□ □□ □□□□□□, □□ □□□□ □□□□, □□ □□□□ □□□□ □□ □□
□□ □□ □□ (ADR) (ADR)	: UN 3206 □□□□ □□ □□□□□□, □□ □□□□ □□□□, □□ □□□□ □□□□ □□ □□ (SODIUM tert-BUTOXIDE), 4.2 (8), II, (D/E)
Transport document description (IMDG)	: UN 3206 ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S. (SODIUM tert-BUTOXIDE), 4.2 (8), II
Transport document description (IATA)	: UN 3206 Alkali metal alcoholates, self-heating, corrosive, n.o.s. (SODIUM tert-BUTOXIDE), 4.2 (8), II
Transport document description (ADN)	: UN 3206 □□□□ □□ □□□□□□, □□ □□□□ □□□□, □□ □□□□ □□□□ □□ □□, 4.2 (8), II
Transport document description (RID)	: UN 3206 □□□□ □□ □□□□□□, □□ □□□□ □□□□, □□ □□□□ □□□□ □□ □□, 4.2 (8), II

14.3. □□□□□ □□□□ □□

ADR

□□□□□ □□□ □□ (ADR) : 4.2 (8)
□□ □□ (ADR) : 4.2, 8



IMDG

□□□□□ □□□ □□ (IMDG) : 4.2 (8)
□□ □□ (IMDG) : 4.2, 8



IATA

□□□□□ □□□ □□ (IATA) : 4.2 (8)
□□ □□ (IATA) : 4.2, 8



ADN

□□□□□ □□□ □□ (ADN) : 4.2 (8)
□□ □□ (ADN) : 4.2, 8



RID

□□□□□ □□□ □□ (RID) : 4.2 (8)
□□ □□ (RID) : 4.2, 8



14.4. □□□□

□□ □□ (ADR) : II
□□ □□ (IMDG) : II
□□ □□ (IATA) : II

SODIUM tert-BUTOXIDE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□ □□(ADN) : II
 □□ □□(RID) : II

14.5. □□ □□□

□□□ □□ : □□□
 □□□□□□ : □□□
 EmS-No. (□□) : F-A
 EmS-No. (□□) : S-J
 □□ □□□□ : □□ □□ □□ □□

14.6. □□□□ □□ □□ □□□□

□□ □□ :
 □□ □□ (ADR) : SC4
 □□ □□(ADR) : 182, 274
 □□□(ADR) : 0
 □□□(ADR) : E2
 □□ □□(ADR) : P410, IBC05
 □□ □□ □□ □□ □□(ADR) : MP14
 □□□ □□ □□ □□□□ □□ (ADR) : T3
 □□□ □□ □□ □□□□ □□ □□ (ADR) : TP33
 □□ □□(ADR) : SGAN
 □□ □□□ □□ : AT
 □□ □□(ADR) : 2
 □□ □□ □□ □□ - □□(ADR) : V1
 □□ □□ □□(Kemler □□) : 48
 Orange plates (□□□□□□) :



□□ □□ □□ (ADR) : D/E
 EAC □□ : 1W

□□ □□ :
 □□ □□ (IMDG) : 182, 274
 □□ □□(IMDG) : 0
 □□□(IMDG) : E2
 □□ □□ (IMDG) : P410
 □□ □□ (IMDG) : PP31
 IBC □□ □□(IMDG) : IBC05
 IBC □□ □□ (IMDG) : B21
 □□ □□ (IMDG) : T3
 □□ □□ □□ (IMDG) : TP33
 □□ □□ (IMDG) : B
 □□(IMDG) : SGG18, SG35
 □□□ □□□□ (IMDG) : Free-flowing hygroscopic powder. Cause burns to skin, eyes and mucous membranes.
 MFAG-□□ : 136

□□ □□ :
 PCA □□ □□(IATA) : E2
 PCA □□ □□(IATA) : Forbidden
 PCA □□ □□ □□ □□□(IATA) : Forbidden
 PCA □□ □□(IATA) : 466
 PCA □□ □□□(IATA) : 15kg
 CAO □□ □□(IATA) : 470
 CAO □□ □□□(IATA) : 50kg
 □□ □□(IATA) : A3, A84, A803
 ERG □□(IATA) : 4C

□□ □□ □□ :
 □□ □□(ADN) : SC4
 □□ □□(ADN) : 182, 274
 □□□(ADN) : 0

SODIUM tert-BUTOXIDE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□□(ADN) : E2
□□ □□(ADN) : PP, EP
□□ □□/□□□ □□(ADN) : 0

□□ □□
□□ □□(RID) : SC4
□□ □□(RID) : 182, 274
□□ □□(RID) : 0
□□□(RID) : E2
□□ □□ (RID) : P410, IBC05
□□ □□ □□ □□ □□(RID) : MP14
□□□ □□ □□ □□□□ □□ (RID) : T3
□□□ □□ □□ □□□□ □□ □□ (RID) : TP33
RID □□□ □□ □□(RID) : SGAN
□□ □□(RID) : 2
□□ □□ □□ □□ - □□(RID) : W1
□□ □□□ : CE10
□□□ □□ □□ (RID) : 48

14.7. □□□□□□(IMO) □□ □□ □□ □□

□□□□

□□ 15: □□ □□□□

15.1. □□, □□ □□□□ □□□□ □□□□ □□ □□ □□/□□

EU □□

REACH □□□ XVII (□□ □□)

REACH □□□ XVII □□□□ □□

REACH □□□ XIV (□□ □□)

REACH □□□ XIV (□□ □□) □□□□ □□

REACH □□ □□ □□ (SVHC)

REACH □□ □□ □□□□ □□

PIC □□ (□□□□□□)

PIC □□□ □□□□ □□ (□□ EU 649/2012)

POP □□ (□□□□ □□□□)

POP □□□ □□□□ □□ (□□ EU 2019/1021)

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

□□□□ □□(428/2009)

Not listed on the COUNCIL REGULATION (EC) of dual-use items.

□□ □□□□ □□ (2019/1148)

Not listed on the Explosives Precursors list (EU)

□□ □□□□ □□ (273/2004)

Not listed on the Drug Precursors list (EU)

□□ □□

□□

WGK : WGK 1, □□ □□ □□ □□ (Classification according to AwSV; ID □□ 9028).

□□□□

SZW-lijst van kankerverwekkende stoffen : □□□ □□□□ □□□□□.

SZW-lijst van mutagene stoffen : □□□ □□□□ □□□□□.

SODIUM tert-BUTOXIDE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

SZW-lijst van reprotoxische stoffen – Borstvoeding : □□□ □□□□ □□□□□.
 SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : □□□ □□□□ □□□□□.
 SZW-lijst van reprotoxische stoffen – Ontwikkeling : □□□ □□□□ □□□□□.

□□□

Class for fire hazard : □□ I-1
 Store unit : 1 liter
 □□ □□ □□ □□ : F <□□□□□□ 1>; □□□□ □□ □□□ □□ □□ □□□□ □□□□ □□□□
 □□□□ □□ □□ : 18□ □□ □□□□ □□ □□□ □□□□□□

□□□

□□□□ □□ □□ : Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).
 Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).
 The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).
 Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).
 Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).
 Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).
 The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)
 Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended).
 Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).
 ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

15.2. □□ □□ □□□□ □□

No chemical safety assessment has been carried out

□□ 16: □ □□ □□□□□

□□ □ □□□□□:	
ACGIH	American Conference of Government Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	□□ □□ □
BOD	Biochemical oxygen demand (BOD)
CAS □□	□□□□ □□ □□ □□(CAS)
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	□□□□ □□ □□□□
CSA	□□ □□ □□□□ □□
DMEL	Derived Minimal Effect level

SODIUM tert-BUTOXIDE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□ □ □□□□:	
DNEL	□□ □□□ □□
EC □□	□□ □□□ □□
EC50	Median effective concentration
ED	□□□ □□□□
EN	□□ □□
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	□□□ □□ □□
OSHA	Occupational Safety & Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	□□ □□□ □□
PPE	□□ □□□
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	□□□□□□□□
STP	Sewage treatment plant
TF	□□□ □□
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
COV	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	□□ □□ □□□

H-□□ □ EUH-□□ □□:	
□□□□□ 1	□□□□□ □□ □ □□□, □□ 1
□□ □□□ 1	□□ □□□/□□ □□□, □□ 1

SODIUM tert-BUTOXIDE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

H-□□ □ EUH-□□ □□:	
H251	□□□□□; □□□ □□□ □ □□.
H314	□□□ □□ □□□ □ □□□ □□□.

□□□□□□□(SDS), EU

□ □□□ □□ □□□ □□□ □□ □□□ □□□ □□, □□ □ □□ □□□ □□□ □□□ □□ □□□□. □□□□ □□□ □□□ □□□ □□□ □□ □□□ □ □□□.