

**SULPHURIC ACID 0.25M (0.5N)
STANDARDIZED SOLUTION TRACEABLE TO
NIST MSDS**

CAS-No.: MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
:
Product code : R480C

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.
107 Wode House Road, Jehangir Villa, Colaba
400005 Mumbai - INDIA
T +91 22 6663 6663 - F +91 22 6663 6699
info@lobachemie.com - www.lobachemie.com

1.4. Emergency telephone number

Emergency number : + 91 22 6663 6663 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Directive 67/548/EEC or 1999/45/EC

No labelling applicable

SULPHURIC ACID 0.25M (0.5N) STANDARDIZED SOLUTION traceable to NIST

Safety Data Sheet

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Directive 67/548/EEC | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|----------------|--|---------|--|---|
| Water | (CAS-No.) 7732-18-5 (EC-No.) 231-791-2 | 75 - 99 | Not classified | Not classified |
| Sulphuric acid | (CAS-No.) 7664-93-9 (EC-No.) 231-639-5 (EC Index-No.) 016-020-00-8 | 1 - 5 | C; R35 | Skin Corr. 1A, H314 Eye Dam. 1, H318 |

Full text of R- and H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂).
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SULPHURIC ACID 0.25M (0.5N) STANDARDIZED SOLUTION traceable to NIST

Safety Data Sheet

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean contaminated surfaces with an excess of water.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Clear colourless.

Odour : No data available

SULPHURIC ACID 0.25M (0.5N) STANDARDIZED SOLUTION traceable to NIST

Safety Data Sheet

| | |
|--|---------------------|
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : No data available |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SULPHURIC ACID 0.25M (0.5N) STANDARDIZED SOLUTION traceable to NIST

Safety Data Sheet

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|---------------------------|------------------|
| Acute toxicity | : Not classified |
| Irritation | : Not classified |
| Corrosivity | : Not classified |
| Sensitisation | : Not classified |
| Repeated dose toxicity | : Not classified |
| Carcinogenicity | : Not classified |
| Mutagenicity | : Not classified |
| Toxicity for reproduction | : Not classified |

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 3264

SULPHURIC ACID 0.25M (0.5N) STANDARDIZED SOLUTION traceable to NIST

Safety Data Sheet

| | |
|---------------|--------|
| UN-No. (IMDG) | : 3264 |
| UN-No. (IATA) | : 3264 |
| UN-No. (ADN) | : 3264 |
| UN-No. (RID) | : 3264 |

14.2. UN proper shipping name

| | |
|---------------------------------------|--|
| Proper Shipping Name (ADR) | : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. |
| Proper Shipping Name (IMDG) | : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. |
| Proper Shipping Name (IATA) | : Corrosive liquid, acidic, inorganic, n.o.s. |
| Proper Shipping Name (ADN) | : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. |
| Proper Shipping Name (RID) | : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. |
| Transport document description (ADR) | : UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III, (E) |
| Transport document description (IMDG) | : UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III |
| Transport document description (IATA) | : UN 3264 Corrosive liquid, acidic, inorganic, n.o.s., 8, III |
| Transport document description (ADN) | : UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III |
| Transport document description (RID) | : UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III |

14.3. Transport hazard class(es)

ADR

| | |
|----------------------------------|-----|
| Transport hazard class(es) (ADR) | : 8 |
| Danger labels (ADR) | : 8 |



IMDG

| | |
|-----------------------------------|-----|
| Transport hazard class(es) (IMDG) | : 8 |
| Danger labels (IMDG) | : 8 |



IATA

| | |
|-----------------------------------|-----|
| Transport hazard class(es) (IATA) | : 8 |
| Hazard labels (IATA) | : 8 |



ADN

| | |
|----------------------------------|-----|
| Transport hazard class(es) (ADN) | : 8 |
| Danger labels (ADN) | : 8 |

SULPHURIC ACID 0.25M (0.5N) STANDARDIZED SOLUTION traceable to NIST


Safety Data Sheet



RID

Transport hazard class(es) (RID) : 8

Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C1

Special provisions (ADR) : 274

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions (ADR) : TP1, TP28

Tank code (ADR) : L4BN


Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V12

Hazard identification number (Kemler No.) : 80

Orange plates :



Tunnel restriction code (ADR) : E

EAC code : 2X

APP code : B

SULPHURIC ACID 0.25M (0.5N) STANDARDIZED SOLUTION traceable to NIST

Safety Data Sheet

- Transport by sea

| | |
|------------------------------------|--|
| Special provisions (IMDG) | : 223, 274 |
| Packing instructions (IMDG) | : P001, LP01 |
| IBC packing instructions (IMDG) | : IBC03 |
| Tank instructions (IMDG) | : T7 |
| Tank special provisions (IMDG) | : TP1, TP28 |
| EmS-No. (Fire) | : F-A |
| EmS-No. (Spillage) | : S-B |
| Stowage category (IMDG) | : A |
| Stowage and handling (IMDG) | : SW2 |
| Properties and observations (IMDG) | : Causes burns to skin, eyes and mucous membranes. |
| MFAG-No | : 154 |

- Air transport

| | |
|--|------------|
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y841 |
| PCA limited quantity max net quantity (IATA) | : 1L |
| PCA packing instructions (IATA) | : 852 |
| PCA max net quantity (IATA) | : 5L |
| CAO packing instructions (IATA) | : 856 |
| CAO max net quantity (IATA) | : 60L |
| Special provisions (IATA) | : A3, A803 |
| ERG code (IATA) | : 8L |

- Inland waterway transport

| | |
|-----------------------------------|----------|
| Classification code (ADN) | : C1 |
| Special provisions (ADN) | : 274 |
| Limited quantities (ADN) | : 5 L |
| Excepted quantities (ADN) | : E1 |
| Carriage permitted (ADN) | : T |
| Equipment required (ADN) | : PP, EP |
| Number of blue cones/lights (ADN) | : 0 |

- Rail transport

| | |
|---|---------------------------|
| Classification code (RID) | : C1 |
| Special provisions (RID) | : 274 |
| Excepted quantities (RID) | : E1 |
| Packing instructions (RID) | : P001, IBC03, LP01, R001 |
| Mixed packing provisions (RID) | : MP19 |
| Portable tank and bulk container instructions (RID) | : T7 |
| Portable tank and bulk container special provisions (RID) | : TP1, TP28 |
| Tank codes for RID tanks (RID) | : L4BN |
| Transport category (RID) | : 3 |
| Special provisions for carriage – Packages (RID) | : W12 |
| Colis express (express parcels) (RID) | : CE8 |
| Hazard identification number (RID) | : 80 |

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SULPHURIC ACID 0.25M (0.5N) STANDARDIZED SOLUTION traceable to NIST

Safety Data Sheet

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Sulphuric acid is listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

| | |
|---------------|---|
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1A |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| R35 | Causes severe burns |
| C | Corrosive |

SULPHURIC ACID 0.25M (0.5N) STANDARDIZED SOLUTION traceable to NIST

Safety Data Sheet

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product