

SULPHURIC ACID 25% AR

□□□□□□□□

□□ (EU) 2020/878 □□ □□ □□ REACH □□ (EC) 1907/2006 □□ □□

SDS Reference Number: 0290D

□□ □□ □□: 4/9/2014 □□ □□ □□: 7/29/2025 □□ □□: 4/15/2016 □□: 1.0

□□ 1: □□□□ □□ □□ □□ □□

1.1. □□□□

□□ □□ : □□□
 □□ □□ : SULPHURIC ACID 25% AR
 □□ □□ : 0290D
 □□ □□ : Acids
 □□ □□ : Hydrogen sulphate 25% Solution

1.2. □□□□ □□ □□□□ □□ □□ □□ □□

□□ □□ □□ : Laboratory chemicals, Manufacture of substances

1.3. □□□□□□□□ □□ □□ □□

LOBA CHEMIE PVT.LTD.
 107 Wode House Road, Jehangir Villa, Colaba
 400005 Mumbai
 INDIA
 T +91 22 6663 6663, F +91 22 6663 6699
info@lobachemie.com, www.lobachemie.com

1.4. □□□□□□

□□ □□ □□ : + 91 22 6663 6663 (9:00am - 6:00 pm)

□□ 2: □□□·□□□□

2.1. □□□·□□□□ □□

Regulation (EC) No.1272/2008 [CLP] □□ □□ □□

□□ □□□/□□ □□□, □□ 1 H314

□□(H) □□ □ EUH □□ □□: 16 □□ □□.

□□□□□, □□ □□ □ □□□□□□□

□□□□ □□ □□ □□ □□□□.

2.2. □□□□□□□ □□□ □□□□ □□

□□ (EC) No. 1272/2008 □□ □□ □□ [CLP]

□□ □□ □□□□(CLP)



GHS05

□□□ (CLP) : □□
 □□ : SULPHURIC ACID

□□·□□ □□ (CLP)

: H314 - □□□ □□ □□□ □ □□□ □□□.

□□ □□ □□(CLP)

: P280 - □□□□·□□□□·□□□□·□□□□□ □(□) □□□□□□.

P303+P361+P353 - □□(□□ □□□□)□ □□□ □□□ □□ □□□ □□□□□□□□. □□□□ □□ □□/□□□□□□□□.

P305+P351+P338 - □□ □□□ □ □□ □□□□ □□□□□□. □□□□□ □□□□□□ □□□□□□. □□ □□ □□.

P310 - □□ □□□□(□□)□ □□□ □□□□□□.

SULPHURIC ACID 25% AR

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

5.3. □□□□ □□□□ □□□□

- □□ : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
- □□ □□ □□ : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. □□□ □□□□□. Complete protective clothing.

□□ 6: □□□□□ □□□□

6.1. □□□ □□□□ □□ □□□ □□□□ □□□□ □□□□

- □□ : □□□□ □□□□ □□ □□□□ □□□ □□□□ □□□ □□□ □□. □□□ □□□ □□ □□□□ □□□ □□ □□□ □□. □□□ □□ □□□□ □□ □□□□□□.
- □□ □□ □□ □□ : Wear recommended personal protective equipment.
- □□ : Ventilate spillage area. Evacuate unnecessary personnel. □□ □ □□□ □□□ □□□□. □□/□/□□/□ □□/□□/□□□□ □(□) □□□□ □□□.
- □□ □□ □□ □□ : Do not attempt to take action without suitable protective equipment. □□□ □□ □□□□ □□□□□. □ □□□ □□□ □□ 8: "□□□□ □ □□□□□" □□□□□□.
- □□ : Ventilate area. Evacuate unnecessary personnel. □□□□ □□□□ □□ □□□□ □□□ □□□□.

6.2. □□□ □□□□ □□ □□□ □□□□

□□□□ □□□□ □□□.

6.3. □□ □□ □□ □□

- : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
- □□ : Take up liquid spill into absorbent material. On land, sweep or shovel into suitable containers. □□□ □□□□.
- □□ □□□□ : Dispose of materials or solid residues at an authorized site.

6.4. □□ □□ □□

For further information refer to section 13.

□□ 7: □□ □ □□□□

7.1. □□□□□□

- □ □□□□□ □□ □□ □□□□□□ : □□□□ □□ □□□□□ □□□ □□□□ □□.
- : Ensure good ventilation of the work station. Do not breathe vapours. □□ □ □□□ □□□ □□□□. Provide good ventilation in process area to prevent formation of vapour. □□/□/□□/□□□□/□□/□□□ □ □(□) □□□□ □□□. □□ □□□□ □□□□□□.
- □□ : □ □□□ □□□ □□□ □□□, □□□□ □□□□ □□□. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. □□ □□ □ □□□ □□□ □□□□□. Always wash hands after handling the product.

7.2. □□□□ □□□ □□□ □□□ □□ □□

- □□□ : Keep in a cool, well-ventilated place away from heat.
- □□ : □□□ □ □□ □□ □□□□□. □□□ □□□ □□□□□. □□□□□ □□ □□□□□.
- : Store always product in container of same material as original container.

7.3. □□ □□ □□

□□ □□

SULPHURIC ACID 25% AR

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□ 8: □□□□ □□□□□□

8.1. □□ □□ □□

□□ □□

8.2. □□□□

□□□ □□□ □□

□□□ □□□ □□:

Ensure good ventilation of the work station.

□□ □□□

□□ □□□:

Wear recommended personal protective equipment.

□□ □□ □□ □□:



□□ □□ □□□□

□□ □□:

Chemical goggles or face shield

Skin protection

□□ □□:

Wear a mask

□□ □□:

Protective gloves

□□□ □□□

□□□ □□□:

Wear appropriate mask

□□ □□ □□

□□ □□ □□:

□□□□ □□□□ □□□.

□□ 9: □□□□□ □□

9.1. □□□□ □□□□□ □□□ □□ □□

□□□ □□

: □□

□□

: Colourless.

□□

: Clear liquid.

□□

: Odourless.

□□ □□

: □□□□

□□□

: □□□□

□□□

: □□□□

□□ □□□□ □□□ □□

: ≈ 120 °C

□□□

: □□□

□□ □□□

: □□□□

□□ □□□

: □□□□

□□□

: □□□□

□□□□ □□

: □□□□

□□ □□

: □□□□

pH

: ≈ 1 at 20 °C

pH □□□ □□

: 0.5 %

□□(□□□)

: □□□□

□□□

: □: Miscible with water

SULPHURIC ACID 25% AR

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

Partition coefficient n-octanol/water (Log Kow) : □□□□
□□□□ : □□□□
50°C □□□□ □□□□ : □□□□
□□ : 1.18 g/cm³ at 20 °C
□□ : 1.259
20°C □□□□ □□ □□ □□ : 3.39 (Air = 1.0)
□□ □□ : □□□□

9.2. □□□□□□□□

□□ □□

□□ 10: □□□□ □□□□

10.1. □□□□

Thermal decomposition generates : Corrosive vapours.

10.2. □□□□ □□□□

Stable under normal conditions.

10.3. □□ □□□□ □□□□

No dangerous reactions known under normal conditions of use.

10.4. □□□□ □□□□

□□□□. □.

10.5. □□□□ □□□□

□□ □□

10.6. □□□□ □□□□ □□□□

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

□□ 11: □□□□ □□ □□

11.1. □□ (EC) No 1272/2008 □□□□, □□□□ □□□□ □□ □□

□□ □□ (□□) : □□□□ □□
□□ □□ (□□) : □□□□ □□
□□ □□ (□□) : □□□□ □□
□□ □□□□ □□ □□□□ : Causes severe skin burns.
pH: ≈ 1 at 20 °C
□□ □□ □□ □□ □□□□ : Assumed to cause serious eye damage
pH: ≈ 1 at 20 °C
□□□□ □□ □□ □□□□ : □□□□ □□
□□□□ □□□□ : □□□□ □□
□□□□ : □□□□ □□
□□□□ : □□□□ □□
□□ □□□□ □□ (1□ □□) : □□□□ □□
□□ □□□□ □□ (□□ □□) : □□□□ □□
□□ □□□□ : □□□□ □□

11.2. □□ □□ □□

□□ □□

SULPHURIC ACID 25% AR

□□□□□□□□

□□ (EU) 2020/878 □□ □□ □□ REACH □□ (EC) 1907/2006 □□ □□

□□ 12: □□□ □□□ □□

12.1. □□

□□□ - □□ : Before neutralisation, the product may represent a danger to aquatic organisms.
□□ □□□□ □□□ : □□□□ □□
□□ □□□□ □□□ : □□□□ □□

12.2. □□□ □□□□

SULPHURIC ACID 25% AR

□□□ □□□□	□□ □□ □□
----------	----------

SULPHURIC ACID (7664-93-9)

□□□ □□□□	□□ □□ □□
----------	----------

WATER (7732-18-5)

□□□ □□□□	□□ □□ □□
----------	----------

12.3. □□ □□□

□□ □□

12.4. □□ □□□

□□ □□

12.5. PBT □ vPvB □□ □□

□□ □□

12.6. □□□ □□ □□

□□ □□

12.7. □□ □□ □□

□□ □□

□□ 13: □□□ □□□□

13.1. □□□ □□□

□□ □□(□□□) : Disposal must be done according to official regulations.
□□□ □□□ : Dispose of contents/container in accordance with licensed collector's sorting instructions.
□□ □□ □□ □□ : Disposal must be done according to official regulations.
□□/□□ □□ □□□□ : □□, □□, □□ □/□□ □□ □□□ □□ □□□□ □□ □□ □□□□ □□□ □□□□□□.
□□ □□ : Disposal must be done according to official regulations.
□□ □□ : Do not re-use empty containers.

□□ 14: □□□ □□□ □□

ADR / IMDG / IATA / ADN / RID □□ □□

14.1. UN □□ □□ ID □□

UN-□□ (ADR) : UN 2796
UN-□□ (IMDG) : UN 2796
UN-□□ (IATA) : UN 2796
UN-□□ (ADN) : UN 2796
UN-□□ (RID) : UN 2796

SULPHURIC ACID 25% AR

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

14.2. UN □□ □□□

□□ □□□ (ADR)	: □□
□□ □□□ (IMDG)	: SULPHURIC ACID
□□ □□□ (IATA)	: Sulphuric acid
□□ □□□ (ADN)	: □□
□□ □□□ (RID)	: □□
□□ □□ □□ (ADR) (ADR)	: UN 2796 □□, 8, II, (E)
Transport document description (IMDG)	: UN 2796 SULPHURIC ACID, 8, II
Transport document description (IATA)	: UN 2796 Sulphuric acid, 8, II
Transport document description (ADN)	: UN 2796 □□, 8, II
Transport document description (RID)	: UN 2796 □□, 8, II

14.3. □□□□□ □□□ □□

ADR

□□□□□ □□□ □□ (ADR)	: 8
□□ □□ (ADR)	: 8



IMDG

□□□□□ □□□ □□ (IMDG)	: 8
□□ □□ (IMDG)	: 8



IATA

□□□□□ □□□ □□ (IATA)	: 8
□□ □□ (IATA)	: 8



ADN

□□□□□ □□□ □□ (ADN)	: 8
□□ □□ (ADN)	: 8



RID

□□□□□ □□□ □□ (RID)	: 8
□□ □□ (RID)	: 8



14.4. □□□□

□□ □□ (ADR)	: II
□□ □□ (IMDG)	: II
□□ □□ (IATA)	: II

SULPHURIC ACID 25% AR

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□ □□(ADN) : II
□□ □□(RID) : II

14.5. □□ □□□

□□□ □□ : □□□
□□□□□□ : □□□
EmS-No. (□□) : F-A
EmS-No. (□□) : S-B
□□ □□□□□ : □□ □□ □□ □□

14.6. □□□□ □□ □□ □□□□

□□ □□
□□ □□ (ADR) : C1
□□□(ADR) : I1
□□□(ADR) : E2
□□ □□(ADR) : P001, IBC02
□□ □□ □□ □□ □□(ADR) : MP15
□□□ □□ □□ □□ □□□□ □□ (ADR) : T8
□□□ □□ □□ □□ □□□□ □□ □□ (ADR) : TP2
□□ □□(ADR) : L4BN
□□ □□ □□(ADR) : TU42
□□ □□□□ □□ : AT
□□ □□(ADR) : 2
□□ □□ □□(Kemler □□) : 80
Orange plates (□□□□□□□□) :



□□ □□ □□ (ADR) : E
EAC □□ : 2R

□□ □□
□□ □□(IMDG) : 1 L
□□□(IMDG) : E2
□□ □□ (IMDG) : P001
IBC □□ □□(IMDG) : IBC02
IBC □□ □□ (IMDG) : B20
□□ □□ (IMDG) : T8
□□ □□ □□ (IMDG) : TP2
□□ □□ (IMDG) : B
□□(IMDG) : SGG1, SG36, SG49
□□□ □□□□ (IMDG) : Colourless liquid, mixture not exceeding 1.405 relative density. Highly corrosive to most metals.
Causes burns to skin, eyes and mucous membranes.
MFAG-□□ : 157

□□ □□
PCA □□ □□(IATA) : E2
PCA □□ □□(IATA) : Y840
PCA □□ □□ □□ □□□(IATA) : 0.5L
PCA □□ □□(IATA) : 851
PCA □□ □□□(IATA) : 1L
CAO □□ □□□(IATA) : 855
CAO □□ □□□(IATA) : 30L
ERG □□(IATA) : 8L

□□ □□ □□
□□ □□(ADN) : C1
□□□(ADN) : 1 L
□□□(ADN) : E2
□□□□(ADN) : T
□□ □□(ADN) : PP, EP
□□ □□/□□□□ □□(ADN) : 0

SULPHURIC ACID 25% AR

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□ □ □□□□:	
BCF	Bioconcentration factor
BLV	□□ □□ □
BOD	Biochemical oxygen demand (BOD)
CAS □□	□□□□ □□ □□ □□(CAS)
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	□□□ □□ □□□
CSA	□□ □□ □□□ □□
DMEL	Derived Minimal Effect level
DNEL	□□ □□□ □□
EC □□	□□ □□□ □□
EC50	Median effective concentration
ED	□□□ □□□□
EN	□□ □□
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	□□□ □□ □□
OSHA	Occupational Safety & Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	□□ □□□ □□
PPE	□□ □□□
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	□□□□□□□□
STP	Sewage treatment plant
TF	□□□ □□
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit

SULPHURIC ACID 25% AR

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□ □□□□□□:	
TWA	Time Weighted Average
COV	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	□□ □□ □□□

□H□ □ EUH□ □□:	
□ □□□ 1	□□ □ □□□/□ □□□, □□ 1
□□ □□□ 1A	□□ □□□/□□ □□□, □□ 1, □□□□ 1A
H314	□□□ □□ □□□ □ □□□ □□□.
H318	□□ □□ □□□ □□□.

□□□□□□□□(SDS), EU

□ □□□ □□ □□□ □□□ □□ □□□ □□ □□□ □□, □□ □ □□ □□□ □□□ □□ □□□□ □□ □□□□. □□□□ □□□ □□□ □□□□ □□□ □□ □□□□ □□□□.