

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 18-06-2021 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

1.1. Floudet identifier		
Product form Trade name Chemical name IUPAC name	 Substance CALCIUM FORMATE EXTRA PURE Calcium formate calcium diformate 	
EC-No. CAS-No. Product code	: 208-863-7 : 544-17-2 : 24671	
Formula Chemical structure	$\begin{array}{c} C_{2H2CaO4} \\ \vdots \\ H \\ H \\ O \\ C_{aO} \\ H \\ H \end{array}$	
Synonyms	: Calcium diformate	
1.2. Relevant identified uses of the substa	ance or mixture and uses advised against	
1.2.1. Relevant identified uses		
Industrial/Professional use spec Use of the substance/mixture	: Industrial : Laboratory chemicals	
1.2.2. Uses advised against		
No additional information available		
1.3. Details of the supplier of the safety da	ata sheet	
LOBA CHEMIE PVT.LTD. 107 Wode House Road, Jehangir Villa, Colaba 400005 Mumbai - INDIA T +91 22 6663 6663 - F +91 22 6663 6699 info@lobachemie.com - www.lobachemie.com		
1.4. Emergency telephone number		
Emergency number	: + 91 22 6663 6663 (9:00am - 6:00 pm)	
SECTION 2: Hazards identification		
2.1. Classification of the substance or mix	xture	
Classification according to Regulation (EC) No Serious eye damage/eye irritation, Category 1 Full text of H-statements: see section 16	H318	
Adverse physicochemical, human health and environmental effects Causes serious eye damage.		
2.2. Label elements		
Labelling according to Regulation (EC) No. 127 Hazard pictograms (CLP)	2/2008 [CLP]	
	GHS05	

Hazard statements (CLP)

Signal word (CLP)

: H318 - Causes serious eye damage.

: Danger

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	 P280 - Wear protective clothing, eye protection, face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a doctor.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type

: Mono-constituent

Name	Product identifier	%
CALCIUM FORMATE EXTRA PURE	CAS-No.: 544-17-2 EC-No.: 208-863-7	100

3.2. Mixtures

Not applicable

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.	
First-aid measures after skin contact	: Wash skin with plenty of water.	
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.	
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after eye contact	: Serious damage to eyes.	
4.3 Indication of any immediate medical attention and special treatment needed		

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam.	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with it	ts amendment Regulation (EU) 2015/830	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment a	nd cleaning up	
Methods for cleaning up Other information	Mechanically recover the product.Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		
For further information refer to section 13.		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear	
Hygiene measures	personal protective equipment.Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including a	ny incompatibilities	
Storage conditions	: Store in a well-ventilated place. Keep cool.	
7.3. Specific end use(s)		
No additional information available		
SECTION 8: Exposure controls/persona	I protection	
8.1. Control parameters		
8.1.1. National occupational exposure and biologi	cal limit values	
No additional information available		
8.1.2. Recommended monitoring procedures No additional information available		
8.1.3. Air contaminants formed		
No additional information available		
8.1.4. DNEL and PNEC		
CALCIUM FORMATE EXTRA PURE (544-17-	2)	
DNEL/DMEL (Workers)		
A such a such with affects a demonst	1790 malla haduusiaht/day	

Acute - systemic effects, dermal	4780 mg/kg bodyweight/day	
Acute - systemic effects, inhalation	337 mg/m³	
Acute - local effects, dermal	16.7 mg/cm ²	
Long-term - systemic effects, dermal	4780 mg/kg bodyweight/day	
Long-term - local effects, dermal	16.7 mg/cm ²	
Long-term - systemic effects, inhalation	337 mg/m³	
DNEL/DMEL (General population)		
Acute - systemic effects, dermal	2390 mg/kg bodyweight/day	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

CALCIUM FORMATE EXTRA PURE (544-17-2)		
Acute - systemic effects, inhalation	83.2 mg/m³	
Acute - local effects, dermal	8.3 mg/cm ²	
Long-term - systemic effects,oral	23.9 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	83.2 mg/m³	
Long-term - systemic effects, dermal	2390 mg/kg bodyweight/day	
Long-term - local effects, dermal	8.3 mg/cm ²	
PNEC (Water)		
PNEC aqua (freshwater)	2 mg/l	
PNEC aqua (marine water)	0.2 mg/l	
PNEC aqua (intermittent, freshwater)	10 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	13.4 mg/kg dwt	
PNEC sediment (marine water)	1.34 mg/kg dwt	
PNEC (Soil)		
PNEC soil	1.5 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	2.21 mg/l	

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance: White to off white crystalline.Molecular mass: 130.11 g/molColour: White to off white.Odour: No data availableOdour threshold: No data availableOdour threshold: No data availablePH: No data availableRelative evaporation rate (butylacetate=1): No data availableMelting point: > 300 °C (OECD Test Guideline 102)Freezing point: Not applicableBoiling point: Not applicableFlash point: No data availableFlash point: Vata availableFlash point: No data availableFlash point: No data availableFlash point: No data availableFlash point: No data availableFlash point: Vata availableFlash point: Vata availableFlash point: No data availableFlash point: No data availableFlash point: Vata availableFlash point: No data available<
Colour:White to off white.Colour:White to off white.Odour:No data availableOdour threshold:No data availablepH:No data availableRelative evaporation rate (butylacetate=1):No data availableMelting point:> 300 °C (OECD Test Guideline 102)Freezing point:Not applicableBoiling point:No data availableFlash point:Not applicableAuto-ignition temperature:292 at 1.013 hPaDecomposition temperature:No data availableFlammability (solid, gas):Non flammable.Vapour pressure:No data availableRelative density:2 Type: 'relative density' Temp.: 20 °CSolubility:Water: 172 g/l at 20°C (OECD Test Guideline 105)Partition coefficient n-octanol/water (Log Pow):<-2.6 at 20°C
Odour:No data availableOdour threshold:No data availablepH:No data availableRelative evaporation rate (butylacetate=1):No data availableMelting point:> 300 °C (OECD Test Guideline 102)Freezing point:No ta applicableBoiling point:No data availableFlash point:Not applicableAuto-ignition temperature:292 at 1.013 hPaDecomposition temperature:No data availableFlammability (solid, gas):Non flammable.Vapour pressure:No data availableRelative density:2 Type: 'relative density' Temp.: 20 °CSolubility:Water: 172 g/l at 20°C (OECD Test Guideline 105)Partition coefficient n-octanol/water (Log Pow):<-2.6 at 20°C
Odour threshold:No data availablepH:No data availableRelative evaporation rate (butylacetate=1):No data availableMelting point:> 300 °C (OECD Test Guideline 102)Freezing point:No data availableBoiling point:No data availableFlash point:No data availableAuto-ignition temperature:292 at 1.013 hPaDecomposition temperature:No data availableFlammability (solid, gas):No flammable.Vapour pressure:No data availableRelative vapour density at 20 °C:No data availableRelative density:2 Type: 'relative density' Temp.: 20 °CSolubility:Water: 172 g/l at 20°C (OECD Test Guideline 105)Partition coefficient n-octanol/water (Log Pow):<-2.6 at 20°C
pH:No data availableRelative evaporation rate (butylacetate=1):No data availableMelting point:> 300 °C (OECD Test Guideline 102)Freezing point:Not applicableBoiling point:No data availableFlash point:Not applicableAuto-ignition temperature:292 at 1.013 hPaDecomposition temperature:No data availableFlammability (solid, gas):Non flammable.Vapour pressure:No data availableRelative density:2 Type: 'relative density' Temp.: 20 °CSolubility:Water: 172 g/l at 20°C (OECD Test Guideline 105)Partition coefficient n-octanol/water (Log Pow):<-2.6 at 20°C
Relative evaporation rate (butylacetate=1): No data availableMelting point: > 300 °C (OECD Test Guideline 102)Freezing point: Not applicableBoiling point: No data availableFlash point: Not applicableAuto-ignition temperature: 292 at 1.013 hPaDecomposition temperature: No data availableFlammability (solid, gas): No data availableVapour pressure: No data availableRelative density: No data availableRelative density: 2 Type: 'relative density' Temp.: 20 °CSolubility: Water: 172 g/l at 20°C (OECD Test Guideline 105)Partition coefficient n-octanol/water (Log Pow): <-2.6 at 20°C
Melting point:> 300 °C (OECD Test Guideline 102)Freezing point:Not applicableBoiling point:Not data availableFlash point:Not applicableAuto-ignition temperature:292 at 1.013 hPaDecomposition temperature:No data availableFlammability (solid, gas):Non flammable.Vapour pressure:No data availableRelative vapour density at 20 °C:No data availableRelative density:2 Type: 'relative density' Temp.: 20 °CSolubility:Water: 172 g/l at 20°C (OECD Test Guideline 105)Partition coefficient n-octanol/water (Log Pow):<-2.6 at 20°C
Freezing point:Not applicableBoiling point:No data availableFlash point:Not applicableAuto-ignition temperature:292 at 1.013 hPaDecomposition temperature:No data availableFlammability (solid, gas):Non flammable.Vapour pressure:No data availableRelative vapour density at 20 °C:No data availableRelative density:2 Type: 'relative density' Temp.: 20 °CSolubility:Water: 172 g/l at 20°C (OECD Test Guideline 105)Partition coefficient n-octanol/water (Log Pow):<-2.6 at 20°C
Boiling point:No data availableFlash point:Not applicableAuto-ignition temperature:292 at 1.013 hPaDecomposition temperature:No data availableFlammability (solid, gas):Non flammable.Vapour pressure:No data availableRelative vapour density at 20 °C:No data availableRelative density:2 Type: 'relative density' Temp.: 20 °CSolubility:Water: 172 g/l at 20°C (OECD Test Guideline 105)Partition coefficient n-octanol/water (Log Pow):<-2.6 at 20°C
Flash point: Not applicableAuto-ignition temperature: 292 at 1.013 hPaDecomposition temperature: No data availableFlammability (solid, gas): Non flammable.Vapour pressure: No data availableRelative vapour density at 20 °C: No data availableRelative density: 2 Type: 'relative density' Temp.: 20 °CSolubility: Water: 172 g/l at 20°C (OECD Test Guideline 105)Partition coefficient n-octanol/water (Log Pow): < -2.6 at 20°C
Auto-ignition temperature:292 at 1.013 hPaDecomposition temperature:No data availableFlammability (solid, gas):Non flammable.Vapour pressure:No data availableRelative vapour density at 20 °C:No data availableRelative density:2 Type: 'relative density' Temp.: 20 °CSolubility:Water: 172 g/l at 20°C (OECD Test Guideline 105)Partition coefficient n-octanol/water (Log Pow):<-2.6 at 20°C
Decomposition temperature:No data availableFlammability (solid, gas):Non flammable.Vapour pressure:No data availableRelative vapour density at 20 °C:No data availableRelative density:2 Type: 'relative density' Temp.: 20 °CSolubility:Water: 172 g/l at 20°C (OECD Test Guideline 105)Partition coefficient n-octanol/water (Log Pow):<-2.6 at 20°C
Flammability (solid, gas):Non flammable.Vapour pressure:No data availableRelative vapour density at 20 °C:No data availableRelative density:2 Type: 'relative density' Temp.: 20 °CSolubility:Water: 172 g/l at 20°C (OECD Test Guideline 105)Partition coefficient n-octanol/water (Log Pow):<-2.6 at 20°C
Vapour pressure:No data availableRelative vapour density at 20 °C:No data availableRelative density:2 Type: 'relative density' Temp.: 20 °CSolubility:Water: 172 g/l at 20°C (OECD Test Guideline 105)Partition coefficient n-octanol/water (Log Pow):<-2.6 at 20°C
Relative vapour density at 20 °C: No data availableRelative density: 2 Type: 'relative density' Temp.: 20 °CSolubility: Water: 172 g/l at 20°C (OECD Test Guideline 105)Partition coefficient n-octanol/water (Log Pow): < -2.6 at 20°C
Relative density: 2 Type: 'relative density' Temp.: 20 °CSolubility: Water: 172 g/l at 20°C (OECD Test Guideline 105)Partition coefficient n-octanol/water (Log Pow): <-2.6 at 20°C
Solubility: Water: 172 g/l at 20°C (OECD Test Guideline 105)Partition coefficient n-octanol/water (Log Pow): <-2.6 at 20°C
Partition coefficient n-octanol/water (Log Pow): < -2.6 at 20°CViscosity, kinematic: Not applicableViscosity, dynamic: No data available
Viscosity, kinematic : Not applicable Viscosity, dynamic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	Not classified Not classified Not classified	
CALCIUM FORMATE EXTRA PURE (544-17-2	2)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
Skin corrosion/irritation	Not classified	
Serious eye damage/irritation	Causes serious eye damage.	
Respiratory or skin sensitisation	Not classified	
Germ cell mutagenicity	Not classified	
Carcinogenicity	Not classified	
Reproductive toxicity	Not classified	
STOT-single exposure	Not classified	
STOT-repeated exposure	Not classified	
Aspiration hazard	Not classified	
CALCIUM FORMATE EXTRA PURE (544-17-2)		
Viscosity, kinematic	Not applicable	

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general :	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.	
Hazardous to the aquatic environment, short-term : (acute)	Not classified	
Hazardous to the aquatic environment, long-term : (chronic)	Not classified	
CALCIUM FORMATE EXTRA PURE (544-17-2)		
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 72h - Algae [2]	570 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
LOEC (chronic)	> 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	≥ 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential	
CALCIUM FORMATE EXTRA PURE (544-17-2)	
Partition coefficient n-octanol/water (Log Pow)	< -2.6 at 20°C
12.4. Mobility in soil	

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REAC	
12.5. Results of PBT and vPvB assess	sment
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerat	ions
13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	on
In accordance with ADR / IMDG / IATA / ADN	I / RID
14.1. UN number	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID)	 Not regulated Not regulated Not regulated Not regulated Not regulated Not regulated
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID)	 Not regulated Not regulated Not regulated Not regulated Not regulated Not regulated
14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR)	: Not regulated
IMDG Transport hazard class(es) (IMDG)	: Not regulated
ATA Transport hazard class(es) (IATA)	: Not regulated
ADN Transport hazard class(es) (ADN)	: Not regulated
RID Transport hazard class(es) (RID)	: Not regulated
14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN)	 Not regulated Not regulated Not regulated Not regulated Not regulated

Packing group (ADN)	: Not regulated
Packing group (RID)	: Not regulated
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea Not regulated

Air transport Not regulated

Inland waterway transport Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

CALCIUM FORMATE EXTRA PURE is not on the REACH Candidate List

CALCIUM FORMATE EXTRA PURE is not on the REACH Annex XIV List

CALCIUM FORMATE EXTRA PURE is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

CALCIUM FORMATE EXTRA PURE is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Employment restrictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG) Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)
Water hazard class (WGK)	: WGK 1, Slightly hazardous to water (Classification according to AwSV; ID No. 1237)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: The substance is not listed
SZW-lijst van mutagene stoffen	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting	: The substance is not listed
giftige stoffen – Borstvoeding	
NIET-limitatieve lijst van voor de voortplanting	: The substance is not listed
giftige stoffen – Vruchtbaarheid	
NIET-limitatieve lijst van voor de voortplanting	: The substance is not listed
giftige stoffen – Ontwikkeling	
Denmark	
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
Switzerland	
Storage class (LK)	: LK 8 - Corrosive materials
15.2. Chemical safety assessment	

No chemical safety assessment has been carried out

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other	SECTION 16: Other information	
Abbreviations and acr	ronyms	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements	
H318	Causes serious eye damage.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.