

CAS-No.: 78403-22-2 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
:
:
CAS-No. : 78403-22-2
Product code : 2477E
Chemical structure :



1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.
107 Wode House Road, Jehangir Villa, Colaba
400005 Mumbai - INDIA
T +91 22 6663 6663 - F +91 22 6663 6699
info@lobachemie.com - www.lobachemie.com

1.4. Emergency telephone number

Emergency number : + 91 22 6663 6663 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, H272
Category 2
Skin corrosion/irritation, H315
Category 2
Serious eye damage/eye
irritation, Category 2 H319
Specific target organ
toxicity — Single H335
exposure, Category 3,
Respiratory tract irritation

Full text of H statements : see section 16

CALCIUM PEROXIDE EXTRA PURE

Safety Data Sheet

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS03

GHS07

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H272 - May intensify fire; oxidiser.
H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
H335 - May cause respiratory irritation.

Precautionary statements (CLP) :

P220 - Keep/Store away from clothing and other combustible materials.
P261 - Avoid breathing vapours, dust, fume, gas.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	%
CALCIUM PEROXIDE EXTRA PURE	(CAS-No.) 78403-22-2	100

Full text of R- and H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Assure fresh air breathing. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

CALCIUM PEROXIDE EXTRA PURE

Safety Data Sheet

First-aid measures after skin contact	: Wash with plenty of water/.... Get immediate medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes eye irritation.
Symptoms/effects after ingestion	: Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: May intensify fire; oxidiser.
-------------	---------------------------------

5.3. Advice for firefighters

Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
--------------------------------	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

6.1.2. For emergency responders

Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers.
-------------------------	--

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Avoid contact with skin and eyes. Do not breathe vapours. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a well-ventilated place. Keep container tightly closed.
--------------------	--

7.3. Specific end use(s)

No additional information available

CALCIUM PEROXIDE EXTRA PURE

Safety Data Sheet

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection	: Protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: [In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Molecular mass	: 72.08 g/mol
Colour	: white.
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: > 365 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available

CALCIUM PEROXIDE EXTRA PURE

Safety Data Sheet

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Moisture.

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

CALCIUM PEROXIDE EXTRA PURE

Safety Data Sheet

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 1457
UN-No. (IMDG)	: 1457
UN-No. (IATA)	: 1457
UN-No. (ADN)	: 1457
UN-No. (RID)	: 1457

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: CALCIUM PEROXIDE
Proper Shipping Name (IMDG)	: CALCIUM PEROXIDE
Proper Shipping Name (IATA)	: Calcium peroxide
Proper Shipping Name (ADN)	: CALCIUM PEROXIDE
Proper Shipping Name (RID)	: CALCIUM PEROXIDE
Transport document description (ADR)	: UN 1457 CALCIUM PEROXIDE, 5.1, II, (E)
Transport document description (IMDG)	: UN 1457 CALCIUM PEROXIDE, 5.1, II
Transport document description (IATA)	: UN 1457 Calcium peroxide, 5.1, II
Transport document description (ADN)	: UN 1457 CALCIUM PEROXIDE, 5.1, II
Transport document description (RID)	: UN 1457 CALCIUM PEROXIDE, 5.1, II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 5.1
Danger labels (ADR)	: 5.1

CALCIUM PEROXIDE EXTRA PURE

Safety Data Sheet



IMDG

Transport hazard class(es) (IMDG) : 5.1

Danger labels (IMDG) : 5.1



IATA

Transport hazard class(es) (IATA) : 5.1

Hazard labels (IATA) : 5.1



ADN

Transport hazard class(es) (ADN) : 5.1

Danger labels (ADN) : 5.1



RID

Transport hazard class(es) (RID) : 5.1

Danger labels (RID) : 5.1



14.4. Packing group

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : II

Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No


Other information : No supplementary information available

CALCIUM PEROXIDE EXTRA PURE

Safety Data Sheet

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: O2
Limited quantities (ADR)	: 1kg
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P002, IBC06
Mixed packing provisions (ADR)	: MP2
Portable tank and bulk container instructions (ADR)	: T3
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAN
Tank special provisions (ADR)	: TU3
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V11
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24
Hazard identification number (Kemler No.)	: 50
Orange plates	: 
Tunnel restriction code (ADR)	: E
EAC code	: 1Y

- Transport by sea

Limited quantities (IMDG)	: 1 kg
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P002
IBC packing instructions (IMDG)	: IBC06
IBC special provisions (IMDG)	: B21
Tank instructions (IMDG)	: T3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-G
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: C
Stowage and handling (IMDG)	: H1
Segregation (IMDG)	: SG16, SG35, SG59, SG26, SG36
Properties and observations (IMDG)	: White or yellowish powder. Particularly if wetted with small quantities of water, a mixture with combustible material may ignite following impact or friction. When involved in a fire, or on contact with water or acids, decomposes, evolving oxygen.

- Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y544
PCA limited quantity max net quantity (IATA)	: 2.5kg
PCA packing instructions (IATA)	: 558
PCA max net quantity (IATA)	: 5kg
CAO packing instructions (IATA)	: 562
CAO max net quantity (IATA)	: 25kg
ERG code (IATA)	: 5L

CALCIUM PEROXIDE EXTRA PURE

Safety Data Sheet

- Inland waterway transport

Classification code (ADN)	: O2
Limited quantities (ADN)	: 1 kg
Excepted quantities (ADN)	: E2
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

- Rail transport

Classification code (RID)	: O2
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P002, IBC06
Mixed packing provisions (RID)	: MP2
Portable tank and bulk container instructions (RID)	: T3
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAN
Special provisions for RID tanks (RID)	: TU3
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W11
Special provisions for carriage - Loading, unloading and handling (RID)	: CW24
Colis express (express parcels) (RID)	: CE10
Hazard identification number (RID)	: 50

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

CALCIUM PEROXIDE EXTRA PURE is not on the REACH Candidate List

CALCIUM PEROXIDE EXTRA PURE is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

CALCIUM PEROXIDE EXTRA PURE

Safety Data Sheet

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Sol. 2	Oxidising Solids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product