

# NITRIC ACID 67-70% ULTRAPURE


□□□□□□□□

□□ (EU) 2020/878 □□ □□ □□ REACH □□ (EC) 1907/2006 □□ □□  
□□ □□□□: 10/1/2025 □□: 1.0

## □□ 1: □□□□ □□ □□ □□

### 1.1. □□□□

□□ □□	:	□□□
□□ □□	:	NITRIC ACID 67-70% ULTRAPURE
EC □□ □□	:	007-004-00-1
EC □□	:	231-714-2
CAS □□	:	7697-37-2
□□ □□	:	00225
□□ □□	:	Acids
□□ □□	:	HNO3
□□ □□	:	



□□ □□ : Hydrogen nitrate

### 1.2. □□□□ □□ □□□□ □□ □□ □□ □□

□□ □□ □□ : Laboratory chemicals  
□□□□/□□□□ □□ □□ □□

### 1.3. □□□□□□□□ □□ □□

LOBA CHEMIE PVT.LTD.  
107 Wode House Road, Jehangir Villa, Colaba  
400005 Mumbai  
INDIA  
T +91 22 6663 6663, F +91 22 6663 6699  
[info@lobachemie.com](mailto:info@lobachemie.com), [www.lobachemie.com](http://www.lobachemie.com)

### 1.4. □□□□□□

□□ □□ □□ : + 91 22 6663 6663 (9:00am - 6:00 pm)

## □□ 2: □□□·□□□

### 2.1. □□□·□□□ □□

#### Regulation (EC) No.1272/2008 [CLP] □□ □□ □□

□□ □□, □□ 3	H272
□□ □□□/□□ □□□, □□ 1	H314
H-□□ □ EUH-□□ □□: □□ 16 □□	

□□□□□, □□ □□ □ □□□□□□□  
□□ □□□□ □; □□□. □□□ □□ □□ □□ □□ □□□.

### 2.2. □□□□□□ □□ □□□□ □□

#### □□ (EC) No. 1272/2008 □□ □□ □□ [CLP]

□□ □□ □□□□(CLP)	:	
		GHS03      GHS05

□□ □□ (CLP) : □□

# NITRIC ACID 67-70% ULTRAPURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□·□□ □□ (CLP) : H272 - □□□ □□□□ □; □□□.  
H314 - □□□ □□ □□□ □ □□□ □□□□.  
□□ □□ □□(CLP) : P220 - □□ □ □ □□ □□□□ □□□□□□.  
P280 - □□□□, □□□, □□□, □□□□□ □(□) □□□□□.  
P303+P361+P353 - □□(□□ □□□□) □ □□□ □□□ □ □□□ □ □□□□. □□□ □□ □□□□ .  
P305+P351+P338 - □□ □□□□: □ □□ □□ □□□□ □□□□. □□□□ □□□ □□□□□□. □□ □□  
□□□□.

## 2.3. □□ □□

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

□ □□□□ REACH □ 59(1) □□ □□ □□□ □□ □□□ □□ □□□ □□ □□□ □□ □□□ □□ □□□, □□□ □□ □□ (EU) 2017/2100 □□ □□□ □□ (EU) 2018/605 □□□ □□□ □□ □□□ 0.1% □□□ □□□ □□ □□□ □□ □□□ □□ □□□ □□ □□□□

## □□ 3: □□□□□ □□ □ □□□

### 3.2. □□□

□□	□□□□	%	Regulation (EC) No.1272/2008 [CLP] □□ □□
NITRIC ACID	CAS □□: 7697-37-2 EC □□: 231-714-2 EC □□ □□: 007-004-00-1	67 – 70	□□□ □□ 2, H272 □□ □□□ 1A, H314
WATER	CAS □□: 7732-18-5 EC □□: 231-791-2	30 – 33	□□□□ □□

H-□□ □ EUH-□□ □□: □□ 16 □□

## □□ 4: □□□□□□

### 4.1. □□□□ □□

□□ □□ □□ : Call a physician immediately.  
□□□□ □ : □□□ □□□ □□ □□□ □□□□ □□ □□□ □□□□□.  
□□□ □□□□ □ : □□□ □□ □□□□ [□□ □□□□□]. □□□ □□ □□□ □□ □□□□. Call a physician immediately.  
□□ □□□□ □ : □ □□ □□ □□□□ □□□□. □□□□ □□□□□□ □□□□□. □□ □□□□. Call a physician immediately.  
□□□ □ : □□ □□□□□. Do not induce vomiting. Call a physician immediately.  
Self protection of the first-aider : □□□□ □□□□ □□□ □□ □□ □□□ □□□□ □□□.

### 4.2. □□ □ □□□ □□ □□□ □□ □ □□

□□ □ □□/□□ : None under normal conditions.  
□□ □□ □ □□/□□ : Burns.  
□ □□ □ □□/□□ : Serious damage to eyes.  
□□ □ □□/□□ : Burns.

### 4.3. □□□□ □□ □ □□ □□ □□ □□ □□

Treat symptomatically.

## □□ 5: □□·□□□□ □□□□

### 5.1. □□□ □□□

□□□ □□□ : Water spray. Dry powder. Foam. Carbon dioxide.  
□□□□ □□□ : Do not use a heavy water stream.

# NITRIC ACID 67-70% ULTRAPURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

## 5.2. □□□□□□ □□ □□ □□□

- □□ : □□□ □□□□ □; □□□.
- □□ : No direct explosion hazard.
- □ □□□ □□□ □□ : Toxic fumes may be released.

## 5.3. □□□□ □□□□ □ □□□□

- □□ : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
- □□ □ □□ : Do not attempt to take action without suitable protective equipment. □□□ □□□□□. Complete protective clothing.

## □□ 6: □□□□□ □□□□

### 6.1. □□□ □□□□ □□ □□□ □□□□ □ □□□

- □□ : □□□□ □□□□ □□ □□□□ □□□ □□□□ □□□ □□ □□□ □□ □□□ □□ □□□□ □□□□□.
- □□ □□ : Wear recommended personal protective equipment.
- □□ : Ventilate spillage area. □□, □□□□ □□ □□. □□. □□ □ □□□ □□□ □□□□. □□/□/□□/□□□/□ □/□□□□ □(□) □□□□ □□□.
- □□ □□ : Do not attempt to take action without suitable protective equipment. □□ □□□ □□□ □□ 8: "□□□□ □ □□□□□" □ □□□□□.
- □□ : Evacuate unnecessary personnel. □□□□ □□□□ □□ □□□□ □□□ □□□□.

### 6.2. □□□ □□□□ □□ □□□ □□□□

□□□□ □□□□ □□□.

### 6.3. □□ □□ □□ □□

- : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
- □□ : Take up liquid spill into absorbent material. □□□ □□□ □□ □□□□□ □□□ □□ □□□ □□.
- □□ □□□□ : Dispose of materials or solid residues at an authorized site.

### 6.4. □□ □□ □□

For further information refer to section 13.

## □□ 7: □□ □ □□□□

### 7.1. □□□□□□

- □ □□□□□ □□ □□ : □□□□ □□ □□□□□ □□□ □□□□ □□.
- : Ensure good ventilation of the work station. □, □□□ □□, □□□, □□ □ □ □□ □□□□□□ □□□ □□. □□. □□ □□□□ □□□□□. □□ □ □□□ □□□ □□□□. □□/□/□□/□□□/□□/□□□□ □(□) □□□□ □□□.
- □□ : □□ □□ □ □□□ □□□ □□□□□. □ □□□ □□□ □□□ □□□, □□□□ □□□□ □□□. Always wash hands after handling the product.

### 7.2. □□□□ □□□ □□□ □□□ □□ □□

- □□ : Keep in a cool, well-ventilated place away from heat.
- □□ : □□□□□ □□ □□□□□.
- □ □□ : □□□ □□.
- : Store always product in container of same material as original container.
- : □□□
- □□(LK) : LK 5 - □□□ □□

# NITRIC ACID 67-70% ULTRAPURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

## 7.3. □□ □□ □□

□□ □□

## □□ 8: □□□□ □□□□□□

### 8.1. □□ □□ □□

□□ □□□ □□ □□ □□□□ □□ □□

#### NITRIC ACID (7697-37-2)

□□ - □□□□□ □□□□, □□□□ □□□□ □ (TRGS 900)

□□ □□	Salpetersäure
AGW (OEL TWA)	2.6 mg/m <sup>3</sup> 1 ppm
□□	EU,13,16

□□□□ - □□□□□ □□□□, □□□□ □□□□ □

□□ □□	Ácido nítrico
OEL TWA	2 ppm
OEL STEL	4 ppm

□□□□ - □□□□□ □□□□, □□□□ □□□□ □

□□ □□	Ácido nítrico
VLA-EC (OEL STEL)	2.6 mg/m <sup>3</sup> 1 ppm
□□	(2007), VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo. Todos estos agentes químicos figuran al menos en una de las directivas de valores límite indicativos publicadas hasta ahora (ver Anexo C. Bibliografía). Los estados miembros disponen de un tiempo fijado en dichas directivas para su transposición a los valores límites de cada país miembro. Una vez adoptados, estos valores tienen la misma validez que el resto de los valores adoptados por el país.)

□□ - □□□□□ □□□□, □□□□ □□□□ □

□□ □□	Nitric acid
WEL STEL (OEL STEL)	2.6 mg/m <sup>3</sup> 1 ppm

□□ - **ACGIH** - □□□□□ □□□□, □□□□ □□□□ □

□□ □□	Nitric acid
ACGIH® TLV® TWA	2 ppm
ACGIH® TLV® STEL	4 ppm
□□ (ACGIH)	URT & eye irr; dental erosion

### 8.2. □□□□

□□□□ □□□□ □□

□□□□ □□□□ □□:  
Ensure good ventilation of the work station.

□□ □□□□

□□ □□□□:  
Wear recommended personal protective equipment.

# NITRIC ACID 67-70% ULTRAPURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□

□□ □□ □□ □□:



□□ □□ □□ □□

□□ □□:

Chemical goggles or face shield

## Skin protection

□□ □□:

Wear a mask

□□ □□:

Protective gloves

□□ □□ □□

□□ □□ □□:

Wear appropriate mask

□□ □□ □□

□□ □□ □□:

□□□□ □□□□ □□□□.

## □□ 9: □□□□□ □□

### 9.1. □□□□ □□□□□ □□□ □□ □□

□□□ □□	: □□
□□	: Colourless.
□□	: Clear liquid.
□□□	: 63.01 g/mol
□□	: Acrid, suffocating odour.
□□ □□	: 0.29 – 0.98 ppm
□□□	: □□□□
□□□	: -42 – -38 °C
□□ □□□□ □□□ □□	: 122 °C
□□□	: □□□
□□ □□□	: □□□□
□□ □□□	: □□□□
□□□	: □□□□
□□□□ □□	: □□□□
□□ □□□	: □□□□
pH	: < 1 at 20°C
□□(□□□)	: □□□□
□□□	: □: Exothermically miscible with water □□□: Miscible with ether
Partition coefficient n-octanol/water (Log Kow)	: □□□□
Partition coefficient n-octanol/water (Log Pow)	: -2.3 (OECD 107: Shake Flask Method)
□□□	: 48 mm Hg at 20°C
50°C□□□□ □□□	: □□□□
□□	: 1.41 g/cm <sup>3</sup> at 20°C
□□	: □□□□
20°C□□□□ □□ □□ □□	: 2 – 3
□□ □□	: □□□□

### 9.2. □ □□ □□□□

□□ □□ □□

□□□ : 1.397 (16.5°C)

# NITRIC ACID 67-70% ULTRAPURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

## □□ 10: □□□ □□□□

### 10.1. □□□

□□□ □□□□ □; □□□.

### 10.2. □□□ □□□

Stable under normal conditions.

### 10.3. □□ □□□ □□□

No dangerous reactions known under normal conditions of use.

### 10.4. □□□ □□□

□□□ □□□ □□□ □□□□. □. □□, □□□, □□□□ □□ □□□□□□.

### 10.5. □□□ □□□

Combustible materials.

### 10.6. □□□ □□□□ □□□□

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## □□ 11: □□□ □□ □□

### 11.1. □□ (EC) No 1272/2008 □□□□, □□□ □□□ □□ □□

□□ □□ (□□) : □□□□ □□  
□□ □□ (□□) : □□□□ □□  
□□ □□ (□□) : □□□□ □□  
□□ □□□ □□ □□□ : Causes severe skin burns.  
pH: < 1 at 20°C

### WATER (7732-18-5)

pH	6 – 8 at 25 °C
----	----------------

□□ □ □□ □□ □□□ : Assumed to cause serious eye damage  
pH: < 1 at 20°C

### WATER (7732-18-5)

pH	6 – 8 at 25 °C
----	----------------

□□□ □□ □□ □□□ : □□□□ □□  
□□□□ □□□□ : □□□□ □□  
□□□ : □□□□ □□  
□□□□ : □□□□ □□  
□□ □□□□ □□ (1□ □□) : □□□□ □□  
□□ □□□□ □□ (□□ □□) : □□□□ □□  
□□ □□□ : □□□□ □□

### WATER (7732-18-5)

□□(□□□)	0.894 mm <sup>2</sup> /s
---------	--------------------------

### 11.2. □□ □□ □□

□□ □□

# NITRIC ACID 67-70% ULTRAPURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

## □□ 12: □□□ □□□ □□

### 12.1. □□

□□□ - □□ : Before neutralisation, the product may represent a danger to aquatic organisms.  
□□ □□□□ □□□ : □□□□ □□  
□□ □□□□ □□□ : □□□□ □□

### 12.2. □□□ □□□□

#### NITRIC ACID 67-70% ULTRAPURE (7697-37-2)

□□□ □□□□	□□ □□ □□
----------	----------

#### NITRIC ACID (7697-37-2)

□□□ □□□□	□□□□ □□.
----------	----------

#### WATER (7732-18-5)

□□□ □□□□	□□ □□ □□
----------	----------

### 12.3. □□ □□□

#### NITRIC ACID 67-70% ULTRAPURE (7697-37-2)

Partition coefficient n-octanol/water (Log Pow)	-2.3 (OECD 107: Shake Flask Method)
---	-------------------------------------

#### NITRIC ACID (7697-37-2)

□□ □□□	□□□□ □□.
--------	----------

### 12.4. □□ □□□

□□ □□

### 12.5. PBT □ vPvB □□ □□

□□ □□

### 12.6. □□□ □□□□

□□ □□

### 12.7. □□ □□ □□

#### NITRIC ACID (7697-37-2)

□ □□ □□□□	□□□□ □□□□ □□□.
-----------	----------------

## □□ 13: □□□ □□□□

### 13.1. □□□ □□□

□□ □□(□□□) : Disposal must be done according to official regulations.  
□□□ □□□ : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
□□ □□ □□ □□ : Disposal must be done according to official regulations.  
□□/□□ □□ □□□□ : Disposal must be done according to official regulations.  
□□ □□ : Do not re-use empty containers.

## □□ 14: □□□ □□□ □□

ADR / IMDG / IATA / ADN / RID □□ □□

# NITRIC ACID 67-70% ULTRAPURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

## 14.1. UN □□ □□ ID □□

UN-□□ (ADR) : UN 2031  
UN-□□ (IMDG) : UN 2031  
UN-□□ (IATA) : UN 2031  
UN-□□ (ADN) : UN 2031  
UN-□□ (RID) : UN 2031

## 14.2. UN □□ □□□

□□ □□□ (ADR) : □□  
□□ □□□ (IMDG) : NITRIC ACID  
□□ □□□ (IATA) : Nitric acid  
□□ □□□ (ADN) : □□  
□□ □□□ (RID) : □□  
□□ □□ □□ (ADR) (ADR) : UN 2031 □□, 8 (5.1), II, (E)  
Transport document description (IMDG) : UN 2031 NITRIC ACID, 8 (5.1), II  
Transport document description (IATA) : UN 2031 Nitric acid, 8 (5.1), II  
Transport document description (ADN) : UN 2031 □□, 8 (5.1), II  
Transport document description (RID) : UN 2031 □□, 8 (5.1), II

## 14.3. □□□□□ □□□ □□


### ADR

□□□□□ □□□ □□ (ADR) : 8 (5.1)  
□□ □□ (ADR) : 8, 5.1




### IMDG

□□□□□ □□□ □□ (IMDG) : 8 (5.1)  
□□ □□ (IMDG) : 8, 5.1



### IATA

□□□□□ □□□ □□ (IATA) : 8 (5.1)  
□□ □□ (IATA) : 8, 5.1



### ADN

□□□□□ □□□ □□ (ADN) : 8 (5.1)  
□□ □□ (ADN) : 8, 5.1



### RID

□□□□□ □□□ □□ (RID) : 8 (5.1)  
□□ □□ (RID) : 8, 5.1

# NITRIC ACID 67-70% ULTRAPURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□



## 14.4. □□□□


□□ □□ (ADR) : II  
 □□ □□(IMDG) : II  
 □□ □□ (IATA) : II  
 □□ □□(ADN) : II  
 □□ □□(RID) : II

## 14.5. □□ □□□

□□□ □□ : □□□  
 □□□□□□ : □□□  
 EmS-No. (□□) : F-A  
 EmS-No. (□□) : S-Q  
 □ □ □ □ □ □ : □ □ □ □ □ □ □ □

## 14.6. □□□□ □□ □□ □□□□

□□ □□ :  
 □□ □□ (ADR) : CO1  
 □□□(ADR) : I1  
 □□□(ADR) : E2  
 □□ □□(ADR) : P001, IBC02  
 □□ □□ (ADR) : PP81, B15  
 □□ □□ □□ □□ □□(ADR) : MP15  
 □□□ □□ □□ □□□□ □□ (ADR) : T8  
 □□□ □□ □□ □□□□ □□ □□ (ADR) : TP2  
 □□ □□(ADR) : L4BN  
 □□ □□ □□(ADR) : TU42  
 □□ □□□□ □□ : AT  
 □□ □□(ADR) : 2  
 □□ □□ □□ □□ -□□, □□ □ □□(ADR) : CV24  
 □□ □□ □□(Kemler □□) : 85  
 Orange plates (□□□□□□) :



□□ □□ □□ (ADR) : E  
 EAC □□ : 2R

□□ □□ :  
 □□ □□(IMDG) : 1 L  
 □□□(IMDG) : E2  
 □□ □□ (IMDG) : P001  
 □□ □□ (IMDG) : PP81  
 IBC □□ □□(IMDG) : IBC02  
 IBC □□ □□ (IMDG) : B15, B20  
 □□ □□ (IMDG) : T8  
 □□ □□ □□ (IMDG) : TP2  
 □□ □□ (IMDG) : D  
 □□(IMDG) : SGG1, SG6, SG16, SG17, SG19, SG36, SG49  
 □□□ □□□□ (IMDG) : Colourless liquid. Oxidant; may cause fire in contact with organic materials such as wood, cotton or straw, evolving highly toxic gases (brown fumes). Highly corrosive to most metals. Causes severe burns to skin, eyes and mucous membranes.

□□ □□ :  
 PCA □□ □□(IATA) : E0  
 PCA □□ □□(IATA) : Forbidden

# NITRIC ACID 67-70% ULTRAPURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

PCA □□ □□ □□ □□□(IATA) : Forbidden  
PCA □□ □□(IATA) : Forbidden  
PCA □□ □□□(IATA) : Forbidden  
CAO □□ □□□(IATA) : 855  
CAO □□ □□□(IATA) : 30L  
□□ □□(IATA) : A1  
ERG □□(IATA) : 8L

□□ □□ □□

□□ □□(ADN) : CO1  
□□□(ADN) : 1 L  
□□□(ADN) : E2  
□□□□(ADN) : T  
□□ □□(ADN) : PP, EP  
□□ □□/□□□ □□(ADN) : 0

□□ □□

□□ □□(RID) : CO1  
□□ □□(RID) : 1L  
□□□(RID) : E2  
□□ □□ (RID) : P001, IBC02  
□□ □□ (RID) : PP81, B15  
□□ □□ □□ □□ □□(RID) : MP15  
□□□ □□ □□ □□□□ □□ (RID) : T8  
□□□ □□ □□ □□□□ □□ □□ (RID) : TP2  
RID □□□ □□ □□(RID) : L4BN  
RID □□□ □□ □□(RID) : TU42  
□□ □□(RID) : 2  
□□ □□ □□ □□ -□□, □□ □□ □□(RID) : CW24  
□□ □□□ : CE6  
□□□ □□ □□ (RID) : 85

## 14.7. □□□□□□(IMO) □□ □□ □□ □□

□□□□

## □□ 15: □□ □□□□

### 15.1. □□, □□ □□□□ □□□□ □□□□ □□ □□ □□/□□

EU □□

REACH □□□ XVII (□□ □□)

EU restriction □□ (REACH Annex XVII)	
□□ □□	□□ □□
3(a)	NITRIC ACID 67-70% ULTRAPURE ; NITRIC ACID
3(b)	NITRIC ACID 67-70% ULTRAPURE ; NITRIC ACID

REACH □□□ XIV (□□ □□)

REACH □□□ XIV (□□ □□) □□ □□ □□ □□□□ □□

REACH □□ □□ □□ (SVHC)

REACH □□ □□ □□ □□ □□ □□□□ □□

PIC □□ (□□□□□□)

PIC □□(□□ □□□□ □□□□ □□ □□ EU 649/2012 ) □□ □□ □□ □□□□ □□

POP □□ (□□□□ □□ □□□□)

POP □□□ □□ □□ □□□□ □□ (□□□□□□□□□□ □□ □□ EC 2019/1021)



# NITRIC ACID 67-70% ULTRAPURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□ □□ □□(12. BImSchV)				
□□	□□	□□	□□ □□	□□ □□
1.2.7			50,000 kg	200,000 kg
1.2.8			50,000 kg	200,000 kg
1.3.1			100,000 kg	200,000 kg
1.3.2			200,000 kg	500,000 kg
1.4.1			100,000 kg	500,000 kg
1.4.2			100,000 kg	500,000 kg
1.4.3			50,000 kg	200,000 kg
2.1			50,000 kg	200,000 kg
2.11			5,000 kg	50,000 kg
2.3.1			2,500,000 kg	25,000,000 kg
2.3.2			2,500,000 kg	25,000,000 kg
2.3.3			2,500,000 kg	25,000,000 kg
2.3.4			2,500,000 kg	25,000,000 kg
2.3.5			2,500,000 kg	25,000,000 kg
2.30			200,000 kg	500,000 kg
2.31				1,000 kg
2.35				1 kg
2.43.3			10,000 kg	100,000 kg
2.7			1,000 kg	2,000 kg
2.8				100 kg

□□□□

- SZW-lijst van kankerverwekkende stoffen : □□ □□ □□□□ □□□□□.
- SZW-lijst van mutagene stoffen : □□ □□ □□□□ □□□□□.
- SZW-lijst van reprotoxische stoffen – Borstvoeding : □□ □□ □□□□ □□□□□.
- SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : □□ □□ □□□□ □□□□□.
- SZW-lijst van reprotoxische stoffen – Ontwikkeling : □□ □□ □□□□ □□□□□.

□□□

□□□ □□ □□ : 18□ □□ □□□ □□ □□□ □□□□□

# NITRIC ACID 67-70% ULTRAPURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□□

□□□ □□ □□

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).  
 Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).  
 The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).  
 Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).  
 Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).  
 Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).  
 The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)  
 Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended).  
 Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).  
 ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

□□□

Royal Decree 665/1997

: Is not subject to the Royal Decree 665/1997

## 15.2. □□ □□ □□□ □□

No chemical safety assessment has been carried out

## □□ 16: □ □□ □□□□

□□ □ □□□□:	
ACGIH	American Conference of Government Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	□□ □□ □
BOD	Biochemical oxygen demand (BOD)
CAS □□	□□□□ □□ □□ □□(CAS)
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	□□□ □□ □□□
CSA	□□ □□ □□□ □□
DMEL	Derived Minimal Effect level
DNEL	□□ □□□ □□
EC □□	□□ □□□ □□
EC50	Median effective concentration
ED	□□□ □□□□

# NITRIC ACID 67-70% ULTRAPURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□ □ □□□□:	
EN	□□ □□
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	□□□ □□ □□
OSHA	Occupational Safety & Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	□□ □□□ □□
PPE	□□ □□□
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	□□□□□□□□
STP	Sewage treatment plant
TF	□□□ □□
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
COV	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	□□ □□ □□□

H-□□ □ EUH-□□ □□:	
Ox. Liq. 3	□□□ □□, □□ 3
Skin Corr. 1B	□□ □□□/□□ □□□, □□ 1, □□□□ 1B
□□□ □□ 2	□□□ □□, □□ 2
□□ □□□ 1A	□□ □□□/□□ □□□, □□ 1, □□□□ 1A
H272	□□□ □□□□ □; □□□.
H314	□□□ □□ □□□ □ □□□ □□□.

# NITRIC ACID 67-70% ULTRAPURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

---

□□□□□□□□(SDS), EU

□ □□□ □□ □□□ □□□ □□ □□□ □□ □□□ □□, □□ □ □□ □□□ □□□ □□□ □□ □□□□ □□ □□□□. □□□□ □□□ □□□ □□□ □□□ □□ □□ □□□□ □□□□.