


CAS No: 106-49-0 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
:
EC index no : 612-160-00-4
EC no : 203-403-1
CAS No : 106-49-0
Product code : 06346
Chemical structure :



1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.
107 Wode House Road, Jehangir Villa, Colaba
400005 Mumbai - INDIA
T +91 22 6663 6663 - F +91 22 6663 6699
info@lobachemie.com - www.lobachemie.com

1.4. Emergency telephone number

Emergency number : + 91 22 6663 6663 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (dermal), H311
Category 3
Acute toxicity (inhal.), H331
Category 3
Acute toxicity (oral), H301
Category 3
Carcinogenicity, Category H351
2

p-TOLUIDINE FOR SYNTHESIS

Safety Data Sheet

Serious eye damage/eye irritation, Category 2 H319
Sensitisation — Skin, category 1 H317
Hazardous to the aquatic environment — Acute Hazard, Category 1 H400

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.3; R40
T; R23/24/25
Xi; R36
R43
N; R50

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS06

GHS08

GHS09

Signal word (CLP) :

-

Hazard statements (CLP) :

H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H351 - Suspected of causing cancer
H400 - Very toxic to aquatic life

Precautionary statements (CLP) :

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
P273 - Avoid release to the environment
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or doctor/physician
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P311 - Call a POISON CENTER or doctor/physician

2.3. Other hazards

No additional information available

p-TOLUIDINE FOR SYNTHESIS

Safety Data Sheet

SECTION 3: Composition/information on ingredients

3.1. Substance

Name	:	p-TOLUIDINE FOR SYNTHESIS
CAS No	:	106-49-0
EC no	:	203-403-1
EC index no	:	612-160-00-4

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.
First-aid measures after skin contact	:	Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	:	Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	:	Rinse mouth out with water. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	:	May cause an allergic skin reaction. Toxic if inhaled.
Symptoms/injuries after skin contact	:	Toxic in contact with skin.
Symptoms/injuries after eye contact	:	Causes serious eye irritation.
Symptoms/injuries after ingestion	:	Toxic if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	:	dry chemical powder, alcohol-resistant foam, carbon dioxide (CO ₂).
Unsuitable extinguishing media	:	Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting	:	Do not attempt to take action without suitable protective equipment.
--------------------------------	---	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	:	Evacuate unnecessary personnel.
----------------------	---	---------------------------------

6.1.2. For emergency responders

Protective equipment	:	Use personal protective equipment as required.
Emergency procedures	:	Stop release.

p-TOLUIDINE FOR SYNTHESIS

Safety Data Sheet

6.2. Environmental precautions

Very toxic to aquatic life.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing.
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place. Protect from moisture.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves
Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Molecular mass : 107.16 g/mol
Colour : White crystalline.
Odour : aromatic odor.
Odour threshold : No data available
pH : 7.8
Relative evaporation rate (butylacetate=1) : No data available
Melting point : 42 - 45
Freezing point : No data available

p-TOLUIDINE FOR SYNTHESIS

Safety Data Sheet

Boiling point	: 200 °C
Flash point	: 87 °C
Auto-ignition temperature	: 482 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: 1 mm Hg at 20C
Relative vapour density at 20 °C	: 3.9
Relative density	: No data available
Density	: 0.973 g/cm ³
Solubility	: Water: Insoluble in water
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Dermal: Toxic in contact with skin. Inhalation: Toxic if inhaled. Oral: Toxic if swallowed.

p-TOLUIDINE FOR SYNTHESIS

Safety Data Sheet

Skin corrosion/irritation	: Not classified pH: 7.8
Serious eye damage/irritation	: Causes serious eye irritation. pH: 7.8
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Toxic if swallowed. Toxic in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...
Ecology - waste materials : Hazardous waste due to toxicity.

p-TOLUIDINE FOR SYNTHESIS

Safety Data Sheet

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 3451
UN-No. (IMDG)	: 3451
UN-No.(IATA)	: 3451
UN-No.(ADN)	: 3451
UN-No. (RID)	: 3451

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: TOLUIDINES, SOLID
Proper Shipping Name (IMDG)	: TOLUIDINES, SOLID
Proper Shipping Name (IATA)	: TOLUIDINES, SOLID
Proper Shipping Name (ADN)	: TOLUIDINES, SOLID
Proper Shipping Name (RID)	: TOLUIDINES, SOLID
Transport document description (ADR)	: UN 3451 TOLUIDINES, SOLID, 6.1, II, (D/E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 3451 TOLUIDINES, SOLID, 6.1, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 3451 TOLUIDINES, SOLID, 6.1, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 3451 TOLUIDINES, SOLID, 6.1, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 3451 TOLUIDINES, SOLID, 6.1, II, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 6.1
Danger labels (ADR)	: 6.1



IMDG

Transport hazard class(es) (IMDG)	: 6.1
Danger labels (IMDG)	: 6.1



IATA

Transport hazard class(es) (IATA)	: 6.1
Hazard labels (IATA)	: 6.1



ADN

p-TOLUIDINE FOR SYNTHESIS

Safety Data Sheet

Transport hazard class(es) (ADN) : 6.1
Danger labels (ADN) : 6.1



RID

Transport hazard class(es) (RID) : 6.1
Danger labels (RID) : 6.1



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes
Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : T2
Special provision (ADR) : 279
Limited quantities (ADR) : 500g
Excepted quantities (ADR) : E4
Packing instructions (ADR) : P002, IBC08
Special packing provisions (ADR) : B4
Mixed packing provisions (ADR) : MP10
Portable tank and bulk container instructions (ADR) : T3
Portable tank and bulk container special provisions (ADR) : TP33
Tank code (ADR) : SGAH, L4BH
Tank special provisions (ADR) : TU15, TE19
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages (ADR) : V11
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13, CV28
Special provisions for carriage - Operation (ADR) : S9, S19
Hazard identification number (Kemler No.) : 60

p-TOLUIDINE FOR SYNTHESIS

Safety Data Sheet

Orange plates



Tunnel restriction code (ADR) : D/E

EAC code : 2X

- Transport by sea

Special provision (IMDG) : 279
Limited quantities (IMDG) : 500 g
Excepted quantities (IMDG) : E4
Packing instructions (IMDG) : P002
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B2, B4
Tank instructions (IMDG) : T3
Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-A
Stowage category (IMDG) : A
MFAG-No : 153

- Air transport

PCA Excepted quantities (IATA) : E4
PCA Limited quantities (IATA) : Y644
PCA limited quantity max net quantity (IATA) : 1kg
PCA packing instructions (IATA) : 669
PCA max net quantity (IATA) : 25kg
CAO packing instructions (IATA) : 676
CAO max net quantity (IATA) : 100kg
Special provision (IATA) : A113
ERG code (IATA) : 6L

- Inland waterway transport

Classification code (ADN) : T2
Special provisions (ADN) : 279, 802
Limited quantities (ADN) : 500 g
Excepted quantities (ADN) : E4
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : T2
Special provision (RID) : 279
Limited quantities (RID) : 500g
Excepted quantities (RID) : E4
Packing instructions (RID) : P002, IBC08
Special packing provisions (RID) : B4
Mixed packing provisions (RID) : MP10
Portable tank and bulk container instructions (RID) : T3
Portable tank and bulk container special provisions (RID) : TP33
Tank codes for RID tanks (RID) : SGAH, L4BH
Special provisions for RID tanks (RID) : TU15

p-TOLUIDINE FOR SYNTHESIS

Safety Data Sheet

Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W11
Special provisions for carriage – Loading and unloading (RID)	: CW13, CW28, CW31
Colis express (express parcels) (RID)	: CE9
Hazard identification number (RID)	: 60

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

p-TOLUIDINE FOR SYNTHESIS is not on the REACH Candidate List

p-TOLUIDINE FOR SYNTHESIS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (KBwS-Beschluss; WGK No 693)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Denmark

Class for fire hazard : Class III-1

Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

p-TOLUIDINE FOR SYNTHESIS

Safety Data Sheet

Full text of R-, H- and EUH-phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
H301	Toxic if swallowed
H311	Toxic in contact with skin
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H331	Toxic if inhaled
H351	Suspected of causing cancer
H400	Very toxic to aquatic life
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed
R36	Irritating to eyes
R40	Limited evidence of a carcinogenic effect
R43	May cause sensitisation by skin contact
R50	Very toxic to aquatic organisms
N	Dangerous for the environment
T	Toxic
Xi	Irritant

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product