

PLATINUM-COBALT COLOR STANDARD 500 APHA

□□□□□□□□

□□ (EU) 2020/878 □□ □□ REACH □□ (EC) 1907/2006 □□ □□
□□ □□□□: 10/24/2025 □□: 1.0

□□ 1: □□□□□ □□□ □□ □□

1.1. □□□□

□□ □□ : □□□
□□ □□ : PLATINUM-COBALT COLOR STANDARD 500 APHA
□□ □□ : H0400
□□ □□ : Solution

1.2. □□□□ □□ □□□□ □□ □□ □□ □□

□□ □□ □□ : Laboratory chemicals
□□□□/□□□□ □□ : Reagent

1.3. □□□□□□□□ □□□ □□

LOBA CHEMIE PVT.LTD.
107 Wode House Road, Jehangir Villa, Colaba
400005 Mumbai
INDIA
T +91 22 6663 6663, F +91 22 6663 6699
info@lobachemie.com, www.lobachemie.com

1.4. □□□□□□

□□ □□ □□ : + 91 22 6663 6663 (9:00am - 6:00 pm)

□□ 2: □□□□·□□□□

2.1. □□□□·□□□□ □□

Regulation (EC) No.1272/2008 [CLP] □□ □□ □□

□□ □□□, □□ 1 H290
□□□, □□ 1A H350
H-□□ □□ EUH-□□ □□: □□ 16 □□

□□□□□, □□ □□ □□ □□□□□□
□□□□ □□□□ □□□□ □□□□ □□□□.

2.2. □□□□□□□□ □□□ □□□□ □□

□□ (EC) No. 1272/2008 □□ □□ □□ [CLP]

□□ □□ □□□□(CLP) :



GHS05 GHS08

□□□ (CLP) : □□
□□ : COBALT (II) CHLORIDE HEXAHYDRATE; HYDROCHLORIC ACID 35.4%

□□·□□ □□ (CLP) : H290 - □□□ □□□□ □□□.
H350 - □□ □□□ □□□.
□□ □□ □□(CLP) : P202 - □□ □□ □□□□ □□□□ □□□□ □□□□ □□□□.
P234 - □□□ □□□□ □□□□□□.
P280 - □□□□, □□□, □□□, □□□□□ □(□) □□□□□□.
P308+P313 - □□□□□□ □□□ □□□ □□: □□□ □□·□□□ □□□□□.
P390 - □□□□□ □□□□ □□ □□□□ □□□□□□□□.

PLATINUM-COBALT COLOR STANDARD 500 APHA

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□ □□ : □□□□ □□□□ □□□ □. □□ □□. □ □□□ □□□□ □□□ □□□, □□□□ □□□□ □□□. Always wash hands after handling the product.

7.2. □□□□ □□□□ □□□□ □□ □□ □□

- □□ : Keep in a cool, well-ventilated place away from heat.
- □□ : Store in corrosive resistant container with a resistant inner liner. □□□ □□□□ □□□□□. □□□□□ □□ □□□□□.
- □□□□ : □□.
- : Store always product in container of same material as original container.
-
- □□(LK) : LK 6.1 - □□ □□

7.3. □□ □□ □□

□□ □□

□□ 8: □□□□ □ □□□□□

8.1. □□ □□ □□

□□ □□

8.2. □□□□

□□□□ □□□□

□□□□ □□□□ □□:

Ensure good ventilation of the work station.

□□ □□□

□□ □□□:

Wear recommended personal protective equipment.

□□ □□ □□ □□:



□ □ □ □ □□□

□ □□:

Safety goggles

Skin protection

□□ □□:

Wear a mask

□ □□:

Protective gloves

□□□□ □□

□□□□ □□:

Wear appropriate mask

□□ □□ □□

□□ □□ □□:

□□□□ □□□□ □□□.

□□ 9: □□□□□ □□

9.1. □□□□ □□□□□ □□□ □□ □□

□□□□ □□ : □□

PLATINUM-COBALT COLOR STANDARD 500 APHA

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□	: Yellow to brown.
□□	: Clear liquid.
□□	: Odourless.
□□ □□	: □□□□
□□□	: □□□□
□□□	: ≈ 0 °C
□□ □□□□ □□□ □□	: ≈ 100 °C
□□□	: □□□
□□ □□□	: □□□□
□□ □□□	: □□□□
□□□	: □□□□
□□□□ □□	: □□□□
□□ □□	: □□□□
pH	: < 1
□□(□□□)	: □□□□
□□□	: □: Miscible
Partition coefficient n-octanol/water (Log Kow)	: □□□□
□□□	: 14 mm Hg
50°C□□□ □□□	: □□□□
□□	: □□□□
□□	: 1.02
20°C□□□ □□ □□ □□	: 0.7
□□ □□	: □□□□

9.2. □□□ □□□□

□□ □□

□□ 10: □□□ □□□□

10.1. □□□

The product is non-reactive under normal conditions of use, storage and transport.

10.2. □□□ □□□

Stable under normal conditions.

10.3. □□ □□□ □□□

No dangerous reactions known under normal conditions of use.

10.4. □□□ □□□

None under recommended storage and handling conditions (see section 7).

10.5. □□□ □□□

metals.

10.6. □□□ □□□□ □□□□

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

□□ 11: □□□ □□□□

11.1. □□ (EC) No 1272/2008 □□□□, □□□ □□□ □□ □□

□□ □□ (□□)	: □□□□ □□
□□ □□ (□□)	: □□□□ □□
□□ □□ (□□)	: □□□□ □□
□□ □□□ □□ □□□	: □□□□ □□
	pH: < 1

PLATINUM-COBALT COLOR STANDARD 500 APHA

□□□□□□□□

□□ (EU) 2020/878 □□ □□□□ REACH □□ (EC) 1907/2006 □□ □□

POTASSIUM CHLOROPLATINATE (16921-30-5)

pH	3 – 4
----	-------

COBALT (II) CHLORIDE HEXAHYDRATE (7791-13-1)

pH	4.6
----	-----

HYDROCHLORIC ACID 35.4% (7647-01-0)

pH	< 1 at 20°C
----	-------------

WATER (7732-18-5)

pH	6 – 8 at 25°C
----	---------------

□□ □□ □□ □□□□ : □□□□ □□
pH: < 1

POTASSIUM CHLOROPLATINATE (16921-30-5)

pH	3 – 4
----	-------

COBALT (II) CHLORIDE HEXAHYDRATE (7791-13-1)

pH	4.6
----	-----

HYDROCHLORIC ACID 35.4% (7647-01-0)

pH	< 1 at 20°C
----	-------------

WATER (7732-18-5)

pH	6 – 8 at 25°C
----	---------------

□□□ □□ □□ □□□□ : □□□□ □□
□□□□ □□□□ : □□□□ □□
□□□□ : □□ □□□ □ □□.
□□□□ : □□□□ □□
□□ □□□□ □□ (1□ □□) : □□□□ □□

HYDROCHLORIC ACID 35.4% (7647-01-0)

□□ □□□□ □□ (1□ □□)	□□□□ □□□□ □□□ □□□.
--------------------	--------------------

□□ □□□□ □□ (□□ □□) : □□□□ □□
□□ □□□□ : □□□□ □□

POTASSIUM CHLOROPLATINATE (16921-30-5)

□□(□□□)	□□□□
---------	------

COBALT (II) CHLORIDE HEXAHYDRATE (7791-13-1)

□□(□□□)	□□□□
---------	------

HYDROCHLORIC ACID 35.4% (7647-01-0)

□□(□□□)	1.944 mm ² /s
---------	--------------------------

WATER (7732-18-5)

□□(□□□)	0.894 mm ² /s
---------	--------------------------

11.2. □□ □□ □□

□□ □□

PLATINUM-COBALT COLOR STANDARD 500 APHA

□□□□□□□□

□□ (EU) 2020/878 □□ □□ □□ REACH □□ (EC) 1907/2006 □□ □□

□□ 12: □□□ □□□ □□

12.1. □□

□□□ - □□ : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
□□ □□□□ □□□ : □□□□ □□
□□ □□□□ □□□ : □□□□ □□

12.2. □□□ □□□□

PLATINUM-COBALT COLOR STANDARD 500 APHA

□□□ □□□□	□□ □□ □□
----------	----------

POTASSIUM CHLOROPLATINATE (16921-30-5)

□□□ □□□□	□□ □□ □□
----------	----------

COBALT (II) CHLORIDE HEXAHYDRATE (7791-13-1)

□□□ □□□□	□□□ □□□ □□□□ □□ □□□.
----------	----------------------

HYDROCHLORIC ACID 35.4% (7647-01-0)

□□□ □□□□	□□ □□ □□
----------	----------

WATER (7732-18-5)

□□□ □□□□	□□ □□ □□
----------	----------

12.3. □□ □□□

□□ □□

12.4. □□ □□□

□□ □□

12.5. PBT □ vPvB □□ □□

□□ □□

12.6. □□□ □□ □□

□□ □□

12.7. □□ □□ □□

□□ □□

□□ 13: □□□ □□□□

13.1. □□□ □□□

□□ □□(□□□) : Disposal must be done according to official regulations.
□□□ □□□ : Dispose of contents/container in accordance with licensed collector's sorting instructions.
□□ □□ □□ □□ : Disposal must be done according to official regulations.
□□/□□ □□ □□□□ : Disposal must be done according to official regulations.
□□ □□ : Do not re-use empty containers.

□□ 14: □□□ □□□ □□

ADR / IMDG / IATA / ADN / RID □□ □□

PLATINUM-COBALT COLOR STANDARD 500 APHA

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

14.1. UN □□ □□ ID □□

UN-□□ (ADR) : UN 1760
UN-□□ (IMDG) : UN 1760
UN-□□ (IATA) : UN 1760
UN-□□ (ADN) : UN 1760
UN-□□ (RID) : UN 1760

14.2. UN □□ □□□

□□ □□□ (ADR) : □□□ □□, □□ □□□ □□□ □□ □
□□ □□□ (IMDG) : CORROSIVE LIQUID, N.O.S.
□□ □□□ (IATA) : Corrosive liquid, n.o.s.
□□ □□□ (ADN) : □□□ □□, □□ □□□ □□□ □□ □
□□ □□□ (RID) : □□□ □□, □□ □□□ □□□ □□ □
□□ □□ □□ (ADR) (ADR) : UN 1760 □□□ □□, □□ □□□ □□□ □□ □ (PLATINUM-COBALT COLOR STANDARD 500 APHA), 8, III, (E)
Transport document description (IMDG) : UN 1760 CORROSIVE LIQUID, N.O.S., 8, III
Transport document description (IATA) : UN 1760 Corrosive liquid, n.o.s. (PLATINUM-COBALT COLOR STANDARD 500 APHA), 8, III
Transport document description (ADN) : UN 1760 □□□ □□, □□ □□□ □□□ □□ □, 8, III
Transport document description (RID) : UN 1760 □□□ □□, □□ □□□ □□□ □□ □, 8, III

14.3. □□□□□ □□□ □□

ADR

□□□□□ □□□ □□ (ADR) : 8
□□ □□ (ADR) : 8



IMDG

□□□□□ □□□ □□ (IMDG) : 8
□□ □□ (IMDG) : 8



IATA

□□□□□ □□□ □□ (IATA) : 8
□□ □□ (IATA) : 8



ADN

□□□□□ □□□ □□ (ADN) : 8
□□ □□ (ADN) : 8



RID

□□□□□ □□□ □□ (RID) : 8
□□ □□ (RID) : 8

PLATINUM-COBALT COLOR STANDARD 500 APHA

□□□□□□□□

□□ (EU) 2020/878 □□ □□ □□ REACH □□ (EC) 1907/2006 □□ □□



14.4. □□□□


□□ □□ (ADR) : III
 □□ □□(IMDG) : III
 □□ □□ (IATA) : III
 □□ □□(ADN) : III
 □□ □□(RID) : III

14.5. □□ □□□

□□ □□ : □□□
 □□□□□□ : □□□
 EmS-No. (□□) : F-A
 EmS-No. (□□) : S-B
 □ □ □ □ □ □ □ □ : □□ □□ □□ □□

14.6. □□□□ □□ □□ □□□□

□□ □□ :
 □□ □□ (ADR) : C9
 □□ □□(ADR) : 274
 □□□(ADR) : 51
 □□□(ADR) : E1
 □□ □□(ADR) : P001, IBC03, LP01, R001
 □□ □□ □□ □□ □□(ADR) : MP19
 □□□ □□ □□ □□□□ □□ (ADR) : T7
 □□□ □□ □□ □□□□ □□ □□ (ADR) : TP1, TP28
 □□ □□(ADR) : L4BN
 □□ □□□□ □□ : AT
 □□ □□(ADR) : 3
 □□ □□ □□ □□ - □□(ADR) : V12
 □□ □□ □□(Kemler □□) : 80
 Orange plates (□□□□□□) :



□□ □□ □□ (ADR) : E
 EAC □□ : 2X

□□ □□ :
 □□ □□ (IMDG) : 223, 274
 □□ □□(IMDG) : 5 L
 □□□(IMDG) : E1
 □□ □□ (IMDG) : P001, LP01
 IBC □□ □□(IMDG) : IBC03
 □□ □□ (IMDG) : T7
 □□ □□ □□ (IMDG) : TP1, TP28
 □□ □□ (IMDG) : A
 □□ □□□(IMDG) : SW2
 □□□ □□□□ (IMDG) : Causes burns to skin, eyes and mucous membranes.

□□ □□ :
 PCA □□ □□(IATA) : E1
 PCA □□ □□(IATA) : Y841
 PCA □□ □□ □□ □□□(IATA) : 1L
 PCA □□ □□(IATA) : 852
 PCA □□ □□□(IATA) : 5L
 CAO □□ □□(IATA) : 856

PLATINUM-COBALT COLOR STANDARD 500 APHA

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

CAO □□ □□□(IATA) : 60L
□□ □□(IATA) : A3, A803
ERG □□(IATA) : 8L

□□ □□ □□
□□ □□(ADN) : C9
□□ □□(ADN) : 274
□□□(ADN) : 5 L
□□□(ADN) : E1
□□□□(ADN) : T
□□ □□(ADN) : PP, EP
□□ □□/□□□ □□(ADN) : 0

□□ □□
□□ □□(RID) : C9
□□ □□(RID) : 274
□□ □□(RID) : 5L
□□□(RID) : E1
□□ □□ (RID) : P001, IBC03, LP01, R001
□□ □□ □□ □□ □□(RID) : MP19
□□□ □□ □□ □□□□ □□ (RID) : T7
□□□ □□ □□ □□□□ □□ □□ (RID) : TP1, TP28
RID □□□ □□ □□(RID) : L4BN
□□ □□(RID) : 3
□□ □□ □□ □□ - □□(RID) : W12
□□ □□□ : CE8
□□□ □□ □□ (RID) : 80

14.7. □□□□□□(IMO) □□ □□ □□ □□

□□□□

□□ 15: □□ □□□□

15.1. □□, □□ □□□□ □□□□ □□□□ □□ □□ □□/□□

EU □□

REACH □□□ XVII (□□ □□)

EU restriction □□ (REACH Annex XVII)	
□□ □□	□□ □□
3(b)	PLATINUM-COBALT COLOR STANDARD 500 APHA ; HYDROCHLORIC ACID 35.4%

REACH □□□ XIV (□□ □□)

REACH □□□ XIV (□□ □□) □□□□ □□□□ □□□□ □□

REACH □□ □□ □□ (SVHC)

REACH □□ □□ □□□ □□□ □□□□ □□

PIC □□ (□□□□□□)

PIC □□(□□ □□□□ □□□□ □□ □□ EU 649/2012)□□□□ □□□□ □□□□ □□

POP □□ (□□□□ □□ □□□□)

POP □□□□ □□□□ □□□□ □□ (□□□□□□□□□□ □□ □□ EC 2019/1021)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

□□□□ □□(428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

PLATINUM-COBALT COLOR STANDARD 500 APHA

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□ □□ □□(12. BImSchV)				
□□	□□	□□	□□ □□	□□ □□
1.2.5.3			5,000,000 kg	50,000,000 kg
1.2.6.1			10,000 kg	50,000 kg
1.2.6.2			50,000 kg	200,000 kg
1.2.7			50,000 kg	200,000 kg
1.2.8			50,000 kg	200,000 kg
1.3.1			100,000 kg	200,000 kg
1.3.2			200,000 kg	500,000 kg
1.4.1			100,000 kg	500,000 kg
1.4.2			100,000 kg	500,000 kg
1.4.3			50,000 kg	200,000 kg
2.1			50,000 kg	200,000 kg
2.11			5,000 kg	50,000 kg
2.3.1			2,500,000 kg	25,000,000 kg
2.3.2			2,500,000 kg	25,000,000 kg
2.3.3			2,500,000 kg	25,000,000 kg
2.3.4			2,500,000 kg	25,000,000 kg
2.3.5			2,500,000 kg	25,000,000 kg
2.30			200,000 kg	500,000 kg
2.31				1,000 kg
2.35				1 kg
2.43.3			10,000 kg	100,000 kg
2.7			1,000 kg	2,000 kg
2.8				100 kg

□□□□

- SZW-lijst van kankerverwekkende stoffen : □□ □□ □□□□ □□□□□.
- SZW-lijst van mutagene stoffen : □□ □□ □□□□ □□□□□.
- SZW-lijst van reprotoxische stoffen – Borstvoeding : □□ □□ □□□□ □□□□□.
- SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : □□ □□ □□□□ □□□□□.
- SZW-lijst van reprotoxische stoffen – Ontwikkeling : □□ □□ □□□□ □□□□□.

□□□

- □□ □□ : 18□ □□ □□ □□ □□ □□□□□
- □□□□ □□□□ □□/□□□□ □□ □□□ □□ □□□□ □ □□□.
- □□□ □□□ □□ □□ □□□□ □□ □□□ □□ □□ □□ □□□□ □□□□ □□□□

PLATINUM-COBALT COLOR STANDARD 500 APHA

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□□

□□□ □□ □□

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).
 Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).
 The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).
 Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).
 Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).
 Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).
 The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)
 Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended).
 Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).
 ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

□□□

Royal Decree 665/1997

: Is subject to the Royal Decree 665/1997

□□□

□□□□ □□ (SR 813.11)

: □□ 1

15.2. □□ □□ □□□ □□

No chemical safety assessment has been carried out

□□ 16: □ □□ □□□□

□□ □ □□□□:

ACGIH	American Conference of Government Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	□□ □□ □
BOD	Biochemical oxygen demand (BOD)
CAS □□	□□□□ □□ □□ □□(CAS)
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	□□□ □□ □□□
CSA	□□ □□ □□□ □□
DMEL	Derived Minimal Effect level
DNEL	□□ □□□ □□
EC □□	□□ □□□ □□

PLATINUM-COBALT COLOR STANDARD 500 APHA

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□ □ □□□□:	
EC50	Median effective concentration
ED	□□□ □□□□
EN	□□ □□
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	□□□ □□ □□
OSHA	Occupational Safety & Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	□□ □□□ □□
PPE	□□ □□□
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	□□□□□□□□
STP	Sewage treatment plant
TF	□□□ □□
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
COV	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	□□ □□ □□□

H-□□ □ EUH-□□ □□:	
□□ □□ 3 (□□)	□□ □□ (□□), □□ 3
□□ □□ 4 (□□)	□□ □□ (□□), □□ 4
□ □□□ 1	□□ □ □□□/□ □□□, □□ 1
□□ □□□□ 1	□□□□ □□□ – □□, □□ 1

PLATINUM-COBALT COLOR STANDARD 500 APHA

□□□□□□□□

□□ (EU) 2020/878 □□ □□□□ REACH □□ (EC) 1907/2006 □□ □□

H-□□ □ EUH-□□ □□:	
□□□ 1A	□□□ (□□), □□ 1A
□□□□ 1B	□□□□, □□ 1B
□□□□ □□□□ 2	□□□□ □□□□, □□ 2
□□ □□□□ □□ (1□ □□) 3	□□□□□□ □□ - 1□ □□, □□ 3, □□□□ □□
□□ □□□ 1	□□ □□□, □□ 1
□□ □□□ 1	□□ □□□/□□ □□□, □□ 1
□□□ □□□ 1	□□□ □□□, □□ 1
H290	□□□ □□□□ □ □□.
H301	□□□ □□□.
H302	□□□ □□□.
H314	□□□ □□ □□□ □ □□□ □□□.
H317	□□□□□ □□ □□□ □□□ □ □□.
H318	□□ □□ □□□ □□□.
H334	□□ □ □□□□□ □□, □□ □□ □□ □□□ □□□ □ □□.
H335	□□□ □□□ □□□ □ □□.
H341	□□□□ □□□ □□□ □□□ □□□.
H350	□□ □□□ □ □□.
H350i	□□ □ □□ □□□ □ □□.
H360FD	□□□□□ □□□ □ □□. □□□ □□□ □ □□.
H410	□□□ □□□ □□ □□□□□□ □□ □□□.
EUH208	POTASSIUM CHLOROPLATINATE(16921-30-5), COBALT (II) CHLORIDE HEXAHYDRATE(7791-13-1) □□. □□□□ □□ □ □□□□ □□.

□□□□□□□□(SDS), EU

□ □□□ □□ □□□ □□□□ □□ □□□ □□□ □□□ □□, □□ □ □□ □□□ □□□□ □□□ □□□□□ □□ □□□□. □□□□ □□□ □□□ □□□ □□□□ □□□ □□ □□□□ □ □□□.