

SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE ~70% IN TOLUENE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

SDS Reference Number: 5856D

□□ □□□□: 8/28/2013 □□ □□□□: 11/26/2025 □□ □□: 8/28/2013 □□: 0.1

□□ 1: □□□□□ □□□ □□ □□

1.1. □□□□

□□ □□ : □□□
 □□ □□ : SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE ~70% IN TOLUENE EXTRA PURE
 □□ □□ : 5856D
 □□ □□ : Solution

1.2. □□□□ □□ □□□□ □□ □□ □□ □□

□□ □□ □□ : Laboratory chemicals
 □□□□/□□□□ □□ : Reagent

1.3. □□□□□□□□ □□□ □□

LOBA CHEMIE PVT.LTD.
 107 Wode House Road, Jehangir Villa, Colaba
 400005 Mumbai
 INDIA
 T +91 22 6663 6663, F +91 22 6663 6699
info@lobachemie.com, www.lobachemie.com

1.4. □□□□□□

□□ □□ □□ : + 91 22 6663 6663 (9:00am - 6:00 pm)

□□ 2: □□□·□□□

2.1. □□□·□□□ □□

Regulation (EC) No.1272/2008 [CLP]□ □□ □□

□□□ □□, □□ 2	H225
□□□□ □□ □ □□□, □□ 1	H260
□□ □□ (□□), □□ 3	H301
□□ □□ (□□), □□ 3	H311
□□ □□□/□□ □□□, □□ 2	H315
□□ □ □□□□ □□□, □□ 1	H318
□□□□, □□ 2	H361d
□□□□□□ □□ - 1□ □□, □□ 3, □□ □□	H336
□□□□□□ □□ - □□ □□, □□ 2	H373
□□ □□□, □□ 1	H304

H-□□ □ EUH-□□ □□: □□ 16 □□

□□□□□, □□ □□ □ □□□□□□□

□□□□ □□ □ □□. □□ □□ □ □□□□ □□□□ □□ □□□ □□□□□. □□□ □□ □□ □□□□ □□□ □□□ □□ □□ □□. □□ □□ □□□□ □□□ □ □□. □□□ □□□□ □□□ □ □□. □□□ □□□□ □□□. □□□ □□□ □□□. □□ □□ □□□ □□□. □□□ □□□ □□□□ □□□□ □ □□.

SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE ~70% IN TOLUENE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□	□□□□	%	Regulation (EC) No.1272/2008 [CLP] □ □□ □□
TOLUENE	CAS □□: 108-88-3 EC □□: 203-625-9 EC □□ □□: 601-021-00-3	30	□□□ □□ 2, H225 □□ □□□ 2, H315 □□□□ 2, H361d □□ □□□□ □□ (1□ □□) 3, H336 □□ □□□□ □□ (□□ □□) 2, H373 □□ □□□ 1, H304

H-□□ □ EUH-□□ □□: □□ 16 □□

□□ 4: □□□□□□

4.1. □□□□ □□

- □□ □□ : Call a physician immediately.
 - □□ : □□□ □□□ □□ □□□ □□□ □□ □□□ □□□□. □□□ □□□ □□ □□□ □□□ □□ □□ □□□ □□□□. □□ □□□□/□□□ □□□ □□□□. □□□□ □□□ □□ □□□ □□□ □□ □□□□(□□) □□□ □□□□.
 - □□□□ □□ : □□□ □□ □□□□[□□ □□□□□]. □□□ □□ □□□ □□ □□□□. □□□ □□ □□□□ □□ □□□□[□□ □□ □□□ □□□□]. □□□ □□□□/□□□ □□□ □□□□. □□□□□□ □□□ □□ □□, □□□ □□ □□□□ □□ □□□ □□□□. □□ □□□ □□□□: □□□□ □□/□□□ □□□□.
 - □□□□ □□ : □ □□ □□ □□□□ □□□□. □□□□ □□□□□□ □□□□□. □□ □□□□/□□□ □□□ □□□□. Call a physician immediately.
 - □□ : □□ □□□□□. □□□ □□ □□□. □□ □□□□/□□□ □□□ □□□□. Call a physician immediately.
- Self protection of the first-aider : □□□□□□ □□□ □□□ □□□□, □□□□ □□□□□□ □□□□□□□(□□ 8 □□).

4.2. □□ □ □□□ □□ □□□ □□ □□ □□

- /□□ : □□□ □□ □□□ □□ □□□ □□□. □□□ □□□ □□□. □□ □□ □□□□ □□□ □ □□.
- □ □□/□□ : □□ □□ □□□□ □□□ □ □□.
- □□ □ □□/□□ : □□□ □□□□□ □□□. □□.
- □□ □ □□/□□ : Serious damage to eyes.
- □ □□/□□ : □□□ □□□ □□□□ □□□□ □ □□. □□□ □□□. Risk of lung oedema.

4.3. □□□□ □□ □ □□ □□ □□ □□ □□

Treat symptomatically.

□□ 5: □□·□□□ □□□□

5.1. □□□ □□□

- □□□ : Dry powder. Foam. Carbon dioxide.
- □□□ : Do not use extinguishing media containing water.

5.2. □□□□□□□ □□□ □□ □□□

- □□ : □□□□ □□ □ □□.
- □□ : May form flammable/explosive vapour-air mixture.
- □ □□□ □□□ □□ : Toxic fumes may be released.

5.3. □□□□ □□□□ □ □□□□

- □□ : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
- □□ □ □□ : Do not attempt to take action without suitable protective equipment. □□□ □□□□□. Complete protective clothing.

SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE ~70% IN TOLUENE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□□ REACH □□ (EC) 1907/2006 □□ □□

□□ 8: □□□□ □□□□□□

8.1. □□ □□ □□

□□ □□

8.2. □□□□

□□□□ □□□□

□□□□ □□□□ □□:

Ensure good ventilation of the work station.

□□ □□□□

□□ □□□□:

Wear recommended personal protective equipment.

□□ □□ □□ □□:



□□ □□ □□□□

□□ □□:

Chemical goggles or safety glasses

Skin protection

□□ □□:

Wear a mask

□□ □□:

Protective gloves

□□□□ □□

□□□□ □□:

Wear appropriate mask

□□ □□ □□

□□ □□ □□:

□□□□ □□□□ □□□□.

□□ 9: □□□□□□ □□

9.1. □□□□ □□□□□□ □□□□ □□ □□

□□□□ □□

: □□

□□

: Colourless to Light yellow.

□□

: Viscous. Clear to slightly hazy liquid.

□□

: □□□□

□□ □□

: □□□□

□□□□

: □□□□

□□□□

: □□□□

□□ □□□□ □□□□ □□

: 110 °C

□□□□

: □□□□ □□ □□□□, □□ □□ □□ □□□□ □□□□ □□ □□□□ □□□□

□□ □□□□

: 1.27 vol %

□□ □□□□

: 7 vol %

□□□□

: 4 °C

□□□□ □□

: □□□□

□□ □□

: 200 °C

pH

: □□□□

□□(□□□□)

: 62.741 mm²/s

□□(□□□□□)

: 65 cP at 20 °C

SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE ~70% IN TOLUENE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□□ : □□: Reacts violently with water
 Partition coefficient n-octanol/water (Log Kow) : □□□□
 □□□ : □□□□
 50°C□□□□ □□□ : □□□□
 □□ : 1.036 g/cm³ at 25 °C
 □□ : □□□□
 20°C□□□□ □□ □□ □□ : 6.9
 □□ □□ : □□□□

9.2. □□□□□□□□

□□ □□

□□ 10: □□□□ □□□□

10.1. □□□□

Thermal decomposition generates : Corrosive vapours. □□ □□ □□□□ □□. □□□□ □□ □□□.

10.2. □□□□□□□□

□□□□ □□ □□□. May form flammable/explosive vapour-air mixture.

10.3. □□□□□□□□

□□ □□ □□□□ □□□□ □□ □□□ □□□□□□. Highly reactive material. □□ □□ □□□□ □□.

10.4. □□□□□□□□

Open flame. □□□□. Moisture. □□□□ □□□□ □□□□□□. □. □□, □□□, □□□□ □□ □□□□□□□□. Water, humidity.

10.5. □□□□□□□□

□□ □□

10.6. □□□□□□□□□□

May release flammable gases. Thermal decomposition generates : Corrosive vapours.

□□ 11: □□□□ □□□□

11.1. □□ (EC) No 1272/2008 □□□□, □□□□ □□□□ □□□□

□□ □□ (□□) : □□□□ □□□□.
 □□ □□ (□□) : □□□□ □□□□ □□□□.
 □□ □□ (□□) : □□□□ □□

SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE ~70% IN TOLUENE EXTRA PURE

ATE CLP(□□)	142.857 mg/kg bodyweight
ATE CLP(□□)	428.571 mg/kg bodyweight

□□ □□□□ □□ □□□□ : □□□□ □□□□ □□□□.
 □□ □□ □□ □□ □□□□ : □□ □□ □□□□ □□□□.
 □□□□ □□ □□ □□□□ : □□□□ □□
 □□□□ □□□□□□ : □□□□ □□
 □□□□ : □□□□ □□
 □□□□□□ : □□□□ □□□□ □□□□ □□□□.
 □□ □□□□ □□ (1□ □□) : □□ □□ □□□□ □□□□ □□□□.

SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE (22722-98-1)

□□ □□□□ □□ (1□ □□)	□□ □□ □□□□ □□□□ □□□□.
--------------------	-----------------------

SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE ~70% IN TOLUENE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

TOLUENE (108-88-3)

□□ □□□□ □□ (1□ □□)	□□ □□ □□□□ □□□ □□□.
--------------------	---------------------

□□ □□□□ □□ (□□ □□) : □□□ □□ □□ □□□□ □□□ □□□ □□□.

SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE (22722-98-1)

□□ □□□□ □□ (□□ □□)	□□□ □□ □□ □□□□ □□□ □□□ □□□ □□□.
--------------------	---------------------------------

TOLUENE (108-88-3)

□□ □□□□ □□ (□□ □□)	□□□ □□ □□ □□□□ □□□ □□□ □□□ □□□.
--------------------	---------------------------------

□□ □□□□ : □□□ □□□ □□□□ □□□□ □□□.

SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE ~70% IN TOLUENE EXTRA PURE

□□(□□□)	62.741 mm ² /s
---------	---------------------------

TOLUENE (108-88-3)

□□(□□□)	0.646 mm ² /s
---------	--------------------------

11.2. □□ □□ □□

□□ □□

□□ 12: □□□ □□□ □□

12.1. □□

□□□ - □□ : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

□□ □□□□ □□□ : □□□□ □□

□□ □□□□ □□□ : □□□□ □□

12.2. □□□ □□□□

SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE ~70% IN TOLUENE EXTRA PURE

□□□ □□□□	□□ □□ □□
----------	----------

SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE (22722-98-1)

□□□ □□□□	□□ □□ □□
----------	----------

TOLUENE (108-88-3)

□□□ □□□□	□□ □□ □□
----------	----------

12.3. □□ □□□

SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE (22722-98-1)

Partition coefficient n-octanol/water (Log Pow)	0.3399
---	--------

12.4. □□ □□□

□□ □□

12.5. PBT □ vPvB □□ □□

□□ □□

12.6. □□□ □□ □□

□□ □□

SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE ~70% IN TOLUENE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

12.7. □□ □□ □□

□□ □□

□□ 13: □□□ □□□□

13.1. □□□ □□□

- □□(□□□) : Disposal must be done according to official regulations.
- □□□ : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- □□ □□ □□ : Disposal must be done according to official regulations.
- /□□ □□ □□□□ : □□, □□, □□ □/□□ □□ □□□ □□ □□□□ □□ □□ □□□ □□ □□ □□□□ □□ □□□□□□.
- □□ : Disposal must be done according to official regulations.
- □□ : Handle empty containers with care because residual vapours are flammable. Do not allow water (or moist air) contact with this material. □□ □ □□□ □□□ □□□ □ □□. Do not re-use empty containers.
- Ecological waste information : Hazardous waste due to toxicity.

□□ 14: □□□ □□□ □□

ADR / IMDG / IATA / ADN / RID □□ □□

14.1. UN □□ □□ ID □□

- UN-□□ (ADR) : UN 3399
- UN-□□ (IMDG) : UN 3399
- UN-□□ (IATA) : UN 3399
- UN-□□ (ADN) : UN 3399
- UN-□□ (RID) : UN 3399

14.2. UN □□ □□□

- □□□ (ADR) : □□□□□□, □□, □ □□□, □□□
- □□□ (IMDG) : ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE
- □□□ (IATA) : Organometallic substance, liquid, water-reactive, flammable
- □□□ (ADN) : □□□□□□, □□, □ □□□, □□□
- □□□ (RID) : □□□□□□, □□, □ □□□, □□□
- □□ □□ (ADR) (ADR) : UN 3399 □□□□□□, □□, □ □□□, □□□ (SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE ~ 70% IN TOLUENE), 4.3 (3), I, (B/E)
- Transport document description (IMDG) : UN 3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE ~ 70% IN TOLUENE), 4.3 (3), I
- Transport document description (IATA) : UN 3399 Organometallic substance, liquid, water-reactive, flammable (SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE ~ 70% IN TOLUENE), 4.3 (3), I
- Transport document description (ADN) : UN 3399 □□□□□□, □□, □ □□□, □□□, 4.3 (3), I
- Transport document description (RID) : UN 3399 □□□□□□, □□, □ □□□, □□□, 4.3 (3), I

14.3. □□□□□ □□□ □□

- ADR : 4.3 (3)
- □□□ □□ (ADR) : 4.3, 3
- □□ (ADR) :



- IMDG : 4.3 (3)
- □□ (IMDG) : 4.3, 3

SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE ~70% IN TOLUENE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□



IATA

□□□□□ □□□ □□ (IATA)

: 4.3 (3)

□□ □□ (IATA)

: 4.3, 3



ADN

□□□□□ □□□ □□ (ADN)

: 4.3 (3)

□□ □□ (ADN)

: 4.3, 3



RID

□□□□□ □□□ □□ (RID)

: 4.3 (3)

□□ □□ (RID)

: 4.3, 3



14.4. □□□□

□□ □□ (ADR)

: I

□□ □□(IMDG)

: I

□□ □□ (IATA)

: I

□□ □□(ADN)

: I

□□ □□(RID)

: I

14.5. □□ □□□□

□□□ □□

: □□□

□□□□□□

: □□□

EmS-No. (□□)

: F-G

EmS-No. (□□)

: S-N

□ □□ □□□□

: □□ □□ □□ □□

14.6. □□□□ □□ □□ □□□□

□□ □□

□□ □□ (ADR)

: WF1

□□ □□(ADR)

: 274

□□□(ADR)

: 0

□□□(ADR)

: E0

□□ □□(ADR)

: P402

□□ □□ □□ □□ □□(ADR)

: MP2

□□□□ □□ □□ □□□□ □□ (ADR)

: T13

□□□□ □□ □□ □□□□ □□ □□ (ADR)

: TP2, TP7, TP36, TP41

□□ □□(ADR)

: L10DH

□□ □□ □□(ADR)

: TU4, TU14, TU22, TE21, TM2

□□ □□□□ □□

: FL

□□ □□(ADR)

: 0

SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE ~70% IN TOLUENE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□ □□ □□ □□ - □□(ADR) : V1
 □□ □□ □□ □□ -□□, □□ □ □□(ADR) : CV23
 □□ □□ □□ □□ - □□(ADR) : S2, S20
 □□ □□ □□(Kemler □□) : X323
 Orange plates (□□□□□□) :



□□ □□ □□ (ADR) : B/E
 EAC □□ : 4W
 APP □□ : A(fl)

□□ □□
 □□ □□ (IMDG) : 274
 □□ □□(IMDG) : 0
 □□□(IMDG) : E0
 □□ □□ (IMDG) : P402
 □□ □□ (IMDG) : PP31
 □□ □□ (IMDG) : T13
 □□ □□ □□ (IMDG) : TP2, TP7, TP36, TP41
 □□ □□ (IMDG) : D
 □□ □ □□(IMDG) : SW2, H1
 □□(IMDG) : SG26, SG35, SG72
 □□□ □□□□ (IMDG) : Flammable liquid. Reacts violently with moisture, water and acids evolving flammable gas.
 MFAG-□□ : 138

□□ □□
 PCA □□ □□(IATA) : E0
 PCA □□ □□(IATA) : Forbidden
 PCA □□ □□ □□ □□□(IATA) : Forbidden
 PCA □□ □□(IATA) : Forbidden
 PCA □□ □□□(IATA) : Forbidden
 CAO □□ □□(IATA) : 494
 CAO □□ □□□(IATA) : 1L
 □□ □□(IATA) : A3, A803
 ERG □□(IATA) : 4FW

□□ □□ □□
 □□ □□(ADN) : WF1
 □□ □□(ADN) : 274
 □□□(ADN) : 0
 □□□(ADN) : E0
 □□ □□(ADN) : PP, EX, A
 □□(ADN) : VE01
 □□ □□ □ □□ □□(ADN) : HA08
 □□ □□/□□□ □□(ADN) : 1

□□ □□
 □□ □□(RID) : WF1
 □□ □□(RID) : 274
 □□ □□(RID) : 0
 □□□(RID) : E0
 □□ □□ (RID) : P402
 □□ □□ □□ □□ □□(RID) : MP2
 □□□ □□ □ □□ □□□□ □□ (RID) : T13
 □□□ □□ □ □□ □□□□ □□ □□ (RID) : TP2, TP7, TP36, TP41
 RID □□□ □□ □□(RID) : L10DH
 RID □□□ □□ □□(RID) : TU4, TU14, TU22, TU38, TE21, TE22, TM2
 □□ □□(RID) : 0
 □□ □□ □□ □□ - □□(RID) : W1
 □□ □□ □□ □□ -□□, □□ □ □□(RID) : CW23

SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE ~70% IN TOLUENE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□□	
□□	□□
RG 4 BIS	
RG 84	

□□

WGK : WGK 3, □□ □□ □□□ (AwSV, □□□ 1□ □□ □□).
 □□□□ □□ □□ (ChemVerbotsV) : This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the shipping route (according to § 10).

□□□□

SZW-lijst van kankerverwekkende stoffen : □□ □□ □□□□ □□□□□.
 SZW-lijst van mutagene stoffen : □□ □□ □□□□ □□□□□.
 SZW-lijst van reprotoxische stoffen – Borstvoeding : □□ □□ □□□□ □□□□□.
 SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : □□ □□ □□□□ □□□□□.
 SZW-lijst van reprotoxische stoffen – Ontwikkeling : TOLUENE□(□) □□□ □□□□□

□□□

Class for fire hazard : □□ I-1
 Store unit : 1 liter
 □□ □□ □□ □□ : F <□□□ □□ 2; □ □□□ 1>; □□□ □□ □□□ □□ □□ □□□ □□□ □□□ □□□
 □□□ □□ □□ : 18□ □□ □□□ □□ □□□ □□□□□
 □ □□□□ □□□□ □□/□□□□ □□ □□□ □□ □□□□ □ □□□.

□□□

□□□ □□ □□ : Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).
 Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).
 The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).
 Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).
 Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).
 Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).
 The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)
 Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended).
 Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).
 ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

15.2. □□ □□ □□□ □□

No chemical safety assessment has been carried out

SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE ~70% IN TOLUENE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□ REACH □□ (EC) 1907/2006 □□ □□

□□ 16: □□ □□□□

□□ □□□□□:	
ACGIH	American Conference of Government Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	□□ □□ □
BOD	Biochemical oxygen demand (BOD)
CAS □□	□□□□ □□-□□ □□(CAS)
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	□□□ □□ □□□
CSA	□□ □□ □□□ □□
DMEL	Derived Minimal Effect level
DNEL	□□ □□□ □□
EC □□	□□ □□□ □□
EC50	Median effective concentration
ED	□□□ □□□□
EN	□□ □□
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	□□□ □□ □□
OSHA	Occupational Safety & Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	□□ □□□ □□

SODIUM DIHYDRIDO-BIS(2-METHOXYETHOXY)ALUMINATE ~70% IN TOLUENE EXTRA PURE

□□□□□□□□

□□ (EU) 2020/878 □□ □□□□ REACH □□ (EC) 1907/2006 □□ □□
