

# SODIUM HYDROXIDE 0.25 MOL/L (0.25N) FOR 500 ML SOLUTION MSDS



LABORATORY REAGENTS  
& FINE CHEMICALS

CAS No: MSDS

## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
:  
Product code : 5903B

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.  
107 Wode House Road, Jehangir Villa, Colaba  
400005 Mumbai - INDIA  
T +91 22 6663 6663 - F +91 22 6663 6699  
[info@lobachemie.com](mailto:info@lobachemie.com) - [www.lobachemie.com](http://www.lobachemie.com)

#### 1.4. Emergency telephone number

Emergency number : + 91 22 6663 6663 (9:00am - 6:00 pm)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Directive 67/548/EEC or 1999/45/EC

No labelling applicable

# SODIUM HYDROXIDE 0.25 MOL/L (0.25N) FOR 500 ML SOLUTION

## Safety Data Sheet

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Water	(CAS No) 7732-18-5 (EC no) 231-791-2	75 - 99	Not classified	Not classified
Sodium hydroxide	(CAS No) 1310-73-2 (EC no) 215-185-5	10 - 15	C; R35	Skin Corr. 1A, H314

Full text of R- and H-phrases: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Causes severe skin burns and eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>).
- Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

# SODIUM HYDROXIDE 0.25 MOL/L (0.25N) FOR 500 ML SOLUTION

## Safety Data Sheet

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact during pregnancy/while nursing.

Hygiene measures : Wash ... thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or face shield

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Clear Colorless.

# SODIUM HYDROXIDE 0.25 MOL/L (0.25N) FOR 500 ML SOLUTION

## Safety Data Sheet

Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Direct sunlight.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Thermal decomposition generates : Corrosive vapours.

# SODIUM HYDROXIDE 0.25 MOL/L (0.25N) FOR 500 ML SOLUTION

## Safety Data Sheet

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity	: Not classified
Irritation	: Not classified
Corrosivity	: Not classified
Sensitisation	: Not classified
Repeated dose toxicity	: Not classified
Carcinogenicity	: Not classified
Mutagenicity	: Not classified
Toxicity for reproduction	: Not classified

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR) : 1824

# SODIUM HYDROXIDE 0.25 MOL/L (0.25N) FOR 500 ML SOLUTION

## Safety Data Sheet

UN-No. (IMDG)	: 1824
UN-No.(IATA)	: 1824
UN-No.(ADN)	: 1824
UN-No. (RID)	: 1824

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: SODIUM HYDROXIDE SOLUTION
Proper Shipping Name (IMDG)	: SODIUM HYDROXIDE SOLUTION
Proper Shipping Name (IATA)	: SODIUM HYDROXIDE SOLUTION
Proper Shipping Name (ADN)	: SODIUM HYDROXIDE SOLUTION
Proper Shipping Name (RID)	: SODIUM HYDROXIDE SOLUTION
Transport document description (ADR)	: UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II, (E)
Transport document description (IMDG)	: UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II
Transport document description (IATA)	: UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II
Transport document description (ADN)	: UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II
Transport document description (RID)	: UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8



#### IMDG

Transport hazard class(es) (IMDG)	: 8
Danger labels (IMDG)	: 8



#### IATA

Transport hazard class(es) (IATA)	: 8
Hazard labels (IATA)	: 8



#### ADN

Transport hazard class(es) (ADN)	: 8
Danger labels (ADN)	: 8



# SODIUM HYDROXIDE 0.25 MOL/L (0.25N) FOR 500 ML SOLUTION

## Safety Data Sheet

### RID

Transport hazard class(es) (RID) : 8

Danger labels (RID) : 8



### 14.4. Packing group

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : II

Packing group (RID) : II

### 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : C5

Limited quantities (ADR) : 1L

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02

Mixed packing provisions (ADR) : MP15

Portable tank and bulk container : T7

instructions (ADR)

Portable tank and bulk container special : TP2

provisions (ADR)


Tank code (ADR) : L4BN

Vehicle for tank carriage : AT

Transport category (ADR) : 2

Hazard identification number (Kemler No.) : 80

Orange plates :



Tunnel restriction code (ADR) : E

EAC code : 2R

#### - Transport by sea

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP2

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-B

# SODIUM HYDROXIDE 0.25 MOL/L (0.25N) FOR 500 ML SOLUTION

## Safety Data Sheet

Stowage category (IMDG) : A  
Segregation (IMDG) : SG35  
MFAG-No : 154

### - Air transport

PCA Excepted quantities (IATA) : E2  
PCA Limited quantities (IATA) : Y840  
PCA limited quantity max net quantity (IATA) : 0.5L  
PCA packing instructions (IATA) : 851  
PCA max net quantity (IATA) : 1L  
CAO packing instructions (IATA) : 855  
CAO max net quantity (IATA) : 30L  
Special provision (IATA) : A3  
ERG code (IATA) : 8L

### - Inland waterway transport

Classification code (ADN) : C5  
Limited quantities (ADN) : 1 L  
Excepted quantities (ADN) : E2  
Carriage permitted (ADN) : T  
Equipment required (ADN) : PP, EP  
Number of blue cones/lights (ADN) : 0

### - Rail transport

Classification code (RID) : C5  
Limited quantities (RID) : 1L  
Excepted quantities (RID) : E2  
Packing instructions (RID) : P001, IBC02  
Mixed packing provisions (RID) : MP15  
Portable tank and bulk container instructions (RID) : T7  
Portable tank and bulk container special provisions (RID) : TP2  
Tank codes for RID tanks (RID) : L4BN  
Transport category (RID) : 2  
Colis express (express parcels) (RID) : CE6  
Hazard identification number (RID) : 80

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.



# SODIUM HYDROXIDE 0.25 MOL/L (0.25N) FOR 500 ML SOLUTION

## Safety Data Sheet

### 15.1.2. National regulations

#### Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Skin Corr. 1A	Skin corrosion/irritation, Category 1A
H314	Causes severe skin burns and eye damage
R35	Causes severe burns
C	Corrosive

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*