SODIUM HYDROXIDE 25% SOLUTION

□□□□□□□□

□□ (EU) 2020/878□ □□ □□□ REACH □□ (EC) 1907/2006□ □□
□□ □□□□: 1/17/2018 □□ □□□□: 10/19/2026 □□ □□: 1/17/2018 □□: 1.0

□□ 1: □□□□□ □□□ □□ □□

1.1. □□□□

□□ □□ : □□□
□□□ : SODIUM HYDROXIDE 25% SOLUTION
□□ □□ : 5900E
□□ □□ : Solution

1.2. □□□□ □□ □□□□ □□ □□ □□ □□

□□ □□ □□

□□□□/□□□□ □□ : Industrial;For professional use only
□□□□/□□□□ □□ : Laboratory chemicals
Reagent

1.3. □□□□□□□□ □□□ □□

LOBA CHEMIE PVT.LTD.
107 Wode House Road, Jehangir Villa, Colaba
400005 Mumbai
INDIA
T +91 22 6663 6663, F +91 22 6663 6699
info@lobachemie.com, www.lobachemie.com

1.4. □□□□□□

□□ □□ □□ : + 91 22 6663 6663 (9:00am - 6:00 pm)

□□ 2: □□□·□□□

2.1. □□□·□□□ □□

Regulation (EC) No.1272/2008 [CLP]□ □□ □□

□□ □□□, □□ 1 H290
□□ □□□/□□ □□□, □□ 1 H314
H-□□ □ EUH-□□ □□: □□ 16 □□

□□□□□, □□ □□ □ □□□□□□□

□□□ □□□□ □ □□. □□□ □□ □□□ □□ □□□ □□□.

2.2. □□□□□□□ □□□ □□□□ □□

□□ (EC) No. 1272/2008□ □□ □□ □□[CLP]

□□ □□ □□□□(CLP) :



GHS05

□□□ (CLP) : □□
□□ : SODIUM HYDROXIDE PELLETS
□□·□□ □□ (CLP) : H290 - □□□ □□□□ □ □□.
H314 - □□□ □□ □□□ □ □□□ □□□.
□□ □□ □□(CLP) : P280 - respiratory protection, □□□□, □□□, □□□ □(□) □□□□□.
P303+P361+P353 - □□(□□ □□□□)□ □□□ □□□ □□ □□□ □□ □□□□. □□□ □□ □□□□ .
P305+P351+P338 - □□ □□□□: □ □□ □□ □□□□ □□□□. □□□□ □□□ □□□ □□□□□. □□ □ □□□.

2.3. □□ □□

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SODIUM HYDROXIDE 25% SOLUTION

□□□□□□□□

□□ (EU) 2020/878□ □□ □□□ REACH □□ (EC) 1907/2006□ □□

□ □□□□ REACH□ 59(1)□□ □□ □□□ □□ □□□ □□ □□□ □□□ □□□ □□□□ □□ □□□ □□□□ □□ □□□, □□□ □□ □□ (EU) 2017/2100 □□ □□□ □ □ (EU) 2018/605□ □□□ □□□ □□ □□□ 0.1% □□□ □□□ □□ □□□ □□ □□□ □□□□ □□ □□□ □□□□ □□ □□□□

□□ 3: □□□□□ □□ □ □□□

3.2. □□□

□□	□□□□	%	Regulation (EC) No.1272/2008 [CLP]□ □□ □□
WATER	CAS □□: 7732-18-5 EC □□: 231-791-2	75	□□□□ □□
SODIUM HYDROXIDE PELLETS	CAS □□: 1310-73-2 EC □□: 215-185-5 EC □□ □□: 011-002-00-6	25	□□ □□□ 1, H290 □□ □□□ 1A, H314

H-□□ □ EUH-□□ □□: □□ 16 □□

□□ 4: □□□□□□

4.1. □□□□ □□

□□ □□ □□ : Call a physician immediately.

□□□□ □ : □□□ □□□ □□ □□□ □□□ □□□□ □□ □□□ □□□ □□□□. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.

□□□ □□□□ □ : □□□ □□ □□□ □□ □□□□. □□□ □□□ □□ □□□□. □□□ □□ □□□□[□□ □□□□□]. Call a physician immediately.

□□ □□□□ □ : □□□□ □□□□□□ □□□□□. □□ □□□□. □ □□ □□ □□□□ □□□□. Call a physician immediately.

□□□ □ : □□ □□□□□. Do not induce vomiting because of corrosive effects. If you feel unwell, seek medical advice. Do not induce vomiting. Call a physician immediately.

Self protection of the first-aider : □□□□□□ □□□ □□□ □□□□, □□□□ □□□□□□ □□□□□□□(□□ 8 □□).

4.2. □□ □ □□□ □□ □□□ □□ □ □□

□□/□□ : □□□ □□ □□□ □□ □□□ □□□.

□□ □ □□/□□ : None under normal conditions.

□□ □□ □ □□/□□ : Burns.

□ □□ □ □□/□□ : Serious damage to eyes.

□□ □ □□/□□ : Burns.

4.3. □□□□ □□ □ □□ □□ □□ □□ □□

Treat symptomatically.

□□ 5: □□·□□□ □□□□

5.1. □□□ □□□

□□□ □□□ : Water spray. Foam. Dry powder. Carbon dioxide.

□□□□ □□□ : Do not use a heavy water stream.

5.2. □□□□□□□ □□□ □□ □□□

□□ □□ : No fire hazard.

□□ □□ : No direct explosion hazard.

□□ □ □□□ □□□ □□ : Toxic fumes may be released.

물질안전보건자료
규정 (EU) 2020/878에 의해 수정된 REACH 규정 (EC) 1907/2006에 따름

5.3. 소방관의 화재진압 시 주의사항

소방 지침 : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
화재 진압 중 보호 : Do not attempt to take action without suitable protective equipment. 자급식 호흡보호구. Complete protective clothing.

섹션 6: 누출사고시 대처방법

6.1. 인체를 보호하기 위해 필요한 조치사항 및 보호구

일반 조치 : 안전하게 처리하는 것이 가능하면 누출을 막으시오. 제품이 하수구 또는 상하수도로 들어갈 경우 당국에 통보. 물질손 상을 방지하기 위해 누출물을 흡수시키시오.

비응급 대응 요원

보호 장비 : Wear recommended personal protective equipment.
응급 조치 : Ventilate spillage area. Evacuate unnecessary personnel. 피부 및 눈과의 접촉을 피하시오. 분진/흄/가스/미 스트/증기/스프레이 를(을) 흡입하지 마시오.

응급 대응 요원

보호 장비 : Do not attempt to take action without suitable protective equipment. 적절한 개인 보호구를 착용하시오. 보 다 자세한 정보는 섹션 8: "노출방지 및 개인보호구"를 참조하시오.

응급 조치 : Ventilate area. Evacuate unnecessary personnel. 안전하게 처리하는 것이 가능하면 누출을 막으시오.

6.2. 환경을 보호하기 위해 필요한 조치사항

환경으로 배출하지 마시오.

6.3. 정화 또는 제거 방법

봉쇄용 : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
세척 방법 : Take up liquid spill into absorbent material. 누출물을 모으시오. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
그 밖의 참고사항 : Dispose of materials or solid residues at an authorized site.

6.4. 기타 항목 참조

For further information refer to section 13.

섹션 7: 취급 및 저장방법

7.1. 안전취급요령

취급 시 발생가능한 추가 위험 : 일반적인 사용 조건에서는 위험한 것으로 간주되지 않음.

안전취급요령 : Ensure good ventilation of the work station. 피부 및 눈과의 접촉을 피하시오. 분진/흄/가스/미스트/증기/스프 레이 를(을) 흡입하지 마시오. 개인 보호구를 착용하시오.
위생 조치 : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. 다시 사용 전 오염된 의류를 세척하시오. 이 제품을 사용할 때에는 먹거나, 마시거나 흡연
하지 마시오. Always wash hands after handling the product.

7.2. 피해야할 조건을 포함한 안전한 저장 방법

기술적 조치 : Keep in a cool, well-ventilated place away from heat.
보관 조건 : 용기를 단단히 밀폐하시오. Store in original container or corrosive resistant and/or lined container. Store in corrosive resistant container with a resistant inner liner. 원래의 용기에만 보관하시오. 잠금장치를 하여 저
장하시오.

Incompatible materials for storage : 금속.
포장재 : Always store product in container of same material as original container.

7.3. 특정 최종 사용

자료 없음

□□ 8: □□□□ □ □□□□□

8.1. □□ □□ □□

□□ □□□ □□ □□ □ □□□□ □□ □□

SODIUM HYDROXIDE 25% SOLUTION	
□□□□ - □□□□□ □□□□, □□□□ □□□□ □	
□□ □□	Hidróxido de sódio
OEL C	2 ppm
□□ □□	Norma Portuguesa NP 1796:2014
□□□ - □□□□□ □□□□, □□□□ □□□□ □	
□□ □□	Hidróxido de sodio
VLA-EC (OEL STEL)	2 mg/m³
□□ □□	Límites de Exposición Profesional para Agentes Químicos en España 2026. INSHT
□□ - □□□□□ □□□□, □□□□ □□□□ □	
□□ □□	Sodium hydroxide
WEL STEL (OEL STEL)	2 mg/m³
□□ □□	EH40/2005 (Fourth edition, 2020). HSE
□□ - ACGIH® - Threshold Limit Values	
□□ □□	Sodium hydroxide
ACGIH® TLV® C	2 mg/m³
□□ (ACGIH®)	TLV® Basis: Eye, Skin & URT irr
□□ □□	ACGIH 2025

8.2. □□□□

□□□ □□□ □□

□□□ □□□ □□:

Ensure good ventilation of the work station.

□□ □□□

□□ □□□:

Wear recommended personal protective equipment.

□□ □□ □□ □□:



□ □ □□ □□□

□ □□:

Chemical goggles or safety glasses

Skin protection

□□ □□:

Wear a mask

□ □□:

Protective gloves

□□□ □□

□□□ □□:

[□□□ □ □□ □□ □□] □□□ □□□□ □□□□□.

□□ □□ □□

□□ □□ □□:

□□□□ □□□□ □□□.

□□ 9: □□□□□ □□

9.1. □□□□ □□□□□ □□□ □□ □□

□□□ □□	:	□□
□□	:	Colorless.
□□	:	Clear liquid.
□□	:	Odourless.
□□ □□	:	□□□□
□□□	:	□□□□
□□□	:	8 °C
□□ □□□□ □□□ □□	:	120 °C
□□□	:	□□□
□□ □□□	:	□□□□
□□ □□□	:	□□□□
□□□	:	□□□□
□□□□ □□	:	□□□□
□□ □□	:	□□□□
pH	:	≈ 14
□□(□□□)	:	□□□□
□□□	:	□□□□
Partition coefficient n-octanol/water (Log Kow)	:	□□□□
□□□	:	□□□□
50°C□□□ □□□	:	□□□□
□□	:	1.3 – 1.33 g/cm³
□□	:	□□□□
20°C□□□ □□ □□ □□	:	□□□□
□□ □□	:	□□□□

9.2. □ □□ □□□□

□□ □□

□□ 10: □□□ □ □□□

10.1. □□□

The product is non-reactive under normal conditions of use, storage and transport.

10.2. □□□ □□□

Stable under normal conditions.

10.3. □□ □□□ □□□

No dangerous reactions known under normal conditions of use.

10.4. □□□ □ □□

□□□□. Overheating. Finely divided metals.

10.5. □□□ □ □□

metals.

10.6. □□□ □□□□ □□□□

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

□□ 11: □□□ □□ □□

11.1. □□ (EC) No 1272/2008□ □□□, □□□ □□□ □□ □□

□□ □□ (□□) : □□□□ □□
□□ □□ (□□) : □□□□ □□
□□ □□ (□□) : □□□□ □□
□□ □□□ □□ □□□ : Causes severe skin burns.
pH: ≈ 14

SODIUM HYDROXIDE PELLETS (1310-73-2)	
pH	13 – 14

WATER (7732-18-5)	
pH	6 – 8 at 25°C

□□ □ □□ □□ □□□ : Assumed to cause serious eye damage
pH: ≈ 14

SODIUM HYDROXIDE PELLETS (1310-73-2)	
pH	13 – 14

WATER (7732-18-5)	
pH	6 – 8 at 25°C

□□□ □□ □□ □□□ : □□□□ □□
□□□□ □□□□ : □□□□ □□
□□□ : □□□□ □□
□□□□ : □□□□ □□
□□ □□□□ □□ (1□ □□) : □□□□ □□
□□ □□□□ □□ (□□ □□) : □□□□ □□
□□ □□□ : □□□□ □□

SODIUM HYDROXIDE PELLETS (1310-73-2)	
□□(□□□)	□□□□

WATER (7732-18-5)	
□□(□□□)	0.894 mm²/s

11.2. □□ □□ □□

□□ □□

□□ 12: □□□ □□□ □□

12.1. □□

□□□ - □□ : Before neutralisation, the product may represent a danger to aquatic organisms.
□□ □□□□ □□□ : □□□□ □□
□□ □□□□ □□□ : □□□□ □□

12.2. □□□ □ □□□

SODIUM HYDROXIDE 25% SOLUTION	
□□□ □ □□□	□□ □□ □□

SODIUM HYDROXIDE PELLETS (1310-73-2)	
□□□ □ □□□	□□ □□ □□

WATER (7732-18-5)	
□□□ □ □□□	□□ □□ □□

12.3. □□ □□□

□□ □□

12.4. □□ □□□

□□ □□

12.5. PBT □ vPvB □□ □□

□□ □□

12.6. □□□ □□ □□

□□ □□

12.7. □□ □□ □□

□□ □□

□□ 13: □□□ □□□□

13.1. □□□ □□□

□□ □□(□□□)	:	Disposal must be done according to official regulations.
□□□ □□□	:	Dispose of contents/container in accordance with licensed collector’s sorting instructions.
□□ □□ □□ □□	:	Disposal must be done according to official regulations.
□□/□□ □□ □□□□	:	Disposal must be done according to official regulations.
□□ □□	:	Do not re-use empty containers.
Ecological waste information	:	The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself.

□□ 14: □□□ □□□ □□

ADR / IMDG / IATA / ADN / RID□ □□

14.1. UN □□ □□ ID □□

UN-□□ (ADR)	:	UN 1824
UN-□□ (IMDG)	:	UN 1824
UN-□□ (IATA)	:	UN 1824
UN-□□ (ADN)	:	UN 1824
UN-□□ (RID)	:	UN 1824

14.2. UN □□ □□□

□□ □□□ (ADR)	:	□□□ □□ □□
□□ □□□ (IMDG)	:	SODIUM HYDROXIDE SOLUTION
□□ □□□ (IATA)	:	Sodium hydroxide solution
□□ □□□ (ADN)	:	□□□ □□ □□
□□ □□□ (RID)	:	□□□ □□ □□
□□ □□ □□ (ADR) (ADR)	:	UN 1824 □□□ □□ □□, 8, II, (E)
Transport document description (IMDG)	:	UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II
Transport document description (IATA)	:	UN 1824 Sodium hydroxide solution, 8, II
Transport document description (ADN)	:	UN 1824 □□□ □□ □□, 8, II
Transport document description (RID)	:	UN 1824 □□□ □□ □□, 8, II

물질안전보건자료
규정 (EU) 2020/878에 의해 수정된 REACH 규정 (EC) 1907/2006에 따름

14.3. 운송에서의 위험성 등급

ADR

운송에서의 위험성 등급 (ADR) : 8 위험 라벨 (ADR) : 8



:

IMDG

운송에서의 위험성 등급 (IMDG) : 8 위험 라벨 (IMDG) : 8



:

IATA

운송에서의 위험성 등급 (IATA) : 8 위험 라벨 (IATA) : 8



:

ADN

운송에서의 위험성 등급 (ADN) : 8 위험 라벨 (ADN) : 8



:

RID

운송에서의 위험성 등급 (RID) : 8 위험 라벨 (RID) : 8



:

14.4. 용기등급

용기 등급 (ADR) : II 용기 등급(IMDG) : II 용기 등급 (IATA) : II 포장 그룹(ADN) : II 용기 등급(RID) : II


14.5. 환경 유해성

환경에 위험 : 비해당 해양오염물질 : 비해당

EmS-No. (화재) : F-A
EmS-No. (유출) : S-B
그 밖의 참고사항 : 가용 추가 정보 없음

14.6. □□□□ □□ □□ □□□□

□□ □□

□□ □□ (ADR)	:	C5
□□□(ADR)	:	1l
□□□(ADR)	:	E2
□□ □□(ADR)	:	P001, IBC02
□□ □□ □□ □□ □□(ADR)	:	MP15
□□□ □□ □ □□ □□□□ □□ (ADR)	:	T7
□□□ □□ □ □□ □□□□ □□ □□ (ADR)	:	TP2
□□ □□(ADR)	:	L4BN
□□ □□ □□(ADR)	:	TU42
□□ □□□ □□	:	AT
□□ □□(ADR)	:	2
□□ □□ □□(Kemler □□)	:	80
Orange plates (□□□□□□)	:	
□□ □□ □□ (ADR)	:	E
EAC □□	:	2R

□□ □□

□□ □□(IMDG)	:	1 L
□□□(IMDG)	:	E2
□□ □□ (IMDG)	:	P001
IBC □□ □□(IMDG)	:	IBC02
□□ □□ (IMDG)	:	T7
□□ □□ □□ (IMDG)	:	TP2
□□ □□ (IMDG)	:	A
□□(IMDG)	:	SGG18, SG35
□□□ □□□□ (IMDG)	:	Colourless liquid. Corrosive to aluminium, zinc and tin. Reacts with ammonium salts, evolving ammonia gas. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.

□□ □□

PCA □□ □□(IATA)	:	E2
PCA □□ □□(IATA)	:	Y840
PCA □□ □□ □□ □□□(IATA)	:	0.5L
PCA □□ □□(IATA)	:	851
PCA □□ □□□(IATA)	:	1L
CAO □□ □□(IATA)	:	855
CAO □□ □□□(IATA)	:	30L
□□ □□(IATA)	:	A3, A803
ERG □□(IATA)	:	8L

□□ □□ □□

□□ □□(ADN)	:	C5
□□□(ADN)	:	1 L
□□□(ADN)	:	E2
□□□□(ADN)	:	T
□□ □□(ADN)	:	PP, EP
□□ □□/□□□ □□(ADN)	:	0

□□ □□

□□ □□(RID)	:	C5
□□ □□(RID)	:	1L
□□□(RID)	:	E2
□□ □□ (RID)	:	P001, IBC02
□□ □□ □□ □□ □□(RID)	:	MP15
□□□ □□ □ □□ □□□□ □□ (RID)	:	T7
□□□ □□ □ □□ □□□□ □□ □□ (RID)	:	TP2
RID □□□ □□ □□(RID)	:	L4BN

RID □□□ □□ □□(RID)	:	TU42
□□ □□(RID)	:	2
□□ □□□	:	CE6
□□□ □□ □□ (RID)	:	80

14.7. □□□□□□(IMO)□ □□ □□ □□ □□

□□□□

□□ 15: □□ □□□□

15.1. □□, □□ □ □□□ □□□□ □□□□ □□ □□□□ □□ □□ □□/□□

EU □□

REACH □□□ XVII (□□ □□)

EU restriction □□ (REACH Annex XVII)	
□□ □□	□□ □□
3(b)	SODIUM HYDROXIDE 25% SOLUTION

REACH □□□ XIV (□□ □□)

REACH □□□ XIV (□□ □□)□ □□□ □□□ □□□□ □□

REACH □□ □□ □□ (SVHC)

REACH □□ □□ □□□ □□□ □□□ □□□□ □□

PIC □□ (□□□□□□)

PIC □□(□□ □□□□ □□□□ □□ □□ EU 649/2012)□ □□□ □□□ □□□□ □□

POP □□ (□□□ □□ □□□□)

POP □□□ □□□ □□□ □□□□ □□ (□□□□□□□□□□ □□ □□ EC 2019/1021)

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)
Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

□□□□ □□(428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

□□ □□□□ □□ (2019/1148)

□□□ □□□□ □□(□□ □□□□□ □□ □ □□□ □□ □□ EU 2019/1148)□ □□□ □□ □□□□ □□

□□ □□□□ □□ (273/2004)

□□ □□□□ □□□ □□□ □□□ □□□□ □□(□□ □ □□□□ □□□ □□ □□□ □□□□ □□ □□□ □□ □ □□□ □□ □□ EC 273/2004)

□□ □□

□□□

□□□ □□ □□	:	18□ □□ □□□ □□ □□□ □□□□□

□□

□□□	:	□□□.
WGK	:	WGK 1, □□ □□ □□ □□ (AwSV, □□□ 1□ □□ □□).

□□□□

SZW-lijst van kankerverwekkende stoffen	:	□□ □□□ □□□□ □□□□□.
SZW-lijst van mutagene stoffen	:	□□ □□□ □□□□ □□□□□.
SZW-lijst van reprotoxische stoffen – Borstvoeding	:	□□ □□□ □□□□ □□□□□.
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	:	□□ □□□ □□□□ □□□□□.
SZW-lijst van reprotoxische stoffen – Ontwikkeling	:	□□ □□□ □□□□ □□□□□.

□□□

□□□ □□ □□ : Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).
Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).
The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).
Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).
Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).
Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).
The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)
Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended).
Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).
ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)
Regulation of the Minister of Health of 25 August 2015 on the method of marking places, pipelines, and containers and tanks used for storing or containing hazardous substances or hazardous mixtures (J.o.L. 2015, item 1368 as amended)

15.2. □□ □□ □□□ □□

No chemical safety assessment has been carried out

□□ 16: □ □□ □□□□

□□ □ □□□□:	
ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	□□ □□ □
BOD	Biochemical oxygen demand (BOD)
CAS □□	□□□□ □□ □□ □□(CAS)
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	□□□ □□ □□□
CSA	□□ □□ □□□ □□
DMEL	Derived Minimal Effect level
DNEL	□□ □□□ □□
EC □□	□□ □□□ □□
EC50	Median effective concentration
ED	□□□ □□□□

SODIUM HYDROXIDE 25% SOLUTION

□□□□□□□□

□□ (EU) 2020/878□ □□ □□□ REACH □□ (EC) 1907/2006□ □□

□□ □ □□□□:	
EN	□□ □□
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	□□□ □□ □□
OSHA	Occupational Safety & Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	□□ □□□ □□
PPE	□□ □□□
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	□□□□□□□□
STP	Sewage treatment plant
TF	□□□ □□
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
COV	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	□□ □□ □□□

H-□□ □ EUH-□□ □□:	
□□ □□□ 1	□□ □□□, □□ 1
□□ □□□ 1A	□□ □□□/□□ □□□, □□ 1, □□□□ 1A
H290	□□□ □□□□ □ □□.
H314	□□□ □□ □□□ □ □□□ □□□.

□□□□□□□□(SDS), EU

□ □□□ □□ □□□ □□□□ □□ □□□ □□□ □ □□□ □□, □□ □ □□ □□□ □□□□ □□□ □□□□□ □□ □□□□. □□□□ □□□ □□□ □□□ □□□□ □□□ □□ □□□□ □ □□□.

물질안전보건자료
규정 (EU) 2020/878에 의해 수정된 REACH 규정 (EC) 1907/2006에 따름